MTH Retail Group	Product Requirements	MTH Retail Group (Germany) GmbH
Category: Cars accessories		21-11
		Author: Träger
		Product:Autozubehör/ car
		equipment
Requirements for all products		Article No.:
The topic safety of products conce	rns the complete range of "hard	ware", since products generally have

to be designed to be safe.

req. no.	Statutory requirement	Law	Article
3063	Bis(pentabromphenyl)ether (Decabromdiphenylether, DecaBDE; CAS-Nr.: 1163-19-5; EG-Nr.: 214-604-9) 1.) shall not be manufactured or placed on the market as a substance on its own 2.) shall not be used in the production of, or placed on the market in: (a) another substance, as a constituent; (b) a mixture; (c) an article, or any part thereof, in a concentration equal to or greater than 0,1 % by weight	VO (EG) Nr. 1907/2006	Anhang XVII
50671	Prohibitions and restrictions for persistent organic pollutants are to be observed (POP-Regulation). Additional information: RE (EU) 2019/1021_21-05 VO (EU) 2019/1021_21-05	VO (EU) 2019/1021	
50795	Consumer Goods or part thereof under 5 cm (not toys) that could be used by children under normal or reasonably foreseeable conditions of use in the mouth may not be placed on the market if the concentration of lead (expressed as metal) in those articles or accessible parts thereof is equal to or greater than 0,05 % by weight. This does not apply to products which were first placed on the market before 01 June 2016. Exceptions (see Additional information) to be observed. Additional information: RE (EU) No. 2015-628 REACH Lead_15-04 VO (EU) 2015-628 Änderung REACH Blei_15-04	VO (EG) Nr. 1907/2006	Anhang XVII i.V.m. VERORDNUNG (EU) 2015/628
50538	Following mercury compounds may no longer be manufactured or placed on the market as substances. In mixtures, articles or any parts thereof, they may no longer be placed on the market, if the concentration of mercury is equal to or greater than 0.01 percent weight: - Phenylmercury acetate (EC-No 200-532-5, CAS-No 62-38-4) - Phenylmercury propionate (EC-No 203-094-3, CAS-No 103-27-5) - Phenylmercury 2-ethylhexanoate (EC-No 236-326-7, CAS-No 13302-00-6) - Phenylmercury octanoate (CAS-No 13864-38-5) - Phenylmercury neodecanoate (EC-No 247-783-7, CAS-No 26545-49-3)	VO (EG) Nr. 1907/2006	Anhang XVII Nr. 62
50525	If a product marked with a CE mark and complies with it by the CE- requirements, the GS- mark should not to be used. Equivalent requirements of CE criteria and GS criteria rules out a GS-mark.	ProdSG	§ 20 (2)
50527	The GS-mark must be designed in accordance with the provisions of ProdSG. Additional information: GS-Zeichen_21-11	ProdSG	§ 24 (3)

12.01.22 1 of 86

MTH Retail Group	Product Requirements	MTH Retail Group (Germany) GmbH
Category: Cars accessories		21-11
		Author: Träger
		Product:Autozubehör/ car
		equipment
Requirements for all products		Article No.:

The topic safety of products concerns the complete range of "hardware", since products generally have to be designed to be safe.

to be des	igned to be safe.		
req. no.	Statutory requirement	Law	Article
50518	The product safety of a product is completely to examined. All components of a product, as:	ProdSG	§ 3
	- the product as self,		
	- identification,		
	- correct instructions, - adequate warnings,		
	- Information about foreseeable misuse,		
	- disposal instructions,		
	- Information for specific user groups,		
50540	must be checked.	D100	0.0
50519	Manufacturers and importers have provisions for appropriate measures (market monitoring, complaint analysis, etc.) shall be	ProdSG	§ 6
	taken to avoid risks associated with the product.		
	This applies to organizational measures to alert consumers and		
	any necessary withdrawal or the recall.		
	Product complaints must be registered. This should include the		
	reason for the complaint and measures initiated.		
	Manufacturers and importers have the competent market		
	surveillance authority immediately informed about health and		
	safety risks associated with the product that they put on the		
	market.		
50522	The actions taken to represent.	ProdSG	\$7 (2)
30322	The CE marking must be visible, legible and permanently be directly attached to the product or its data plate. This also applies to the address of the manufacturer, importer or the trademark owner. If the type of product that is not possible or not warranted, the CE marking is affixed on the packaging, as well as on the accompanying documents, provided they are prescribed.	riouse	§7 (3)
	Attention! Information from public authorities are exceptions to the direct labeling of the product if they are only economic.		
50523	If the production (production control) of the product by a notified conformity assessment body has been audited, according to the CE mark, the number have to apply on the product.	ProdSG	§ 7 (4)
50524	Behind the CE mark and the number can be apply an icon indicating a special risk or special use.	ProdSG	§ 7 (5)
160071	It is prohibited to place consumer goods on the market under	LFGB	§33 Abs. 1
	misleading designation, information or presentation.		3007.001
103003	Consumer articles and toys with liquids, for example in double-walled articles, are subject to a purchase ban.	QS	
160070	Articles for daily use must not be placed on the market if they do not conform to stipulated requirements from the regulation (EG) Nr 1935/2004 regarding their manufacture	LFGB	§31 Abs.1
5046	Products may be introduced onto the market only if they do not endanger the safety and health of consumers or damage other objects (products). In addition, for products which are subject to other legal provisions the higher requirements specified must also be fulfilled.	ProdSG	§ 3

12.01.22 2 of 86

The topic safety of products concerns the complete range of "hardware", since products generally have to be designed to be safe.

req. no.	Statutory requirement	Law	Article
160069	Articles or substances must not be placed on the market as consumer goods if their intended or predictable use is likely to impair health by virtue of their material composition, e.g. through toxic substances or impurities.	LFGB	§30
5047	All products must be clearly marked on the product as follows: 1. with the full address of the manufacturer. 2. with the full address of the importer, if the headquarters of the manufacturer or person authorised by him is not in Germany. 3. with the full address of the dealer, if he has imported the product himself. If a direct product marking is not possible (technically), it can also be attached to the packaging (Exceptions are to be observed). Furthermore, applies to products in the harmonized area (ProdSV and more) supplemental label elements.	ProdSG	§ 6 (1)
5048	Harmonized standards, non-harmonized standards and technical specifications can be used to ensure conformity.	ProdSG	§ 4 und § 5
5351	Products that are not food, but which are due to - their shape, - her smell, - their color, - her appearance, - her presentation, - their marking, - their volume or - her size it is foreseeable that they will be confused with food by consumers, especially children, and therefore be taken to the mouth, sucked or swallowed, which may give rise, in particular, to the risk of suffocation, poisoning, perforation or obstruction of the digestive tract, are forbidden.	LFGB	§ 5, in V. m. § 3 Abs. 1 Nr. 5
5049	Instructions for use / safety instructions in German must be enclosed with all products if certain rules are to be observed to protect the health of people. The use, addition and maintenance of the product must be considered.	ProdSG	§ 3 (4)
5050	The DIN EN IEC / IEEE 82079 standard can be used to create instructions for use. Following information is recomended: 1. Type of use 2. Assembly 3. Installation 4. Maintenance instructions 5. Warnings, particularly when used for a purpose other than that intended 6. Prevention of maloperation 7. Special instructions for user groups which are exposed to greater danger (children, pregnant women, older people) 8. Complete address of the manufacturer or importer 9. Note on how to keep the instructions for use 10. Note on the legally prescribed disposal	DIN EN IEC/IEEE 82079	

12.01.22 3 of 86

Product Requirements	MTH Retail Group (Germany) GmbH
	21-11
	Author: Träger
	Product:Autozubehör/ car
	equipment
	Article No.:
	Product Requirements

The topic safety of products concerns the complete range of "hardware", since products generally have to be designed to be safe.

req. no.	Statutory requirement	Law	Article
5052	The GS mark may be used only if a notified GS testing institute has carried out a test and confirmed this. The GS mark can only be applied for by manufacturers or authorized representatives based in the EU or the European free trade area.	ProdSG	§ 20 (1)
5051	The CE marking may be used only if this is subject to the relevant directives and these requirements have also been observed.	ProdSG	§ 7 (2)

12.01.22 4 of 86

MTH Retail Group	Product Requirements	MTH Retail Group (Germany) GmbH
Category: Cars accessories		21-11
		Author: Träger
		Product:Autozubehör/ car
		equipment
Requirements for products which	n are affected by REACH	Article No.:

Manufactured item means a product which intentionally releases a substance and acquires at the manufacturing stage a specific form, surface or configuration, which, to a greater extent than its chemical composition, determines its function. As such are accounted e.g. scented candles, textiles releasing scent, perfumed handkerchiefs, Manufactured items are articles, which at the manufacturing stage acquire a specific form, surface or configuration, which to a greater extent than the chemical composition determines their function.

req. no.	Statutory requirement	Law	Article
50395	The requirements of the safety data sheets are to be fulfilled according to RE (EC) 1907/2006 Annex II. Additional information: RE (EG) Nr. 1907/2006 Annex II 21-11 VO (EG) Nr. 1907/2006 Anhang II 21-11	VO (EG) Nr. 1907/2006	Anhang II
50177	For articles you can find the REACH requirements for producers, importers and distributors in the Guideline of the REACH CLP Helpdesk: http://www.reach-clp-biozid-helpdesk.de/en/Homepage.html;jsessionid=2AC4AEBE23776D 9211A35669BF9C6791.s2t2	VO (EG) Nr. 1907/2006	
5220	For all ready-made articles (products), which intentionally release more than 1 ton of chemical substance the REACH requirements apply and must be adhered to from 1 June 2007 or 1 June 2008 respectively. Additional information: RE (EC) No 1907/2006_21-05 VO (EG) Nr. 1907/2006_21-05	VO (EG) Nr. 1907/2006	Art.141
50046	The material limits and prohibitions of Annex XVII, current form in each case are to be observed. https://echa.europa.eu/substances-restricted-under-reach	VO (EG) Nr. 1907/2006	Anhang XVII
5221	The manufacturers are responsible for the adherence to the obligations arising from REACH for all ready-made articles (products) produced in the EU. This also applies to own brands.	VO (EG) Nr. 1907/2006	Art.3 Abs.3,4,7,9,11
5222	Manufacturers within the EU, who come under the REACH obligations will, after registration, make their registration numbers known without being asked. This also applies to private labels.	QS	

12.01.22 5 of 86

MTH F	Retail Group Pr	oduct Requirements	MTH Retail Gro	up (Germany) GmbH
Category	y: Cars accessories	2	1-11	
		A	uthor: Träger	
		Р	roduct:Autozubeh	ör/ car
		e	quipment	
Articles	of natural latex		rticle No.:	
req. no.	Statutory requirement		Law	Article
50835	For fillers the BfR recommenda	tions are observed.	BfR-Empfehlung	BfR LII
	This Recommendation for fillers	applies to the follwing		
	materials: 1. Plastics Dispersions according	ng to Recommendation XIV		
	2. Silicones according to Recon	nmendation XV		
	3. Commodities based on Natur			
	according to Recommendation 4. Cross-Linked Polyurethanes			
	Packaging Materials accord-ing	to Recommendation XXVIII		
	Linear Polyurethanes for Pap Recommendation XLI	er Coatings according to		
	6. Artificial Sausage Casings ac	cording to Recommendation		
	XLIV 7. Temperature Resistant Polyr	ner Coating Systems for Enving		
	Cooking and Baking Utensils at			
	Additional information:	-		
	BfR LII. Fillers 2019-06-01_20-0 BfR LII. Füllstoffe 2019-06-01_2			

12.01.22 6 of 86

All types of timber such as solid timber, wood veneer, wooden material boards (e.g. chipboard) and pulp and paper with the exception of bamboo-based and recovered products.

req. no.	Statutory requirement	Law	Article
711	Coated and uncoated wood materials such as chipboard, carpentry, veneer or fiber boards must comply with the test requirements for formaldehyde of the ChemVerbotsVO.	ChemVerbotsV	§ 1 Abs. 1 iVm Anh. Abschn. 3
706	Wood products must not contain more than 5 mg / kg of PCP or PCP salts or compounds.	ChemVerbotsV	§ 3 Anlage 1
3061	It is prohibited to treat wooden goods with arsenic compounds.	VO (EG) Nr. 1907/2006	Anhang XVII
50801	Untreated lumbers and twigs, heather and coniferous timber seeds for the production of smoke used for smoking foodstuffs (smoked chips, strands, boards and woods) are consumer goods and may not exceed the threshold values for pentachlorophenol and its salts, expressed as pentachlorophenol of 0.05 mg/kg wood.	BedGgstV	§ 6 Nr.3 + Anlage 5
50799	Follow chemicals shall not be placed on the market, or used, as substances or in mixtures where the substance or mixture is intended for the treatment of wood. Furthermore, wood so treated shall not be placed on the market: (a) Creosote; wash oil CAS No 8001-58-9 EC No 232-287-5 (b) Creosote oil; wash oil CAS No 61789-28-4 EC No 263-047-8 (c) Distillates (coal tar), naphthalene oils; naphthalene oil CAS No 84650-04-4 EC No 283-484-8 (d) Creosote oil, acenaphthene fraction; wash oil CAS No 90640-84-9 EC No 283-484-8EC No 292-605-3 (e) Distillates (coal tar), upper; heavy anthracene oil CAS No 65996-91-0 EC No 266-026-1 (f) Anthracene oil CAS No 90640-80-5 EC No 292-602-7 (g) Tar acids, coal, crude; crude phenols CAS No 65996-85-2 EC No 266-019-3 (h) Creosote, wood CAS No 8021-39-4 EC No 232-419-1 (i) Low temperature tar oil, alkaline; extract residues (coal), low temperature coal tar alkaline CAS No 122384-78-5 EC No 310-191-5	VO (EG) Nr. 1907/2006	Anhang XVII
50778	Cellulose and paper with a content of about 0.1 percent by weight of nonylphenol is prohibited.	VO (EG) Nr. 1907/2006	Anhang XVII

12.01.22 7 of 86

	Retail Group Product Requirements	MTH Retail Gro	oup (Germany) GmbH
Categor	y: Cars accessories	 21-11	
		Author: Träger	
		Product:Autozubel	nör/ car
		equipment	1017 001
Wood, a		Article No.:	
req. no.	Statutory requirement	Law	Article
50801	Untreated lumbers and twigs, heather and coniferous timber seeds for the production of smoke used for smoking foodstuffs (smoked chips, strands, boards and woods) are consumer goods and may not exceed the threshold values for pentachlorophenol and its salts, expressed as pentachlorophenol of 0.05 mg/kg wood.	BedGgstV	§ 6 Nr.3 + Anlage 5
706	Wood products must not contain more than 5 mg / kg of PCP or PCP salts or compounds.	ChemVerbotsV	§ 3 Anlage 1
711	Coated and uncoated wood materials such as chipboard, carpentry, veneer or fiber boards must comply with the test requirements for formaldehyde of the ChemVerbotsVO.	ChemVerbotsV	§ 1 Abs. 1 iVm Anh. Abschn. 3
3061	It is prohibited to treat wooden goods with arsenic compounds.	VO (EG) Nr. 1907/2006	Anhang XVII
50799	Follow chemicals shall not be placed on the market, or used, as substances or in mixtures where the substance or mixture is intended for the treatment of wood. Furthermore, wood so treated shall not be placed on the market: (a) Creosote; wash oil CAS No 8001-58-9 EC No 232-287-5 (b) Creosote oil; wash oil CAS No 61789-28-4 EC No 263-047-8 (c) Distillates (coal tar), naphthalene oils; naphthalene oil CAS No 84650-04-4 EC No 283-484-8 (d) Creosote oil, acenaphthene fraction; wash oil CAS No 90640-84-9 EC No 283-484-8EC No 292-605-3 (e) Distillates (coal tar), upper; heavy anthracene oil CAS No 65996-91-0 EC No 266-026-1 (f) Anthracene oil CAS No 90640-80-5 EC No 292-602-7 (g) Tar acids, coal, crude; crude phenols CAS No 65996-85-2 EC No 266-019-3 (h) Creosote, wood CAS No 8021-39-4 EC No 232-419-1 (i) Low temperature tar oil, alkaline; extract residues (coal), low temperature coal tar alkaline CAS No 122384-78-5 EC No 310-191-5	VO (EG) Nr. 1907/2006	Anhang XVII

12.01.22 8 of 86

MTHR	etail Group	Product Requirements	MTH Retai	il Group (Germany) GmbH
Category	: Cars accessories		21-11	
			Author: Träge	er
			Product:Auto	zubehör/ car
			equipment	
Plastics			Article No.:	
under "Te	extile Fibres"!	ly synthetically manufactured rubbe		
Foamed programs materials	•	e mattrasses, cushions, cold boxes	, bicycle saddle	es, insulating
req. no.	Statutory requirement		Law	Article

12.01.22 9 of 86

Foamed plastics are for example mattrasses, cushions, cold boxes, bicycle saddles, insulating materials.

req. no.	Statutory requirement	Law	Article
'13	It must be ascertained that the limits for dioxins and furans are not exceeded.	ChemVerbotsV	§ 3 Anlage 1
	Limits must be adhered to for the following groups of dioxins and furans:		
	Group 1 a) 2,3,7,8-Tetrachlorodibenzo-p-dioxin b) 1,2,3,7,8-Pentachlorodibenzo-p-dioxin c) 2,3,7,8-Tetrachlorodibenzofuran d) 2,3,4,7,8-Pentachlorodibenzofuran		
	Group 2 a) 1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin b) 1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin c) 1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin d) 1,2,3,7,8-Pentachlorodibenzofuran e) 1,2,3,4,7,8-Hexachlorodibenzofuran f) 1,2,3,7,8,9-Hexachlorodibenzofuran g) 1,2,3,6,7,8-Hexachlorodibenzofuran h) 2,3,4,6,7,8-Hexachlorodibenzofuran		
	Group 3 a) 1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin b) 1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin c) 1,2,3,4,6,7,8-Heptachlorodibenzofuran d) 1,2,3,4,7,8,9-Heptachlorodibenzofuran e) 1,2,3,4,6,7,8,9-Octachlorodibenzofuran		
	Group 4 a) 2,3,7,8-Tetrabromodibenzo-p-dioxin b) 1,2,3,7,8-Pentabromodibenzo-p-dioxin c) 2,3,7,8-Tetrabromodibenzofuran d) 2,3,4,7,8-Pentabromodibenzofuram		
	Group 5 a) 1,2,3,4,7,8-Hexabromodibenzo-p-dioxin b) 1,2,3,7,8,9-Hexabromodibenzo-p-dioxin c) 1,2,3,6,7,8-Hexabromdibenzo-p-dioxin d) 1,2,3,7,8-Pentabromodibenzofuran		
	The following limits must be met:		
	 1. 1 µg/kg for the total amounts contained of chemical compounds stated in Group 1 2. 5 µg/kg for the total amounts contained of chemical compounds stated in Group 1 and 2 3. 100 µg/kg for the total amounts contained of chemical compounds 		
	stated in Group 1, 2 and 3 4. 1 µg/kg for the total amounts contained of chemical compounds		
	stated in Group 4 5. 5 µg/kg for the total amounts contained of chemical compounds stated in Group 4 and 5		
	The limits in Items 2, 3 and 5 are deemed to have been met only provided the limits applicable to the groups listed there are met.		
	Routes of entry for dioxins and furans may be:		
	 Direct Blue 106 + 108, Violet 23 dyestuffs Anthraquinonoid vat dyes and anthraquinonoid pigments Dyestuffs produced using chloranil as the basis Fiber materials or leather treated with pentachlorophenol (PCP). 		

12.01.22 10 of 86

MTH Retail Group	Product Requirements	MTH Retail Group (Germany) GmbH
Category: Cars accessories		21-11
		Author: Träger
		Product:Autozubehör/ car
		equipment
Plastics		Article No.:

Plastics also include fully or partly synthetically manufactured rubbers. Plastic fibres were handled under "Textile Fibres"!

Foamed plastics are for example mattrasses, cushions, cold boxes, bicycle saddles, insulating materials.

materials.				
req. no.	Statutory requirement	Law	Article	
50945	The following single-use plastic articles must be marked on the packaging and the outer packaging with the harmonized marking requirement of the Implementing Regulation (EU) 2020/2151:	EWKKennzV	§ 4 i.V.m. DVO (EU) 2020/2151	
	 Sanitary towels (pads), tampons and tampon applicators; Wet wipes, i.e. pre-wetted personal care and domestic wipes; Tobacco products with filters and filters marketed for use in combination with tobacco products; 			
	On the other hand, on cups for beverages made of disposable plastic, the harmonized marking requirement from the Implementing Regulation (EU) 2020/2151 is placed directly on the product.			
	Manufacturers and importers who place the above-mentioned products on the market for the first time in the respective EU member state are obliged to do so.			
	As a transitional measure, the markings can also be affixed as stickers up to 03.07.2022. From 04.07.2022, the markings must be applied as print.			
	The position, size and design of the marking must be taken from the Implementing Regulation (EU) 2020/2151 Additional information: DVO (EU) 2020/2151_21-11			
50940	Certain single-use plastic articles and products made of oxodegradable plastic are banned.	EWKVerbotsV	§ 3	
	These include in particular - cotton buds sticks, - cutlery (forks, knives, spoons, chopsticks), - plates, - straws; - beverage stirrers - sticks to be attached to and to support balloons, including the mechanisms of such sticks - food containers made of styrofoam - beverage containers made of styrofoam, including their caps and lids; and			
	- cups for beverage made of styrofoam, including their covers and lids.			

12.01.22 11 of 86

Product Requirements	MTH Retail Group (Germany) GmbH
	21-11
	Author: Träger
	Product:Autozubehör/ car
	equipment
	Article No.:
	Product Requirements

Plastics also include fully or partly synthetically manufactured rubbers. Plastic fibres were handled under "Textile Fibres"!
Foamed plastics are for example mattrasses, cushions, cold boxes, bicycle saddles, insulating

materials.

	Otatista management	1	At' - I -
req. no.	Statutory requirement	Law	Article
50947	Extended producer responsibility applies to the following single- use plastic articles:	Richtlinie (EU) 2019/904	Art. 8 i.V.m. Teil E
	- Wet wipes, i.e. pre-wetted personal care and domestic wipes;		
	- Balloons, except balloons for industrial or other professional uses and applications that are not distributed to consumers		
	For these products, the following costs must be covered from 31.12.2024 at the latest:		
	 - Awareness-raising measures - cleaning up litter resulting - data gathering and reporting in accordance with Directive 2008/98/EC. 		
	The above-mentioned costs must already be borne from 05.01.2023 if the extended producer responsibility regime for the single-use plastic products concerned was introduced before 04.07.2018.		
50049	Dioctylzin combinations (DOT) are prohibited in products if the substance concentration of DOT exceeds 0.1 per cent weight. The following products are affected: textiles with skin contact;-gloves; - parts of shoes that come into contact with skin; -walll and floor coverings; - baby articles; ladies hygiene products;-nappies/diapers; -packaging;-two-part room temperature vulcanisation form sets (RTV-2- form sets)	VO (EG) Nr. 1907/2006	Anhang XVII
671	Mixtures and articles produced from plastic material as listed above shall not be placed on the market if the concentration of cadmium (expressed as Cd metal) is equal to or greater than 0,01 % by weight of the plastic material.	VO (EG) Nr. 1907/2006	Anhang XVII
	By way of derogation, above restriction shall not apply to articles coloured with mixtures containing cadmium for safety reasons.		

12.01.22 12 of 86 Plastics also include fully or partly synthetically manufactured rubbers. Plastic fibres were handled under "Textile Fibres"!

Foamed plastics are for example mattrasses, cushions, cold boxes, bicycle saddles, insulating materials

req. no.	Statutory requirement	Law	Article
50737	Products of rubber or plastic components (e.g. sport equipment, household utensils, tools, clothing, footwear, wrist-bands), that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, should not contain more than 1.0 mg / kg of one of the listed PAHs:	VO (EG) Nr. 1907/2006	Anhang XVII Nr. 50
	a) Benzo(a)pyren (BaP) b) Benzo(e)pyren (BeP) c) Benzo(a)anthracen (BaA) d) Chrysen (CHR) e) Benzo(b)fluoranthen (BbFA) f) Benzo(j)fluoranthen (BjFA) g) Benzo(k)fluoranthen (BkFA) h) Dibenzo(a,h)anthracen (DBAhA)		
	This shall not apply to articles placed on the market for the first time before 27 December 2015. For these articles the values of BfR and ZEK apply.		
	(The standard EN 16143:2013 (Petroleum products-Determination of content of Benzo (a)pyrene (BaP) and selected polycyclic aromatic hydrocarbons (PAH) in extender oils- Procedure using double LC cleaning and GC/MS analysis) shall be used as the test method for demonstrating conformity with the limits.) Additional information: RE (EC) No 1907/2006_20-05 VO (EG) Nr. 1907/2006_20-05		
50738	Toys, including activity toys, and childcare articles of rubber or plastic components, that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, should not contain more than 0.5 mg / kg of one of the listed PAHs: a) Benzo(a)pyren (BaP) b) Benzo(e)pyren (BeP) c) Benzo(a)anthracen (BaA) d) Chrysen (CHR) e) Benzo(b)fluoranthen (BbFA) f) Benzo(j)fluoranthen (BjFA) g) Benzo(k)fluoranthen (BkFA)	VO (EG) Nr. 1907/2006	Anhang XVII Nr. 50
	h) Dibenzo(a,h)anthracen (DBAhA) (The standard EN 16143:2013 (Petroleum products-Determination of content of Benzo (a)pyrene (BaP) and selected polycyclic aromatic hydrocarbons (PAH) in extender oils- Procedure using double LC cleaning and GC/MS analysis) shall be used as the test method for demonstrating conformity with the limits.) Additional information: CR (EC) 2015-326_test method_15-04 VO(EU) Nr. 2015-326_Prüfverfahren_15-04		

12.01.22

Plastics also include fully or partly synthetically manufactured rubbers. Plastic fibres were handled under "Textile Fibres"!

Foamed plastics are for example mattrasses, cushions, cold boxes, bicycle saddles, insulating materials

materials	i.		
req. no.	Statutory requirement	Law	Article
721	Products made of vinyl chloride polymers (e.g. PVC) which are intended to	BedGgstV	§ 6 Abs. 3 iVm Anl.5 Nr. 1
	- come into contact with food during manufacture, treatment,		
	distribution, or use		
	- come into contact with cosmetics or tobacco products		
	- come into contact with the skin, not just temporarily - come into contact with the mouth		
	- as well as all		
	- toys and joke articles		
	- cleaning and care agents		
	- products for personal hygiene		
	may not contain more than 1 mg monomer vinyl chloride per kg		
723	Analysis of the Consumer Goods must be done according to the	BedGgstV	§ 11 + Anlage
	methods laid down in Annex 10 of the regulation concerning		10
	consumer goods (BedGgstV). Additional information:		
	Bedarfsgegenständeverordnung_17-05.pdf		
5214	The import and marketing of products and devices containing	ChemOzonSchi	Art.4
	chlorofluorocarbons, other perhalogenated chlorofluorocarbons,	chtV	
	halons, carbontetrachlorides, 1,1,1-trichloroethane, partly		
	halogenated bromofluoride hydrocarbons and		
	chlorobromomethane are prohibited. The following are affected:		
	- Aerosol products		
	- Dyes and paints		
	- Cosmetics		
	- Lubricants		
	Cleaning materials Pressurised gas containers		
	- Fire extinguishers		
	- Insulation materials		
	- Refrigerators		
	- Air conditioning units		
	- Mattresses		
	- Foam material		
50050	- Adhesives	\(\O \(\G \) \\r	Anhana VVIII
50050	Trisubstituted zinc compounds (e.g. TBT, TPT) with a concentration of more than 0.1 per cent weight inproducts, not	VO (EG) Nr. 1907/2006	Anhang XVII
	mixtures such as:	1901/2000	
	- carpets;		
	- clothing;		
	- wood preservation substances;		
	- leather goods;		
	- PVC-products;		
	- paints and varnishes		
	are prohibited.		

12.01.22 14 of 86

MTH Retail Group	Product Requirements	MTH Retail Group (Germany) GmbH
Category: Cars accessories		21-11
		Author: Träger
		Product:Autozubehör/ car
		equipment
Plastics		Article No.:

Plastics also include fully or partly synthetically manufactured rubbers. Plastic fibres were handled under "Textile Fibres"!
Foamed plastics are for example mattrasses, cushions, cold boxes, bicycle saddles, insulating

materials.

req. no.	Statutory requirement	Law	Article
50051	Dibutyl zinc compounds (DBT) with a concentration of more than 0.1 per cent weight are prohibited if these are intended for end-users in such products and mixtures as: - impregnating sprays; - mattresses; - PVC articles; - polyurethane foam; - textiles, - where applicable other articles and mixtures. The above date does not apply to the following products and mixtures: one- and two part room temperature vulcanisation sealing substances and glues (RTV-1 and RTV-2 sealing substances); - paints and coatings containing DBT-compounds as catalysts if these are painted on products; - soft polyvinylchloride (PVC) profiles whether these are extruded with hard PVC or not; material covered with a layer of PVC which contains DBT-compounds as stabilisers, if intended for outdoor use; - outside rainwater piping, guttering and joints as well as roof and exterior wall cladding.	VO (EG) Nr. 1907/2006	Anhang XVII
50349	For the dyes of plastic household use articles, the recommendations of the BfR "IX. Colourings for dyeing plastics and other polymers for articles for household use" are to be adhered to. Additional information: BfR IX Colorants 2019-06-01_20-05 BfR IX Farbmittel 2019-06-01_20-05	BfR-Empfehlung	BfR IX

12.01.22 15 of 86

MTH Retail Group	Product Requirements	MTH Retail Group (Germany) GmbH
Category: Cars accessories		21-11
		Author: Träger
		Product:Autozubehör/ car
		equipment
Metallic surfaces		Article No.:

Concerns metallic surfaces of household appliances, furniture, sanitary systems, air-conditioning systems, devices for freezing and deep-freezing and so on.

req. no.	Statutory requirement	Law	Article
100669	Avoidance of lead-containing metals for bearings and cadmium containing colours and screws.	QS	
675	For household items, furniture, sanitary systems, airconditions and devices for freezing and deep-freezin and others metallic surfaces must not be treated with cadmium.	VO (EG) Nr. 1907/2006	Anhang XVII
103075	All steel and steelproducts from India must provide freedom of radioactive contamination (Cobalt 60). Limit: 500 mikrobecquerel per gram. Analytical method: nuclide specific CO-60 measurement (Gamma-spectroscopy)	ProdSG	
103071	With the application of Chrome III it is essential to ensure that the treatment of the product is absolutely flawless, no corrosion occurs, so that no chrome VI forms	QS	
50795	Consumer Goods or part thereof under 5 cm (not toys) that could be used by children under normal or reasonably foreseeable conditions of use in the mouth may not be placed on the market if the concentration of lead (expressed as metal) in those articles or accessible parts thereof is equal to or greater than 0,05 % by weight.	VO (EG) Nr. 1907/2006	Anhang XVII i.V.m. VERORDNUNG (EU) 2015/628
	This does not apply to products which were first placed on the market before 01 June 2016.		
	Exceptions (see Additional information) to be observed. Additional information: RE (EU) No. 2015-628 REACH Lead_15-04 VO (EU) 2015-628 Änderung REACH Blei_15-04		
50772	For all consumer goods made of metal (jewelry, writing instruments, mobile phones) which are intended to come into direct and prolonged in contact with the skin, the corresponding material restrictions of Annex XVII to Regulation (EC) no. 1907/2006 must be observed.	VO (EG) Nr. 1907/2006	Anhang XVII
	https://www.echa.europa.eu/substances-restricted-under-reach		

12.01.22 16 of 86

MTH Retail Group	Product Requirements	MTH Retail Group (Germany) GmbH
Category: Cars accessories		21-11
		Author: Träger
		Product:Autozubehör/ car
		equipment
Textile fibre materials / leather ar	nd imitation leather	Article No.:
Include textile fibre materials and le products/articles with textile compocovers.		xtiles, home textiles and uch as, for example dolls, wigs, seat

	Ctatutam una su ina ma ant	1	۸ سائیا د
eq. no.	Statutory requirement	Law	Article
16	The goods stated below must not contain any azo dyes /	BedGgstV	§ 3 iVm Anl. 1
	pigments which may detach the prohibited amines. Textile and		Nr. 7
	leather goods which may have prolonged direct contact with		
	human skin or mouth, especially:		
	1. Clothing, bed linen, towels, hair parts, toupees, hats, diapers		
	and other sanitary articles, sleeping bags.		
	2. Shoes, gloves, watch straps, bags, purses and wallets,		
	folders, chair covers, breast bags.		
	3. Textile and leather toys and toys with textile or leather		
	garments		
	garriono		
	4. Yarns and fabrics for end users.		
	Prohibited amines :		
	4-aminobiphenyl CAS-No. 92-67-1		
	Benzidine CAS-No.92-87-5		
	4-chloro-o-toluidine CAS-No. 95-69-2		
	2-naphthylamine CAS-No. 91-59-8		
	o-aminoazotoluene CAS-No. 97-56-3		
	5-nitro-o-toluidine CAS-No. 99-55-8		
	4-chloroaniline CAS-No.106-47-8		
	2,4-diaminoanisole CAS-No. 615-05-4		
	4,4′-diaminodiphenylmethane CAS-No. 01-77-9		
	3,3'-dichlorobenzidine CAS-No. 91-94-1		
	3,3´-dimethoxybenzidine CAS-No. 119-90-4		
	3,3´-dimethylbenzidine CAS-No. 119-93-7		
	3,3´-dimethyl-4,4´-diaminoiphenyl-methane CAS-No. 838-88-0		
	p-cresidine CAS-No.120-71-8		
	4,4'-methylene-bis-(2-chloraniline) CAS-No . 101-14-4		
	4,4´-oxydianiline CAS-No.101-80-4		
	4,4´-thiodianiline CAS-No.139-65-1		
	o-toluidine CAS-No. 95-53-4		
	2,4-toluylendiamine CAS-No. 95-80-7		
	2,4,5-trimethylaniline CAS-No. 137-17-7		
	o-anisidine (2-methoxyaniline) CAS-No. 90-04-0		
	4-amino azobenzene CAS-No. 60-09-3		
	1 4111110 420001120110 0710 110. 00 00 0		
	The use of prohibited azo dyes is deemed not to have been		
	proven if the amounts contained of each amine component do		
	not exceed 30 mg in one kilogram (0,003 Gew%) of specimen		
	material.		
50696	For toys and childcare articles which can be placed in the	BfR DPHP	
,,,,,,,	mouth, the limit of 0.1% is observed for following phthalate:		
	model, the limit of 0.176 is observed for following primatate.		
	- DPHP (Di-2-propylheptylphthalat)		
	Additional information:		
	BfR Opinion No. 004-2012_13-11.pdf		
	BfR Stellungnahme DPHP Nr. 004-2012_13-11.pdf		
	Directional graning Direction 141. 004-2012_10-11.pul		
		1	1

12.01.22 17 of 86

req. no.	Statutory requirement	Law	Article
0687	The limit values below apply to the following textiles:	VO (EG) Nr.	Anhang XVII
	(a) clothing or related accessories;	1907/2006	7 unitarily 7 viii
	(b) textiles other than clothing which, under normal or reasonably foreseeable conditions of use, come into contact with human skin to an extent similar to clothing;		
	(c) footwear;		
	if the clothing, related accessory, textile other than clothing or footwear is for use by consumers following limits:		
	- Cadmium and its compounds: 1 mg/kg nach Extraktion - Chromium VI compounds: 1 mg/kg nach Extraktion - Arsenic compounds: 1 mg/kg nach Extraktion - Lead and its compounds: 1 mg/kg nach Extraktion - Benzene: 5 mg/kg - Benz[a]anthracen: 1 mg/kg - Benz[a]anthracen: 1 mg/kg - Benzo[a]pyrene; Benzo[def]chrysene: 1 mg/kg - Benzo[a]pyrene: 1 mg/kg - Benzo[j]fluoranthene: 1 mg/kg - Benzo[j]fluoranthene: 1 mg/kg - Benzo[k]fluoranthene: 1 mg/kg - Chrysene: 1 mg/kg - Dibenz[a,h]anthracene: 1 mg/kg - α, α,α,4-tetrachlorotoluene; p-chlorobenzotrichloride: 1 mg/kg - α, α,α-trichlorotoluene; benzotrichloride: 1 mg/kg - α-chlorotoluene; benzyl chloride: 1 mg/kg - α-chlorotoluene; benzyl chloride: 1 mg/kg - 1,2-benzenedicarboxylic acid; di-C 6-8-branched alkylesters, C 7-rich: 1000 mg/kg - 1,2-benzenedicarboxylic acid; di-C 6-8-branched alkylesters, C 7-rich: 1000 mg/kg - Di-n-pentylphthalate: 1000 mg/kg - Di-n-pentylphthalate: 1000 mg/kg - Di-n-pentylphthalate (DPP): 1000 mg/kg - Di-n-hexylphthalate (DPP): 1000 mg/kg - N,N-Dimethylacetamide (DMAC): 3000 mg/kg - N,N-Dimethylacetamide; Dimethylformamide (DMF): 3000 mg/kg - 1,4,5,8-Tetraamino-anthrachinon; C.I. Disperse Blue 1: 50 mg/kg - Benzolamin, 4,4'-(4-Iminocyclohexa-2,5- dienylidenmethylen)dianilinhydrochlorid; C.I. Basic Red 9: 50 mg/kg - 4-[4,4'-Bis(dimethylamino)benzhydryliden]cyclohexa-2,5-dien-1-yliden]dimethylammoniumchlorid; C.I. Basic Violet 3 mit ≥ 0,1 % Michlers Keton (EG-Nr. 202- 027-5): 50 mg/kg - 4-Chlor-o-toluidiniumchloride: 30 mg/kg - 4-Methoxy-m-phenylendiammoniumsulfate; 2,4-Diaminoanisolsulfate: 30 mg/kg		
	- 2,4,5-Trimethylanilin-Hydrochloride: 30 mg/kg - Quinoline: 50 mg/kg By way of derogation, in relation to the placing on the market of formaldehyde in		
	jackets, coats or upholstery, the relevant concentration for the purposes shall be 300 mg/kg during the period between 1 November 2020 and 1 November 2023. Thereafter, the above concentration applies.		
	The requirements do not apply to:		
	(a) clothing, related accessories or footwear, or parts of clothing, related accessories or footwear, made exclusively of natural leather, fur or hide; (b) non-textile fasteners and non-textile decorative attachments; (c)second-hand clothing, related accessories, textiles other than clothing or footwear (d) wall-to-wall carpets and textile floor coverings for indoor use, rugs and runners. e) disposable textiles,		
	f) personal protective equipment g) medical devices		

12.01.22 18 of 86

covers.	overs.			
req. no.	Statutory requirement	Law	Article	
50051	Dibutyl zinc compounds (DBT) with a concentration of more than 0.1 per cent weight are prohibited if these are intended for end-users in such products and mixtures as: - impregnating sprays; - mattresses; - PVC articles; - polyurethane foam; - textiles, - where applicable other articles and mixtures. The above date does not apply to the following products and	VO (EG) Nr. 1907/2006	Anhang XVII	
	mixtures: one- and two part room temperature vulcanisation sealing substances and glues (RTV-1 and RTV-2 sealing substances); - paints and coatings containing DBT-compounds as catalysts if these are painted on products; - soft polyvinylchloride (PVC) profiles whether these are extruded with hard PVC or not; material covered with a layer of PVC which contains DBT- compounds as stabilisers, if intended for outdoor use; - outside rainwater piping, guttering and joints as well as roof and exterior wall cladding.			
50737	Products of rubber or plastic components (e.g. sport equipment, household utensils, tools, clothing, footwear, wrist-bands), that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, should not contain more than 1.0 mg / kg of one of the listed PAHs: a) Benzo(a)pyren (BaP) b) Benzo(e)pyren (BeP) c) Benzo(a)anthracen (BaA) d) Chrysen (CHR) e) Benzo(b)fluoranthen (BbFA) f) Benzo(j)fluoranthen (BjFA) g) Benzo(k)fluoranthen (BkFA) h) Dibenzo(a,h)anthracen (DBAhA) This shall not apply to articles placed on the market for the first time before 27 December 2015. For these articles the values of BfR and ZEK apply. (The standard EN 16143:2013 (Petroleum products-Determination of content of Benzo (a)pyrene (BaP) and selected polycyclic aromatic hydrocarbons (PAH) in extender oils- Procedure using double LC cleaning and GC/MS analysis) shall be used as the test method for demonstrating conformity with the limits.) Additional information: RE (EC) No 1907/2006_20-05 VO (EG) Nr. 1907/2006_20-05	VO (EG) Nr. 1907/2006	Anhang XVII Nr. 50	

12.01.22 19 of 86

req. no.	Statutory requirement	Law	Article
50738	Toys, including activity toys, and childcare articles of rubber or plastic components, that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, should not contain more than 0.5 mg / kg of one of the listed PAHs:	VO (EG) Nr. 1907/2006	Anhang XVII Nr. 50
	a) Benzo(a)pyren (BaP) b) Benzo(e)pyren (BeP) c) Benzo(a)anthracen (BaA) d) Chrysen (CHR) e) Benzo(b)fluoranthen (BbFA) f) Benzo(j)fluoranthen (BjFA) g) Benzo(k)fluoranthen (BkFA)		
	h) Dibenzo(a,h)anthracen (DBAhA) (The standard EN 16143:2013 (Petroleum products-		
	Determination of content of Benzo (a)pyrene (BaP) and selected polycyclic aromatic hydrocarbons (PAH) in extender oils- Procedure using double LC cleaning and GC/MS analysis) shall be used as the test method for demonstrating conformity with the limits.) Additional information: CR (EC) 2015-326_test method_15-04 VO(EU) Nr. 2015-326_Prüfverfahren_15-04		
50050	Trisubstituted zinc compounds (e.g. TBT, TPT) with a	VO (EG) Nr.	Anhang XVII
	concentration of more than 0.1 per cent weight inproducts, not mixtures such as: - carpets; - clothing; - wood preservation substances; - leather goods; - PVC-products; - paints and varnishes	1907/2006	
	are prohibited.		
50245	For products made of leather, which are not only temporarily with skin contact, e.g.:	BedGgstV	Anl. 4 Nr. 2 und Anl. 10, Nr. 8
	- Watch Bands, - Bags, - Backpacks,		
	- Chair covers, - Money bag, - Shoes,		
	- Gloves, - Toys made of leather,		
	must chromium VI not be detected. (Method B 82.02-11, 2008-10 - § 64-1 LFGB, according to DIN EN ISO 17075)		
	This requirement applies from May 1st 2014 in all EU-Countries (CR (EU) No. 301/2014 amending annex XVII of REACh-CR)		

12.01.22 20 of 86

products/articles with textile components or leather components such as, for example dolls, wigs, seat covers.

req. no.	Statutory requirement	Law	Article
50438	Textile products are: a) products with a weight share of textile fibres of at least 80 %; b) Material covers for furniture, umbrella and parasols with a weight share of textile components of at least 80 %; c)the textile components of i) the uppermost layer of multi-layered floorcoverings, ii)mattress covers, iii) the covers of camping articles, in so far as these textile components a weight share which comprises at least 80 % of these upper layers or covers; d) Textiles which are worked into other goods and become integral parts of these as far as their composition is stated. The requirements of the Textile Labelling Regulation (EU) Nr. 1007/2011 must be observed. Additional information: FAQ Regulation EU No. 1007-2011_14-11 FAQ zur Textilkennzeichnungsverordnung EU Nr. 1007-2011_14-11	VO (EU) Nr. 1007/2011	Artikel 2 i.V.m.TextilKenn zG
5289	Textiles containing Nonylphenol or Nonylphenol ethoxylatesl equal to or greater than0,1 % by weight are prohibited. Nonylphenol ethoxylates (NPE) shall not be placed on the market in textile articles which can reasonably be expected to be washed in water during their normal lifecycle, in concentrations equal to or greater than 0,01 % by weight of that textile article or of each part of the textile article.	VO (EG) Nr. 1907/2006	Anhang XVII
5162	When marking leather articles, the following regulations regarding identification must be observed: 1. Only those products made of animal skin or fur may be marked with the designation 'leather' or 'real leather'; 2. The types of artificial product which make up artificial leather must be named; 3. Leather products having a coating of more than 0.15 mm must be marked with following: 'leather with coating'; 4. Leather products in combination with other materials may only bear the mark 'leather' if 80% of the product is of leather. Otherwise all the materials must be named.	RAL 060 A2	
705	Textiles and leather must not contain more than 5 mg/kg PCP or its salts or compounds. The conscious use of pentachlorophenol (PCP), its salts or compounds must be omitted in order to adhere to this limit.	ChemVerbotsV	§ 3 Anlage 1
3031	Imitation leather made of vinyl chloride polymers (e.g. PVC) which are intended to come into contact with the skin, not just temporarily, must not contain more than 1 mg monomer vinyl chloride per kg.	BedGgstV	§ 6 Abs. 3 iVm Anl.5 Nr. 1

12.01.22 21 of 86

eq. no.	Statutory requirement	Law	Article
13	It must be ascertained that the limits for dioxins and furans are not exceeded.	ChemVerbotsV	§ 3 Anlage 1
	Limits must be adhered to for the following groups of dioxins and furans:		
	Group 1 a) 2,3,7,8-Tetrachlorodibenzo-p-dioxin b) 1,2,3,7,8-Pentachlorodibenzo-p-dioxin c) 2,3,7,8-Tetrachlorodibenzofuran d) 2,3,4,7,8-Pentachlorodibenzofuran		
	Group 2 a) 1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin b) 1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin c) 1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin d) 1,2,3,7,8-Pentachlorodibenzofuran e) 1,2,3,4,7,8-Hexachlorodibenzofuran f) 1,2,3,7,8,9-Hexachlorodibenzofuran g) 1,2,3,6,7,8-Hexachlorodibenzofuran h) 2,3,4,6,7,8-Hexachlorodibenzofuran		
	Group 3 a) 1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin b) 1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin c) 1,2,3,4,6,7,8-Heptachlorodibenzofuran d) 1,2,3,4,7,8,9-Heptachlorodibenzofuran e) 1,2,3,4,6,7,8,9-Octachlorodibenzofuran		
	Group 4 a) 2,3,7,8-Tetrabromodibenzo-p-dioxin b) 1,2,3,7,8-Pentabromodibenzo-p-dioxin c) 2,3,7,8-Tetrabromodibenzofuran d) 2,3,4,7,8-Pentabromodibenzofuram		
	Group 5 a) 1,2,3,4,7,8-Hexabromodibenzo-p-dioxin b) 1,2,3,7,8,9-Hexabromodibenzo-p-dioxin c) 1,2,3,6,7,8-Hexabromdibenzo-p-dioxin d) 1,2,3,7,8-Pentabromodibenzofuran		
	The following limits must be met:		
	 1. 1 μg/kg for the total amounts contained of chemical compounds stated in Group 1 2. 5 μg/kg for the total amounts contained of chemical compounds stated in Group 1 and 2 3. 100 μg/kg for the total amounts contained of chemical compounds 		
	stated in Group 1, 2 and 3 4. 1 µg/kg for the total amounts contained of chemical compounds stated in Group 4 5. 5 µg/kg for the total amounts contained of chemical compounds		
	stated in Group 4 and 5		
	The limits in Items 2, 3 and 5 are deemed to have been met only provided the limits applicable to the groups listed there are met.		
	Routes of entry for dioxins and furans may be:		
	 - Direct Blue 106 + 108, Violet 23 dyestuffs - Anthraquinonoid vat dyes and anthraquinonoid pigments - Dyestuffs produced using chloranil as the basis 		

12.01.22 22 of 86

covers.

req. no.	Statutory requirement	Law	Article
3034	Trichlorobenzene may not be used as a carrier in dyeing of synthetic materials bydisperse dyes.	LFGB	§ 30
	(further notes can be found in the publications of the BfR		
721	Products made of vinyl chloride polymers (e.g. PVC) which are intended to	BedGgstV	§ 6 Abs. 3 iVm Anl.5 Nr. 1
	 come into contact with food during manufacture, treatment, distribution, or use come into contact with cosmetics or tobacco products come into contact with the skin, not just temporarily come into contact with the mouth 		
	- as well as all - toys and joke articles		
	- cleaning and care agents - products for personal hygiene		
	may not contain more than 1 mg monomer vinyl chloride per kg		
671	Mixtures and articles produced from plastic material as listed above shall not be placed on the market if the concentration of cadmium (expressed as Cd metal) is equal to or greater than 0,01 % by weight of the plastic material.	VO (EG) Nr. 1907/2006	Anhang XVII
	By way of derogation, above restriction shall not apply to articles coloured with mixtures containing cadmium for safety reasons.		
5169	Toys and childcare articles which can be placed in the mouth must not contain more than 0,1% (by weight) of the following phthalates in the plasticised material:	VO (EG) Nr. 1907/2006	Anhang XVII Nr. 52
	- Di-isononylphthalat (DINP) CAS-Nrn. 28553-12-0 und 68515-48-0 EINECS-Nrn. 249-079-5 und 271-090-9		
	- Di-isodecylphthalat (DIDP) CAS-Nrn. 26761-40-0 und 68515-49-1 EINECS-Nrn. 247-977-1 und 271-091-4		
	-Di-n-octylphthalat (DNOP) CAS-Nr. 117-84-0 EINECS-Nr. 204-214-7		
	In this context, childcare articles comprise any product intended to facilitate sleep, relaxation, hygiene, the feeding of children or sucking on the part of the children.		

12.01.22 23 of 86

rements MTH Retail Group (Germany) GmbH
21-11
Author: Träger
Product:Autozubehör/ car
equipment
Article No.:
ect, operate, deliver or offer merchandise. gs (acc. VerpackV).

req. no.	Statutory requirement	Law	Article
50939	Plastic carrier bags with a wall thickness of less than 50 micrometres will be banned in Germany from 2022 without any further sales opportunities. Not affected by the ban are very light plastic carrier bags with a wall thickness of less than 15 micrometres.	VerpackG	§ 5
50925	Wood packaging material, whether or not actually in use in the transport of objects of all kinds, shall only be introduced into the Union territory if it fulfils all of the following requirements:(a) it has been subject to one or more of the approved treatments and complies with the applicable requirements set out in Annex 1 to the International Standard for Phytosanitary Measures No 15 Regulation of Wood Packaging Material in International Trade (ISPM15);(b) it is marked with the mark referred to in Annex 2 of ISPM15 attesting that it has been subject to the treatments referred to in point (a)	VO (EU) 2016/2031	Art. 43 Abs. 1
	This paragraph shall not apply to wood packaging material which is subject to the exemptions provided for in ISPM15.		
50956	From 01.01.2022, distributors and manufacturers of system- incompatible sales and secondary packaging as well as sales packaging of pollutant-containing filling goods must comply with their obligation to provide evidence that they have fulfilled the take-back and recovery requirements.	VerpackG	§ 15
	In addition, self-monitoring mechanisms must be introduced for transport packaging, sales and secondary packaging not subject to system participation, system-incompatible sales and secondary packaging and sales packaging of hazardous filling goods in order to be able to maintain the take-back and recovery requirements.		
50950	Beverage bottles with a capacity of up to three litres, including their caps and lids, which are mainly made of PET, shall be made of at least 25% recycled material on average from 2025 onwards.	VerpackG	§ 30 a VerpackG
	From 2030, a minimum average of 30% recycled content will apply to all single-use plastic beverage bottles.		
	Not affected are: a) Glass or metal beverage bottles with plastic caps or lids;		
	(b) beverage bottles intended for and used for liquid food for special medical purposes as referred to in Article 2(g) of Regulation (EU) No 609/2013.		

12.01.22 24 of 86

MTH Retail Group	Product Requirements	MTH Retail Group (Germany) GmbH
Category: Cars accessories		21-11
		Author: Träger
		Product:Autozubehör/ car
		equipment
Packaging (also wooden packing	1)	Article No.:
Due diviste was divised sout of say, weste		delimente de la composición dela composición de la composición de la composición dela composición dela composición dela composición de la composición de la composición dela composición de la composición dela composició

Products produced out of any material to contain, protect, operate, deliver or offer merchandise. Packagings include sales-, re-, and transport packagings (acc. VerpackV).

req. no.	Statutory requirement	Law	Article
50957	From 01.01.2022, single-use plastic beverage bottles must be subject to additional deposits if they are filled with the following contents: a. Sparkling wine, mixed sparkling drinks with a sparkling wine content of at least 50% and sparkling drinks made from non-alcoholic or reduced-alcohol wine. b. Wine and mixed wine beverages with a wine content of at least 50% and non-alcoholic or reduced-alcohol wine c. wine-like drinks and mixed drinks, including those in processed form, with a wine-like product content of at least 50%. d. alcohol products subject to alcohol tax (beverages with alcopops tax with mandatory deposit!) e. other mixed drinks containing alcohol with an alcohol content of at least 15%. f. Fruit juices and vegetable juices g. fruit nectars without carbonic acid and vegetable nectars without carbonic acid In addition, the regulation applies to all beverage cans. Sales are permitted until 01.07.2022. After that, beverage containers subject to a deposit may no longer be sold to the end consumer without a deposit. From 01.01.2024, the deposit obligation will be extended again to one-way plastic beverage bottles with a. Milk and mixed milk drinks with a milk content of at least 50%. b. other drinkable milk products.	VerpackG	§ 31, 38 Abs. 7
50951	From January 1, 2023, a reusable alternative for single-use plastic food packaging and single-use beverage cups must also be made available to the end customer if, in each case, the single-use solution is only filled with goods at the final distributor. The end consumer must be informed of the option.	VerpackG	§ 33 VerpackG
50049	Dioctylzin combinations (DOT) are prohibited in products if the substance concentration of DOT exceeds 0.1 per cent weight. The following products are affected: textiles with skin contact;-gloves; - parts of shoes that come into contact with skin; -walll and floor coverings; - baby articles; ladies hygiene products;-nappies/diapers; -packaging;-two-part room temperature vulcanisation form sets (RTV-2- form sets)	VO (EG) Nr. 1907/2006	Anhang XVII

12.01.22 25 of 86

Products produced out of any material to contain, protect, operate, deliver or offer merchandise. Packagings include sales-, re-, and transport packagings (acc. VerpackV).

req. no.	Statutory requirement	Law	Article
50952	From 03.07.2024, beverage containers with a capacity of up to three litres, including their caps and lids, must be designed in such a way that the caps and lids are firmly attached to the container during the period of use. The following shall not be included (a) Glass or metal beverage containers with caps or lids made of plastic; (b) Metal beverage containers in which only the seals on the lid or caps are made of plastic; (c) beverage containers intended for and used for liquid foods for special medical purposes as defined in Article 2(g) of Regulation (EU) No 609/2013 of the European Parliament and	EWKKennzV	§ 3 EWKKennzV
	of the Council.		
50959	For 2025, at least 25% recyclates must be used in single-use plastic beverage bottles made predominantly of PET. Recyclate use must be 30% for all single-use plastic beverage bottles from 2030.	VerpackG	§ 30a
50958	Final distributors where the single-use plastic food packaging and single-use plastic beverage cups are filled with goods on site must provide a reusable alternative for this in addition to the single-use packaging from 01.01.2023 onwards. Relief applies to small businesses with no more than five employees and to vending machines. Here, containers brought by the end consumer can be used if information boards inform the end consumer of this at the point of sale.	VerpackG	§§ 33, 34
50491	Whoever manufactures, treats and puts, with a label regarding the treatment, wood packaging according to the international standard for wooden packaging material into circulation, must be registered with the authority responsible and label the wood packaging. Appropriate records must be kept and retained for three years.	PflBeschauV 1989	§13p und 13q
160069	Articles or substances must not be placed on the market as	LFGB	§30
	consumer goods if their intended or predictable use is likely to impair health by virtue of their material composition, e.g. through toxic substances or impurities.		3-2
5321	Manufacturers are required to register before placing the packaging on the market. https://www.verpackungsregister.org https://lucid.verpackungsregister.org	VerpackG	§ 9
5320	All packaging which accumulates in private households must be licensed by a Dual System.	VerpackG	§ 7
3051	Plastic bags with an aperture volume larger as 38 cm have to be marked with following bilingual warning label: "Plastiktüte ist kein Spielzeug. Von Kindern fernhalten. Erstickungsgefahr!" "Plastic bag is not a toy. Keep out of reach of children. Danger of suffocation!"	QS	Unternehmensint ern

12.01.22 26 of 86

MTH Retail Group	Product Requirements	MTH Retail Group (Germany) GmbH
Category: Cars accessories		21-11
		Author: Träger
		Product:Autozubehör/ car
		equipment
Packaging (also wooden packing)	Article No.:
Products produced out of any mate Packagings include sales-, re-, and		

req. no.	Statutory requirement	Law	Article	
2655	Packaging must not exceed the defined concentrations value of	VerpackG	§ 5	
	- Lead - Cadmium - Mercury - Chromium VI: 100 ppm			
	This applies to transport, re-packaging and sales packaging.			

12.01.22 27 of 86

MTH Retail Group	Product Requirements	MTH Retail Group (Germany) GmbH
Category: Cars accessories		21-11
		Author: Träger
		Product:Autozubehör/ car
		equipment
Packaging for filling goods cont	aining dangerous materials	Article No.:

Packaging for 1. products which are subject to self-service prohibition (products which are to be identified as being toxic, very toxic, corrosive, oxidizing or highly inflammable or products which are to be identified as being harmful, as long as they are to be identified by R 40 (possible risks of irreversible effects), R 62 (possible risk of impaired fertility) or R 63 (possible risk of harm to the unborn child).

req. no.	Statutory requirement	Law	Article
2654	Sales packaging of pollutant-containing filling goods must be taken back free of charge and must be disposed separate from the public waste disposal. Consumers are to be informed correspondingly.	VerpackG	§ 3, 15 i.V.m. Anlage 2
50939	Plastic carrier bags with a wall thickness of less than 50 micrometres will be banned in Germany from 2022 without any further sales opportunities. Not affected by the ban are very light plastic carrier bags with a wall thickness of less than 15 micrometres.	VerpackG	§ 5
5320	All packaging which accumulates in private households must be licensed by a Dual System.	VerpackG	§ 7
5321	Manufacturers are required to register before placing the packaging on the market. https://www.verpackungsregister.org https://lucid.verpackungsregister.org	VerpackG	§ 9
50956	From 01.01.2022, distributors and manufacturers of system-incompatible sales and secondary packaging as well as sales packaging of pollutant-containing filling goods must comply with their obligation to provide evidence that they have fulfilled the take-back and recovery requirements. In addition, self-monitoring mechanisms must be introduced for transport packaging, sales and secondary packaging not subject to system participation, system-incompatible sales and secondary packaging and sales packaging of hazardous filling goods in order to be able to maintain the take-back and recovery requirements.	VerpackG	§ 15
2655	Packaging must not exceed the defined concentrations value of - Lead - Cadmium - Mercury - Chromium VI: 100 ppm This applies to transport, re-packaging and sales packaging.	VerpackG	§ 5
11345	Requirements for the Information of the filling quantity for prepackages with photochemical products and with chemical and technical standard materials and reagent materials with the same nominal filling quantity: - Instead of the nominal filling quantity, the volume of the ready-to-use preparation or the number of applications or examinations may be stated.	FPackV	§ 6 Abs. 6

12.01.22 28 of 86

Product Requirements	MTH Retail Group (Germany) GmbH
	21-11
	Author: Träger
	Product:Autozubehör/ car
	equipment
	Article No.:
	Product Requirements

Aerosol dispensers are one-way vessels which are filled with pressure gases (materials with a critical temperature < 50° or a steam pressure of 50° C > 3 bar or cyanogen hydrogen) with a volume of over 50 ml to 1,000 ml for vessels made of metal or up to 220 ml for vessels made of protected glass or plastic which does not splinter or up to 150 ml for vessels made of glass or splintering plastic. Product examples: aerosol packaging, paint sprays/deodorants with propellant, one-way gas cartridges, mounting foam, spray cream.

ŭ	Toam, spray cream.	Ι.	1
req. no.	Statutory requirement	Law	Article
5019	Aerosol packages (spray tins), the container of which has a total capacity of 50 millilitres or more, may be put on the market only if they fulfil the safety requirements of the directive 75/324/EEC in respective version. Exceptions to this are: 1. Aerosol packages with metal containers, the total capacity of which exceeds 1000 millilitres; 2. Aerosol packages with glass containers, the total capacity of which a) exceeds 220 millilitres, provided the container is fitted with a permanent protective covering, b) exceeds 150 millilitres, provided the container consists of unprotected glass. 3. Aerosol packages with plastic containers, the total capacity of which a) exceeds 220 millilitres provided the container can form no fragments when broken, b) exceeds 150 millilitres if the container forms fragments when broken. In addition the affected aerosol packages must be labelled, and the text of the labelling must be written in German. The conformity mark consists of a reversed epsilon "3". Additional information: CD 75-324-EEC_15-04 RL 75-324-EWG_15-04	13. ProdSV	§ 1
5215	The use of partly halogenated CFCs in aerosols is prohibited.	ChemOzonSchi chtV	Art.6
5300	Pressure gas packs with fluorinated greenhouse gases must not be placed on the market.	VO (EU) Nr. 517/2014	Art.11 Anh.III
5214	The import and marketing of products and devices containing chlorofluorocarbons, other perhalogenated chlorofluorocarbons, halons, carbontetrachlorides, 1,1,1-trichloroethane, partly halogenated bromofluoride hydrocarbons and chlorobromomethane are prohibited. The following are affected: - Aerosol products - Dyes and paints - Cosmetics - Lubricants - Cleaning materials - Pressurised gas containers - Fire extinguishers - Insulation materials - Refrigerators - Air conditioning units - Mattresses - Foam material - Adhesives	ChemOzonSchi chtV	Art.4

12.01.22 29 of 86

MTH F	Retail Group Product Requirements	MTH Retail Gr	oup (Germany) GmbH
		21-11 Author: Träger Product:Autozube equipment Article No.:	ehör/ car
req. no.	Statutory requirement High visibility clothing (reflective vest) have to fulfill the requirements of DIN EN ISO 20471.	Law DIN EN ISO 20471	Article
50062	For safety clothing (general requirements, protection from cold, protection from bad weather) the regulations of the harmonised norms DIN EN 342 and 343 and DIN EN ISO 13688are to be fulfilled. Additional information: RE (EU) 2016/425_18-05 VO (EU) 2016/425_18-05	VO (EU) 2016/425	DIN EN 342 und 343 und DIN EN ISO 13688
50064	Protective clothing for users of manual chain saws must adhere to the regulations of following norms DIN EN 381. Additional information: RE (EU) 2016/425_18-05 VO (EU) 2016/425_18-05	VO (EU) 2016/425	DIN EN 381

12.01.22 30 of 86

MTH Retail Group	Product Requirements	MTH Retail Group (Germany) GmbH
Category: Cars accessories		21-11
		Author: Träger
		Product:Autozubehör/ car
		equipment
Batteries/Accumulator		Article No.:
Sources of electrical energy cons	isting out of one or more non recl	harcheable primary cells or

Sources of electrical energy consisting out of one or more non recharcheable primary cells or rechargeable secundary cells, which are produced through/by direct transformation of chemical energy.

req. no.	Statutory requirement	Law	Article
656	Producer and importers of batteries have to re-accept collected batteries free of charge and re-use them rsp. have to dispose non-reusable batteries according to the regulations. For the fulfilment of these obligations, they can also use the services of third parties(contribution in pool).	BattG	§ 5
50044	Batteries with lithium metal or lithium alloy (maximal 2 g lithium, with lithium ions (maximal a stated energy in watthours of 100 watthours) must be labelled on the casing with the stated energy in watt-hours. The manufacturere/supplier must supply a safety data sheet or a technical data sheet. In particular it must be clear from the documantation that the tests according to UNmanual (III.38.3) were passed.	ADR	
3044	The sale and trading of batteries (including such installed in appliances) containing more than 0.0005 % mercury by weight is prohibited. Button cells: The marketing of button cells containing more than 0.0005 percent by weight of mercury, is prohibited.	BattG	§ 3
50112	It is prohibited to put batteries for equipment into circulation which contain more cadmium than 0.002 per cent by weight. This prohibition does not apply to nickel-cadmium batteries which are deployed in the following systems or equipment: emergency and alarm systems; emergency lighting; medical equipment (medical products);	BattG	§ 3 Abs. 2
658	All Batteries must be labelled according to Annex 1 (struck through waste bin). Batteries containing hazard substances (if exceptions are made) must labelled as well with the chemical symbols (Cd, Hg or Pb) if the shares of the heavy metals exceed the following values: 0.0005 mass per cent mercury; 0.0002 mass per cent cadmium; 0.004 mass per cent lead Additional information: Anlage BattG_21-05	BattG	§ 17
50269	rechargeable batteries and accumulators for devices (including automobile batteries) must be labelled with a charge label. This does not apply to such batteries and accumulators which are built into a device and which cannot or should not be removed, Additional information: VO (EU) 1103/2010 de_10-11 VO (EU) 1103/2010 en_10-11	VO (EU) Nr. 1103/2010	

12.01.22 31 of 86

MTH F	Retail Group	Product Requirements	MTH Retail C	Group (Germany) GmbH
Category	r: Cars accessories		21-11	
			Author: Träger	
			Product:Autozuk	oehör/ car
			equipment	
Batteries/Accumulator		Article No.:		
		ting out of one or more non recha th are produced through/by direct		
req. no.	Statutory requirement		Law	Article
50928	The mercury bans and me 2017/852 must be observe Additional information: RE (EU) 2017/852_20-11 VO (EU) 2017/852_20-11	rcury limit values of Regulation (EU) d.	VO (EU) 2017/852	

12.01.22 32 of 86

MTH Retail Group	Product Requirements	MTH Retail Group (Germany) GmbH
Category: Cars accessories		21-11
		Author: Träger
		Product:Autozubehör/ car
		equipment
Electric devices, battery or main	s operated	Article No.:
All products that are mains-operate installation materials and e.g. dimn		

req. no.	Statutory requirement	Law	Article
605	For electrical appliances, the mechanical stability of the plastic housing must correspond to the requirements of DIN EN 60335-1.	DIN EN 60335-1	DIN EN 60335-1 i.V.m. § 3 GSG
150449	From 1.1.2022: Each producer shall provide electrical and electronic equipment containing a battery or accumulator with information informing the end-user about 1. the type and chemical system of the battery or accumulator; and 2. its safe removal. This does not apply to EEE in which an uninterrupted power supply is necessary for reasons of safety, performance, medical reasons or completeness of data and where a permanent connection between the equipment and the battery or accumulator is required.	ElektroG	§ 4 Abs. 3, 4
672	Brazing fillers shall not be placed on the market if the concentration of cadmium (expressed as Cd metal) is equal to or greater than 0,01 % by weight. (brazing shall mean a joining technique using alloys and undertaken at temperatures above 450 °C.) By way of derogation, above restriction shall not apply to brazing fillers used for safety reasons.	VO (EG) Nr. 1907/2006	Anhang XVII

12.01.22 33 of 86

All products that are mains-operated and/or are battery/accumulator driven. Included are also installation materials and e.g. dimmers, mains testing screwdrivers etc.

req. no.	Statutory requirement	Law	Article
	I materials and e.g. dimmers, mains testing screwdrivers etc Statutory requirement Electrical equipment designed for use with a voltage rating of between 50 and 1. 000 V for alternating current and between 75 and 1.500 V for direct current made available on the Union market only if, having been constructed in accordance with good engineering practice in safety matters in force in the Union, it does not endanger the health and safety of persons and domestic animals, or property, when properly installed and maintained and used in applications for which it was made. The principal elements of the safety objectives are listed in Annex I of the DIRECTIVE 2014/35/EU. When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex III or have it carried out. Where compliance of electrical equipment with the safety objectives referred to in Article 3 and set out in Annex II have conformity assessment procedure referred to in Annex III or have it carried out. Where compliance of electrical equipment with the safety objectives referred to in Article 3 and set out in Annex II has been demonstrated by the conformity assessment procedure referred to in Annex III or marking. Manufacturers shall Keep the technical documentation referred to in Annex III and the EU declaration of conformity for 10 years after the electrical equipment has been placed on the market. Manufacturers shall ensure that procedures are in place for series production to remain in conformity with this Directive. Changes in product design or characteristics and changes in the harmonised standards referred to in Article 13, the international or national standards referred to in Article 13, and shall keep distributors informated of any such monitoring. Manufacturers shall ensure that electrical equipment made available on the market, investigate, and, if necessary, keep a register of complaints, of non-conformi		Article § 1, 3, 7, 8, 14, 21

12.01.22 34 of 86

MTH Retail Group	Product Requirements	MTH Retail Group (Germany) GmbH
Category: Cars accessories		21-11
		Author: Träger
		Product:Autozubehör/ car
		equipment
Electric devices, battery or mains o	perated	Article No.:
All products that are mains-operated a	and/or are battery/accumulate	or driven. Included are also

All products that are mains-operated and/or are battery/accumulator driven. Included are also installation materials and e.g. dimmers, mains testing screwdrivers etc.

req. no.	Statutory requirement	Law	Article
3070	Surfaces of handles, knobs, grips and similar components, which are held permanently when used !properly! and are fitted to electrical appliances, must not exceed the following temperature increases: made of metal: 30 K made of porcelain or glass materials: 40 K made of plastic-, rubber-materials or wood: 50 K	DIN EN 60335-1	
3071	Surfaces of handles, knobs, grips and similar components, which are held only for a !short time! when used properly and are fitted to electrical appliances, must not exceed the following temperature increases: made of metal: 35 K made of porcelain or glass materials: 45 K made of plastic-, rubber-materials or wood: 60 K	DIN EN 60335-1	
5078	The relevant harmonized standards of the low-voltage directive must be observed. Probability of conformity = the manufacturer can assume that if these standards are correctly applied, the requirements of the directive will be fulfilled. The standards are given under: https://ec.europa.eu/growth/single-market/european-standards/harmonised-standards/low-voltage_en	Normenverz. 1. ProdSV	Abschnitt 1
5110	Every manufacturer (importer) or authorised representative must quote his registration number in written business dealings.	ElektroG	§ 6 Abs.3
5111	Every manufacturer (importer) or authorised representative is obliged to collect and recycle the WEEE handed in to the public waste management authorities. They may use third parties for this purpose.	ElektroG	§ 16 Abs. 1, § 43

12.01.22 35 of 86

installation materials and e.g. dimmers, mains testing screwdrivers etc.			
req. no.	Statutory requirement	Law	Article
5113	It is forbidden to place on the market new electrical and electronic equipment (alternating current not exceeding 1000 V, direct current of not more than 1500 V) exceeding 0,1% by weight:	ElektroStoffV	§ 3 Abs. 1, § 15
	a) lead, b) mercury, c) hexavalent chromium, d) polybrominated biphenyl (PBB), e) polybrominated diphenyl ethers (PBDE), f) di (2-ethylhexyl) phthalate (DEHP), g) butyl benzyl phthalate (BBP), h) dibutyl phthalate (DBP), i) diisobutyl phthalate (DIBP),		
	per homogeneous material or more than 0.01% by weight of cadmium per homogeneous material.		
	The above prohibited substances a) -e) apply to the following electrical and electronic		
	The prohibition of substances (f) - (h) shall not apply to toys which are already subject to restrictions under Annex XVII.		
	Exceptions to the prohibition of substances shall be observed in accordance with the current state of the annexes to Directive 2011/65 / EU and the Regulation. Additional information: Dir 2011/65/EU_20-11 RL 2011/65/EU_20-11		
5137	Plugs and sockets for domestic use must fulfill the requirements of Norm DIN VDE 0620-1.	DIN VDE 0620-1	
5181	All electrical appliances for household and similar purposes must fulfil the requirements of DIN EN 60335-1 regarding appliance safety.	DIN EN 60335-1	
5337	Electrical devices, must be constructed according to the technical state of the art and may not interfere with other devices electromagnetically nor may they be susceptible to electromagnetic interference	EMVG	§ 4

12.01.22 36 of 86

req. no.	Statutory requirement	Law	Article
eq. no. 339	Any equipment or finished appliance or combination thereof made available on the market as a single functional unit, intended for the end-user and liable to generate electromagnetic disturbance, or the performance of which is liable to be affected by such disturbance shall meet the essential requirements set out in Annex 1 of the Directive 2014/30EU. When placing their apparatus on the market, manufacturers shall ensure that they have been designed and manufactured in accordance with the essential requirements set out in Annex 1. Manufacturers shall draw up the technical documentation referred to in Annex II or Annex III and carry out the relevant conformity assessment procedure referred to in Article 14 or have it carried out. Where compliance of apparatus with the applicable requirements has been demonstrated by that procedure, manufacturers shall draw up an EU declaration of conformity and affix the CE marking. Manufacturers shall keep the technical documentation and the EU declaration of conformity for 10 years after the apparatus has been placed on the market. Manufacturers shall ensure that procedures are in place for series production to remain in conformity with this Directive. Changes in apparatus design or characteristics and changes in the harmonised standards or in other technical specifications by reference to which conformity of apparatus is declared shall be adequately taken into account. Manufacturers shall ensure that apparatus which they have placed on the market bear a type, batch or serial number or other element allowing their identification, or, where the size or nature of the apparatus does not allow it, that the required information is provided on the packaging or in a document accompanying the apparatus. The address shall indicate a single point at which the manufacturer can be contacted. The contact details shall be in a language easily understood by end-users and market surveillance authorities. Manufacturers shall ensure that the apparatus, their name, registered trade name or re	RL 2014/30/EU	Art. 6,7,12

12.01.22 37 of 86

MTH Retail Group P *********************************	roduct Requirements	MTH Retail Group (Germany) GmbH
Category: Cars accessories		21-11
		Author: Träger
		Product:Autozubehör/ car
		equipment
Electric devices, battery or mains o	perated	Article No.:
All products that are mains-operated a	nd/or are battery/accumulate	or driven. Included are also

req. no.	Statutory requirement	Law	Article
5340	All electrical equipment must be permanently fitted with the CE mark.	EMVG	§ 18
5341	Every electrical device must be labelled with the type/model mark, the type series, the serial number or be marked with other information to enable the assignment of the device to an EC declaration of conformity and the batch.	EMVG	§ 9
5342	Every electrical device must be labelled with the name and address of the manufacturer. If the manufacturer is from a third country it must be labelled with the name and address of the importer.	EMVG	§ 9

12.01.22 38 of 86

installation materials and e.g. dimmers, mains testing screwdrivers etc.			
req. no.	Statutory requirement	Law	Article
		T .	Article Artikel 3, 8 i.V.m.Anhang I, II
	external power supply. Additional information: CE (EG) No. 1275/2008 ecodesign electrical and electronic household equipment Annex I-II_13-		
	11.pdf VO (EG) Nr. 1275/2008 Ökodesign elektrische und elektronische Haushalts-Bürogeräte Anhang I-II_13-11		

12.01.22 39 of 86

req. no.	Statutory requirement	Law	Article
50025	For household equipment (e.g. White goods, kitchen machines, equipment for body care), electronic entertainment equipment, electrical toys, spare-time or sports equipment, the technical documentation regarding electricity consumption and features affecting or relevant to the environment are to be available for the declaration of conformity Additional information: CE (EG) No. 1275/2008 ecodesign electrical and electronic household equipment Annex I_13-11.pdf VO (EG) Nr.1275-2008 Ökodesign Haushalts- Bürogeräte Anhang II_13-11.pdf	VO (EG) Nr. 1275/2008	Artikel 4 i.V.mit Anhang II
50192	Electric household appliances are to be tested for safety analogue standards DIN EN 60335-ff, in particular also for possible wrong applications and the labelling.	Normenreihe DIN EN 60335- ff	
818	Manufactureres and importers who distribute household devices which are obliged to be labelled, have to provide the trade with labels and data sheets free of charge in german language. The following household items have to be marked with respect to energy consumption, in so far as they cannot also be operated by battery: -Electric household refrigerators and freezers and corresponding combination devices -Electric household washing machines apart from machines without a spin-drying facility and apart from machines with separate washing and spin-drying vessels -electric household washing driers -electric automatic combined household wash/driers -electric household dishwashers, - electric ovens, - household lamps, - room air conditioning units, - ventilators, - television sets - vacuum cleaner - space heaters - water heaters - computer Labels and data sheets must correspond to the regulations of the relevant EC directives	EnVKV	§ 3
824	For household devices with compulsory marking, the supplier must draw up technical documentation which is to be available for a period of five years after the end of production. The supplier is the manufacturer within the EC or the person who markets the appliance.	EnVKV	§ 6
825	Brands, symbols, wordings or other labels which can lead the end consumer to confusion with the label required may not be used.	EnVKV	§ 7

12.01.22 40 of 86

req. no.	Statutory requirement	Law	Article
50639	Cable with a rated voltage of less than 250 V, which serves as a connection or extension cable for the connection of an electrical or electronic device to a socket or for the connection of two or more electrical or electronic devices, must not exceed 0.1% by weight:	ElektroStoffV	§ 3 Abs. 1, § 15
	a) lead, b) mercury, c) hexavalent chromium, d) polybrominated biphenyl (PBB), e) polybrominated diphenyl ethers (PBDE), f) di (2-ethylhexyl) phthalate (DEHP), g) butyl benzyl phthalate (BBP), h) dibutyl phthalate (DBP), i) diisobutyl phthalate (DIBP),		
	per homogeneous material or more than 0.01% by weight of cadmium per homogeneous material.		
	The prohibited substances a) - e) do not apply to cables from:		
	 Electrical and electronic equipment which has been placed on the market until 30 June 2006, medical devices placed on the market until the end of 21 July 2014, In vitro diagnostic medical devices placed on the market until the end of 21 July 2016, Surveillance and control instruments placed on the market until the end of 21 July 2014, industrial monitoring and control instruments placed on the market until the end of 21 July 2017, Electrical and electronic equipment, in so far as it is an exception to Directive 2002/95 / EC (see also applicable dossier). 		
	The substance prohibitions f) - i) do not apply to cables from:		
	 household appliances, household appliances, information and telecommunication equipment, consumer electronics, lighting equipment, electrical and electronic tools, toys and sports and recreation equipment and automatic dispensers marketed until 21 July 2019; medical devices, including in vitro diagnostic medical devices and monitoring and control instruments, including industrial monitoring and control devices placed on the market until 21 July 2021. 		
	Exceptions to the prohibition of substances shall be observed in accordance with the current state of the annexes to Directive 2011/65 / EU and the Regulation. Additional information: DIR 2002-95-EC RoHs_13-04 RL 2002-95-EG RoHs_13-04		

12.01.22 41 of 86

eq. no.	Statutory requirement	Law	Article
50640	Spare parts for electrical or electronic equipment may not contain more than 0.1% by weight	ElektroStoffV	§ 3 Abs. 1, § 15
	a) lead,		
	b) mercury,		
	c) hexavalent chromium,		
	d) polybrominated biphenyl (PBB),		
	e) polybrominated diphenyl ethers (PBDE),		
	f) di (2-ethylhexyl) phthalate (DEHP),		
	g) butyl benzyl phthalate (BBP),		
	h) dibutyl phthalate (DBP),		
	i) diisobutyl phthalate (DIBP)		
	per homogeneous material or more than 0.01% by weight of cadmium per homogeneous material.		
	The prohibited substances a) -e) do not apply to spare parts of:		
	Electrical and electronic equipment which has been placed		
	on the market until 30 June 2006,		
	2. medical devices placed on the market until the end of 21 July		
	2014,		
	3. In vitro diagnostic medical devices placed on the market until		
	the end of 21 July 2016, 4. Surveillance and control instruments placed on the market		
	until the end of 21 July 2014,		
	5. industrial monitoring and control instruments placed on the		
	market until the end of 21 July 2017,		
	6. Electrical and electronic equipment, in so far as it is an		
	exception to Directive 2002/95 / EC (see also applicable		
	dossier).		
	The substance prohibitions f) - i) do not apply to spare parts of:		
	1. household appliances, household appliances, information		
	and telecommunication equipment, consumer electronics,		
	lighting equipment, electrical and electronic tools, toys and		
	sports and recreation equipment and automatic dispensers marketed until 21 July 2019;		
	2. medical devices, including in vitro diagnostic medical devices		
	and monitoring and control instruments, including industrial		
	monitoring and control devices placed on the market until 21		
	July 2021.		
	Electrical and electronic equipment placed on the market until		
	the end of 30 June 2006 and used in equipment placed on the		
	market until 30 June 2016. In these parts, it must be made clear		
	to the consumers that these parts have been recycled.		
	Exceptions to the prohibition of substances shall be observed in		
	accordance with the current state of the annexes to Directive		
	2011/65 / EU and the Regulation.		
	Additional information:		
	DIR 2002-95-EC RoHs_13-04 RL 2002-95-EG RoHs_13-04		

12.01.22 42 of 86

req. no.	Statutory requirement	Law	Article
50641	The manufacturer shall provide the following documents available for electrical and electronic equipment with a rated voltage not exceeding 1000 V AC and 1500 V DC:	ElektroStoffV	§ 4, § 9, § 11
	a) Technical documentation b) demonstrate compliance with the appropriate procedures of conformity		
	c) demonstrate internal production controls, d) a regularly updated Declaration of Conformity with the following information to create:		
	Unique identification of electrical and electronic equipment; Name and address of the manufacturer or his authorized representative;		
	The sole responsibility for issuing this declaration carries the manufacturer (or installer); Identification of the electrical / electronic device for		
	traceability, possibly with photo; 5. The object of the declaration described above is in conformity with the provisions of regulation restricting the use of certain		
	hazardous substances in electrical and electronic equipment (electrical and electronic equipment Substances Ordinance); 6. If necessary. References to the relevant harmonized standards have been applied, or the technical specification. Specifications, to which conformity is declared, 7. Additional information;		
	8. Signature, place and date of issue. The records are kept for 10 years from the placing of the last		
	piece of an electrical or electronic device series.		
	Above requirements apply to importers and distributors to own brands and with changes already placed on the market on the electrical or electronic device, if the requirements of the regulation are impaired.		
	The documents must be written in German or English and if necessary to make available to the authorities.		

12.01.22 43 of 86

	Retail Group Product Requirements	MTH Retail Gr	oup (Germany) GmbH
Categor	y: Cars accessories	21-11	
		Author: Träger	
		Product:Autozube	hör/ car
		equipment	
Danger	ous substances according to GHS (CLP)	Article No.:	
req. no.	Statutory requirement	Law	Article
50084	Producers of dangerous substances must fulfill the requirements of the Regulation (EC) No. 1272/2008.	VO (EG) Nr.1272/2008	
	Included herein: - assessment of materials and mixtures; - documantation which has led to the discovery of the assessment and labelling of the dangerous substances; - safety data sheet; - secure packaging; - labelling of the packaging. Additional information: RE (EG) No 1272/2008_21-05 VO (EG) Nr. 1272/2008_21-05		
50671	Prohibitions and restrictions for persistent organic pollutants are to be observed (POP-Regulation). Additional information: RE (EU) 2019/1021_21-05 VO (EU) 2019/1021_21-05	VO (EU) 2019/1021	
933	Packaging of dangerous materials or preparations is to be fitted with child-proof locks if they are classified:	VO (EG) Nr.1272/2008	Artikel 35 i.V.m. Anh. II
	- classified for acute toxicity, categories 1 to 3, STOT - single exposure category 1, STOT - repeated exposure category 1, or skin corrosion category 1, and/or contain		
	- more than 3% methanol, and/or		
	- more than 1% dichloromethane, and/or		
	- containing a substance or mixture with an aspiration hazard (with the exception of substances and mixtures placed on the market in the form of aerosols or in a container fitted with a sealed spray attachment).		
50794	Packaging of dangerous materials or preparations is to be fitted with a tactile warning if they are classified:	VO (EG) Nr.1272/2008	Artikel 35 i.V.m. Anh. II
	- for acute toxicity, skin corrosion, germ cell mutagenicit category 2, carcinogenicity category 2, reproductive toxicity category 2, respiratory sensitisation, or Stot, categories 1 and 2 aspiration hazard, or flammable gases, liquids and solids in categories 1 and 2.		
	This provision does not apply to aerosols which are only classified and labelled as 'flammable aerosols, Category 1' or 'flammable aerosols, Category 2'. It does not apply either to transportable gas receptacles.		

12.01.22 44 of 86

MTH Retail Group	Product Requirements	MTH Retail Group (Germany) GmbH
Category: Cars accessories		21-11
		Author: Träger
		Product:Autozubehör/ car
		equipment
Dangerous substances according	g to GHS (CLP)	Article No.:
Dangerous substances according	g to onlo (our)	Attiolo No

12.01.22 45 of 86

MTH Retail Group	Product Requirements	MTH Retail Group (Germany) GmbH
Category: Cars accessories		21-11
		Author: Träger
		Product:Autozubehör/ car
		equipment
Dangerous materials		Article No.:

The dangerous materials include all products which are explosive, oxidizing, highly or extremely inflammable, inflammable, very toxic, toxic, harmful, corrosive, irritant, sensitising, cancerorgenic, endangering to reproduction, heredity-altering or dangerous for the environment, possess other chronic damaging properties, are explosive or can transfer infectious germs.

req. no.	Statutory requirement	Law	Article
828	It has to be guaranteed, that dangerous substances are marked correctly	GefStoffV	§ 4
850	Suppliers must enclose safety data sheets for dangerous products. In so far as the products are passed on to commercial purchasers, the safety data sheets must be transmitted to the purchasers at the latest with the first delivery.	GefStoffV	§5 (1)
2602	Substances which are carcinogenic, mutagenic or toxic to reproduction must not be placed on the market.	ChemVerbotsV	
2643	Draw attention to dangerous features of materials in the product description.	GefStoffV	
5009	Biocidal products have to be labelled according to the Gefahrstoff-VO [Dangerous Chemicals Ordinance] where dangerous substances are contained.	BiozidGz	§ 15
50671	Prohibitions and restrictions for persistent organic pollutants are to be observed (POP-Regulation). Additional information: RE (EU) 2019/1021_21-05 VO (EU) 2019/1021_21-05	VO (EU) 2019/1021	
933	Packaging of dangerous materials or preparations is to be fitted with child-proof locks if they are classified: - classified for acute toxicity, categories 1 to 3, STOT - single exposure category 1, STOT - repeated exposure category 1, or skin corrosion category 1, and/or contain - more than 3% methanol, and/or - more than 1% dichloromethane, and/or - containing a substance or mixture with an aspiration hazard (with the exception of substances and mixtures placed on the market in the form of aerosols or in a container fitted with a sealed spray attachment).	VO (EG) Nr.1272/2008	Artikel 35 i.V.m. Anh. II
50794	Packaging of dangerous materials or preparations is to be fitted with a tactile warning if they are classified: - for acute toxicity, skin corrosion, germ cell mutagenicity category 2, carcinogenicity category 2, reproductive toxicity category 2, respiratory sensitisation, or Stot, categories 1 and 2, aspiration hazard, or flammable gases, liquids and solids in categories 1 and 2. This provision does not apply to aerosols which are only classified and labelled as 'flammable aerosols, Category 1' or 'flammable aerosols, Category 2'. It does not apply either to transportable gas receptacles.	VO (EG) Nr.1272/2008	Artikel 35 i.V.m. Anh. II

12.01.22 46 of 86

MTH R	Retail Group Product Requirements	MTH Retail Gre	oup (Germany) GmbH
Category: Cars accessories 21-11			
		Author: Träger	
		Product:Autozube	hör/ car
		equipment	
Medical	products	Article No.:	
	F		
req. no.	Statutory requirement	Law	Article
11293	Regulation (EU) 2017/745 applies for medical devices. The following medical devices may continue to be made available on the market until May 27th 2025: - medical devices lawfully placed on the market pursuant to the former legislation prior to May 26th 2021 - devices placed on the market from May 26th 2021 by virtue of a certificate issued in accordance with former legislation accordance with former legislation with the market from May 26th 2021 pursuant to the former legislation, because pursuant to the new legislation they require a certificate of a notified body. After that, products that do not comply with Regulation (EU) 2017/745 must not be placed on the market.		
90006	Until May 26th 2021: Coloured contact lenses which serve decorative purposes only are consumer goods. From May 26th 2021: Coloured contact lenses which serve decorative purposes only are considered medical devices.	ALS	2019/63 + § 2 Abs. 6 Nr. 6 LFGB + VO (EU) 2017/745 Art 1

12.01.22 47 of 86

MTH Retail Group	Product Requirements	MTH Retail Group (Germany) GmbH
Category: Cars accessories		21-11
		Author: Träger
		Product:Autozubehör/ car
		equipment
Medical products		Article No.:

req. no.	Statutory requirement	Law	Article
317	Medical device means any instrument, apparatus, appliance, software, implant, reagent, material or other article to be used for human beings for one or more of the following medical purposes: - diagnosis, prevention, monitoring, prediction, prognosis, treatment or alleviation of disease, - diagnosis, monitoring, treatment, alleviation of, or compensation for, an injury or disability, - investigation, replacement or modification of the anatomy or of a physiological or pathological process or state - providing information by means of in vitro examination of specimens derived from the human body, including organ, blood and tissue donations Medical devices do not achieve their principal intended action by pharmacological, immunological or metabolic means, in or on the human body. The following products shall also be deemed to be medical devices: - devices for the control or support of conception - products for the cleaning, disinfection or sterilisation of medical devices and accessories thereof.	VO (EU) 2017/745	Artikel 2 Nr. 1 - Anhang XVI
	The regulation on medical devices also applies to the following products without an intended medical purpose (listed in Annex XVI of Regulation (EU) 2017/745): 1. Contact lenses or other items to be introduced into or onto the eye 2. Products intended to be totally or partially introduced into the human body through surgically invasive means for the purpose of modifying the anatomy or fixation of body parts with the exception of tattooing products and piercings. 3. Substances, combinations of substances, or items intended to be used for facial or other dermal or mucuos membrane filling by subcutaneous, submucous or intradermal injection or other introduction, excluding those for tattooing. 4. Equipment intended to be used to reduce, remove or destroy adipose tissue, such as equipment for liposuction, lipolysis or lipoplasty. 5. High intensity electromagnetic radiation (e. g. infra-red, visible light and ultra-violet) emitting equipment intended for use on the human body, including coherent and non-coherent sources, monochromatic and broad spectrum, such as lasers and intense pulsed light equipment, for skin resurfacing, tattoo or hair removal or other skin treatment. 6. Equipment intended for brain stimulation that apply electrical currents or magnetic or electromagnetic fields that penetrate the cranium to modify activity in the brain. Additional information: VO (EU) 2017/745 Anhang XVI_18-11		

12.01.22 48 of 86

	Retail Group Product Requirements	MTH Retail Gro	up (Germany) GmbH
Categor	y: Cars accessories 2	 1-11	
Catogor	,	uthor: Träger	
		roduct:Autozubeh	ör/ oor
			IOI/ Cai
		quipment	
Medical	products	rticle No.:	
eq. no.	Statutory requirement	Law	Article
11299	To differentiate between medical devices /in vitro diagnostic medical devices and other products (such as cosmetic products, medicinal products and biocidal products), the "MANUAL ON BORDERLINE AND CLASSIFICATION IN THE COMMUNITY REGULATORY FRAMEWORK FOR MEDICAL DEVICES" can be consulted. Additional information: Borderline Medizinprodukte_19-11	Borderline Medizinprodukte	
50846	Medical devices shall comply with RE (EU) 2017/745 and meet the essential requirements set out in Annex I to RE (EU) 2017/745. Additional information: VO (EU) 2017/745 Anhang I_20-05	VO (EU) 2017/745	Artikel 5 Abs. 1 2 + MPG § 7 Abs. 1
50847	Medical devices shall comply with the relevant following requirements: - the harmonized standards, or the relevant parts of those standards; - the monographs of th European Pharmacopoeia - the common specifications The standards are available under https://ec.europa.eu/growth/single-market/european-standards/harmonised-standards/medical-devices/	VO (EU) 2017/745	Artikel 8+9, Normenverz. MPG
50854	Medical devices require an EU declaration of conformity that - contains as a minimum the information set out in Annex IV RE (EU) 2017/745 - and is in German or English language. Where devices are subject to other Union legislation, which also requires an EU declaration of conformity, a single EU declaration of conformity, shall be drawn up in respect of all Union acts applicable to the device. Additional information: VO (EU) 2017/745 Anhang IV_19-11	VO (EU) 2017/745	Artikel 19, Art. 120 Abs. 2 + MPDG § 8 Abs. 1
1587	Medical devices must be identified by the CE symbol according to Annex V to RE (EU) 2017/745. The CE marking - shall be affixed visibly, legibly and indelibly to the device or its sterile packaging; where such affixing is not possible or not warranted, the CE marking shall be affixed to the packaging shall also appear in any instructions for use and on any sales packaging shall be affixed before the device is placed on the market. It may be followed by a pictogram or any other mark indicating a special risk or use shall be followed, where applicable, by the identification number of the notified body; the identification number shall also be indicated in any promotional material which mentions that a device fulfils the requirements for CE marking. Additional information: VO (EU) 2017/745 Anhang V_19-11	VO (EU) 2017/745	Art. 20

12.01.22 49 of 86

MTHR	Retail Group Product Requirements	MTH Retail G	roup (Germany) GmbH		
Category	r: Cars accessories	21-11 Author: Träger			
		Product:Autozubo equipment	ehör/ car		
Medical	products	Article No.:			
req. no.	Statutory requirement	Law	Article		
50857	Medical devices are divided into classes I, IIa, IIb and III according to Annex VIII RE (EU) 2017/745. The MDCG Classification Guide can be used as an aid to classification. Additional information: MDCG Leitfaden Klassifizierung 21-11 VO (EU) 2017/745 Anhang VIII_19-11	VO (EU) 2017/745	Art. 51 Abs. 1		
50855	Medical devices requires an Unique Device Identification (UDI) and must be registered in the UDI database. UDI carriers shall be placed on the label of the device and on a higher levels of packaging. Higher levels of packaging shall not be understood to include shipping containers. The UDI carriers are required - for class III devices - from 26 May 2023 for class IIa and class IIb devices - from 26 May 2025 for class I devices The UDI carriers are required for reusable devices that shall bear the UDI carrier on the device itself, - from 26 May 2023 for class II devices - from 26 May 2025 for class II and class IIb devices - from 26 May 2027 for class IIa and class IIb devices	2017/745 II	Art. 27 Abs. 3,4, Art. 123 Abs. 3 f), g)		

12.01.22 50 of 86

MTH Retail Group	Product Requirements	MTH Retail Group (Germany) GmbH
Category: Cars accessories		21-11
		Author: Träger
		Product:Autozubehör/ car
		equipment
Measuring instruments (e.g.fever	thermometers,	Article No.:
manometers, barometers and the	rmometers for other	
purposes)		
fever thermometers, manameters, by	arometers and thermometers f	or other nurnoses)

fever thermometers, manometers, barometers and thermometers for other purposes) Article req. no. Statutory requirement Law Measuring instruments (fever thermometers, manometers, VO (EG) Nr. Anhang XVII Nr. 5296 1907/2006 barometers and thermometers for other purposes) are subject 18a to a mercury prohibition. Measuring instruments for commercial and official use must 50484 MessEG § 6, Abs. 2 comply with the essential requirements of the device-specific requirements (EU and national). Additional information: Mess- und Eichgesetz MessEG_15-04 Mess- und Eichverordnung MessEV_15-04 PBT_Regelermittlung_Mess-und Eichgesetz_15-11 Übersicht über Anwendungsbereich und Ausnahmen von MessEG und MessEV_14-11 50928 The mercury bans and mercury limit values of Regulation (EU) VO (EU) 2017/852 must be observed. 2017/852 Additional information: RE (EU) 2017/852_20-11 VO (EU) 2017/852 20-11 § 23, Abs. 1, 2, 3, 4 50781 Manufacturer must perform a conformity assessment for MessEG measuring instruments for commercial and official use, create technical documents and issue a declaration of conformity. These documents are kept for 10 years from placing on the market. The required mark (CE mark, possibly type approval and others) and inscriptions should appear on the product. The specific instructions for their use (Operating Instructions) be submitted in German language. Furthermore, if necessary, an EC type approval by an approved body, as well as an initial verification must be carried out. Additional information: Kennzeichnung Messgeräte_15-04 Mess- und Eichgesetz MessEG_15-04 Mess- und Eichverordnung MessEV 15-04 50782 Manufacturer of measuring instruments for commercial and MessEG § 23, Abs. 5 official use must carry out sampling tests and instruct dealers for quality deficiencies. A register of complaints and recalls is to conduct. 50783 If the manufacturer has reasonable grounds to believe that MessEG § 23, Abs. 6 measuring instruments for commercial and official use or other measuring device does not meet the statutory requirements, corrective action must be performed. If this is not possible, the instruments must be recalled. The manufacturer must immediately inform the competent authority, if the product cause dangers.

12.01.22 51 of 86

	Retail Group Product Requirements	MTH Retail G	roup (Germany) GmbH
Categor	y: Cars accessories	 21-11	
		Author: Träger	
		Product:Autozub	ehör/ car
		equipment	onon oar
Duaduat		Article No.:	
	•	Article No	
	s that come into direct contact with the skin.		
req. no.	Statutory requirement	Law	Article
723	Analysis of the Consumer Goods must be done according to the methods laid down in Annex 10 of the regulation concerning consumer goods (BedGgstV). Additional information: Bedarfsgegenständeverordnung_17-05.pdf	BedGgstV	§ 11 + Anlage 10
50049	Dioctylzin combinations (DOT) are prohibited in products if the substance concentration of DOT exceeds 0.1 per cent weight. The following products are affected: textiles with skin contact; gloves; - parts of shoes that come into contact with skin; -walll and floor coverings; - baby articles; ladies hygiene products; nappies/diapers; -packaging;-two-part room temperature vulcanisation form sets (RTV-2- form sets)	VO (EG) Nr. 1907/2006	Anhang XVII
50050	Trisubstituted zinc compounds (e.g. TBT, TPT) with a concentration of more than 0.1 per cent weight inproducts, not mixtures such as: - carpets; - clothing; - wood preservation substances; - leather goods; - PVC-products; - paints and varnishes are prohibited.	VO (EG) Nr. 1907/2006	Anhang XVII
50051	Dibutyl zinc compounds (DBT) with a concentration of more than 0.1 per cent weight are prohibited if these are intended for end-users in such products and mixtures as: - impregnating sprays; - mattresses; - PVC articles; - polyurethane foam; - textiles, - where applicable other articles and mixtures. The above date does not apply to the following products and mixtures: one- and two part room temperature vulcanisation sealing substances and glues (RTV-1 and RTV-2 sealing substances); - paints and coatings containing DBT-compounds as catalysts i these are painted on products; - soft polyvinylchloride (PVC) profiles whether these are extruded with hard PVC or not; material covered with a layer of PVC which contains DBT-compounds as stabilisers, if intended for outdoor use; - outside rainwater piping, guttering and joints as well as roof and exterior wall cladding.	VO (EG) Nr. 1907/2006	Anhang XVII

12.01.22 52 of 86

MTH Retail Group	Product Requirements	MTH Retail Group (Germany) GmbH
Category: Cars accessories		21-11
		Author: Träger
		Product:Autozubehör/ car
		equipment
Products, close to skin		Article No.:
Products that come into direct contact	t with the skin.	

req. no.	Statutory requirement	Law	Article
50245	For products made of leather, which are not only temporarily with skin contact, e.g.:	BedGgstV	Anl. 4 Nr. 2 und Anl. 10, Nr. 8
	- Watch Bands, - Bags, - Backpacks, - Chair covers, - Money bag, - Shoes, - Gloves, - Toys made of leather, must chromium VI not be detected. (Method B 82.02-11, 2008-10 - § 64-1 LFGB, according to DIN EN ISO 17075)		
	This requirement applies from May 1st 2014 in all EU-Countries (CR (EU) No. 301/2014 amending annex XVII of REACh-CR)		

12.01.22 53 of 86

eq. no.	Statutory requirement	Law	Article
0687	The limit values below apply to the following textiles:	VO (EG) Nr.	Anhang XVII
	(a) clothing or related accessories;	1907/2006	
	(a) Clothing of Telated accessories,		
	(b) textiles other than clothing which, under normal or reasonably foreseeable		
	conditions of use, come into contact with human skin to an extent similar to		
	clothing;		
	(c) footwear;		
	if the clothing, related accessory, textile other than clothing or footwear is for use		
	by consumers following limits:		
	- Cadmium and its compounds: 1 mg/kg nach Extraktion		
	- Chromium VI compounds: 1 mg/kg nach Extraktion		
	- Arsenic compounds: 1 mg/kg nach Extraktion		
	- Lead and its compounds: 1 mg/kg nach Extraktion		
	- Benzene: 5 mg/kg		
	- Benz[a]anthracen: 1 mg/kg		
	- Benz[e]acephenanthrylene: 1 mg/kg - Benzo[a]pyrene: Benzo[def]chrysene: 1 mg/kg		
	- Benzo[ajpyrene; Benzo[der]cmysene: 1 mg/kg		
	- Benzo[j]fluoranthene: 1 mg/kg		
	- Benzo[k]fluoranthene: 1 mg/kg		
	- Chrysene: 1 mg/kg		
	- Dibenz[a,h]anthracene: 1 mg/kg		
	- α, α,α,4-tetrachlorotoluene; p-chlorobenzotrichloride: 1 mg/kg		
	- α, α,α-trichlorotoluene; benzotrichloride: 1 mg/kg		
	- α-chlorotoluene; benzyl chloride: 1 mg/kg		
	- Formaldehyde: 75 mg/kg - 1,2-benzenedicarboxylic acid; di-C 6-8-branched alkylesters, C 7-rich: 1000		
	mg/kg		
	- Bis(2-methoxyethyl)phthalate: 1000 mg/kg		
	- Diisopentylphthalate: 1000 mg/kg		
	- Di-n-pentylphthalate (DPP): 1000 mg/kg		
	- Di-n-hexylphthalate (DnHP): 1000 mg/kg		
	- N-methyl-2-pyrrolidone; 1-methyl-2-pyrrolidone (NMP): 3000 mg/kg		
	- N,N-Dimethylacetamide (DMAC): 3000 mg/kg		
	- N,N-Dimethylformamide; Dimethylformamide (DMF): 3000 mg/kg		
	- 1,4,5,8-Tetraamino-anthrachinon; C.I. Disperse Blue 1: 50 mg/kg - Benzolamin, 4,4'-(4-Iminocyclohexa-2,5- dienylidenmethylen)dianilinhydrochlorid;		
	C.I. Basic Red 9: 50 mg/kg		
	- 4-[4,4'-Bis(dimethylamino)benzhydryliden]cyclohexa-2,5-dien-1-		
	yliden]dimethylammoniumchlorid; C.I. Basic Violet 3 mit ≥ 0,1 % Michlers Keton		
	(EG-Nr. 202- 027-5): 50 mg/kg		
	- 4-Chlor-o-toluidiniumchloride: 30 mg/kg		
	- 2-Naphthylammoniumacetate: 30 mg/kg		
	- 4-Methoxy-m-phenylendiammoniumsulfate; 2,4-Diaminoanisolsulfate: 30 mg/kg		
	- 2,4,5-Trimethylanilin-Hydrochloride: 30 mg/kg - Quinoline: 50 mg/kg		
	By way of derogation, in relation to the placing on the market of formaldehyde in		
	jackets, coats or upholstery, the relevant concentration for the purposes shall be		
	300 mg/kg during the period between 1 November 2020 and 1 November 2023.		
	Thereafter, the above concentration applies.		
	The requirements do not apply to:		
	(a) clothing, related accessories or footwear, or parts of clothing, related		
	accessories or footwear, made exclusively of natural leather, fur or hide;		
	(b) non-textile fasteners and non-textile decorative attachments; (c)second-hand clothing, related accessories, textiles other than clothing or		
	footwear		
	(d) wall-to-wall carpets and textile floor coverings for indoor use, rugs and runners.		
	e) disposable textiles,		
	f) personal protective equipment		

12.01.22 54 of 86

	s that come into direct contact with the skin.	Τ.	
req. no.	Statutory requirement	Law	Article
50737	Products of rubber or plastic components (e.g. sport equipment, household utensils, tools, clothing, footwear, wrist-bands), that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, should not contain more than 1.0 mg / kg of one of the listed PAHs:	VO (EG) Nr. 1907/2006	Anhang XVII Nr. 50
	a) Benzo(a)pyren (BaP) b) Benzo(e)pyren (BeP) c) Benzo(a)anthracen (BaA) d) Chrysen (CHR) e) Benzo(b)fluoranthen (BbFA) f) Benzo(j)fluoranthen (BjFA) g) Benzo(k)fluoranthen (BkFA) h) Dibenzo(a,h)anthracen (DBAhA)		
	This shall not apply to articles placed on the market for the first time before 27 December 2015. For these articles the values of BfR and ZEK apply.		
	(The standard EN 16143:2013 (Petroleum products-Determination of content of Benzo (a)pyrene (BaP) and selected polycyclic aromatic hydrocarbons (PAH) in extender oils- Procedure using double LC cleaning and GC/MS analysis) shall be used as the test method for demonstrating conformity with the limits.) Additional information: RE (EC) No 1907/2006_20-05 VO (EG) Nr. 1907/2006_20-05		
50738	Toys, including activity toys, and childcare articles of rubber or plastic components, that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, should not contain more than 0.5 mg / kg of one of the listed PAHs:	VO (EG) Nr. 1907/2006	Anhang XVII Nr. 50
	a) Benzo(a)pyren (BaP) b) Benzo(e)pyren (BeP) c) Benzo(a)anthracen (BaA) d) Chrysen (CHR) e) Benzo(b)fluoranthen (BbFA) f) Benzo(j)fluoranthen (BjFA) g) Benzo(k)fluoranthen (BkFA) h) Dibenzo(a,h)anthracen (DBAhA)		
	(The standard EN 16143:2013 (Petroleum products-Determination of content of Benzo (a)pyrene (BaP) and selected polycyclic aromatic hydrocarbons (PAH) in extender oils- Procedure using double LC cleaning and GC/MS analysis) shall be used as the test method for demonstrating conformity with the limits.) Additional information: CR (EC) 2015-326_test method_15-04 VO(EU) Nr. 2015-326_Prüfverfahren_15-04		

12.01.22 55 of 86

MTH Retail Group P	roduct Requirements	MTH Retail Group (Germany) GmbH
Category: Cars accessories		21-11
		Author: Träger
		Product:Autozubehör/ car
		equipment
Products, close to skin		Article No.:
Products that come into direct contact	with the skin.	
2		1 4 2 1

req. no.	Statutory requirement	Law	Article
689	In textiles and home textiles which are intended to come not only temporarily into contact with the human body, and in textile toy animals and dolls, the following flame proofing agents may not be used: 1. tri-(2.3-dibromopropyl)-phosphate (TRIS) 2. Tris-(aziridinyl)-phosphine oxide (TEPA)	BedGgstV	§ 3 iVm Anl. 1 Nr. 4
	Polybrominated biphenyls (PBB)		
721	Products made of vinyl chloride polymers (e.g. PVC) which are intended to	BedGgstV	§ 6 Abs. 3 iVm Anl.5 Nr. 1
	 come into contact with food during manufacture, treatment, distribution, or use come into contact with cosmetics or tobacco products come into contact with the skin, not just temporarily come into contact with the mouth as well as all toys and joke articles cleaning and care agents products for personal hygiene 		
	- products for personal hygiene		
	may not contain more than 1 mg monomer vinyl chloride per kg		
826	Textiles, which contain more than 1500 ppm formaldehyde and are intended to come into contact with the human body, have to be marked as follows: "Enthält Formaldehyd. Es wird empfohlen, das Kleidungsstück zur besseren Hautverträglichkeit vor dem ersten Tragen zu waschen." ("Contains formaldehyde. It is recommended that the article is washed before wearing for the first time for better skin tolerance"). The text is to be altered correspondingly for home textiles.	BedGgstV	§ 10 Abs. 3 + Anlage 9
2662	The use of nickel and its compounds is prohibited for products in which the nickel-containing parts (e.g. buttons, zips, jewellery, watches, rivet heads, hair slides) come, not just temporarily, into contact with the body and give off more than 0.5 µg/cm²/week Nickel. For nickel-containing products with a nickel-free coating, a limit value of 0,5 µg/cm²/week Nickel, over a period of at least 2 years with normal use, is to be observed.	BedGgstV	§ 6 Nr. 4 i.V.m. Anlage 5a u Norm DIN EN 1811:2015
	The Norm DIN EN 1811:2015-10 is to be used for the assessment of nickel continence.		
2916	The allergenic dispersion dyes Dispersion blue 1, 35, 106 and 124 Dispersion yellow 3 Dispersion orange 3, 37/76 and Dispersion red 1 must not be contained in products worn close to the skin. (further information can be found in the publicatins of the BfR)	LFGB	§30

12.01.22 56 of 86

eq. no.	Statutory requirement	Law	Article
16	The goods stated below must not contain any azo dyes / pigments which may detach the prohibited amines. Textile and leather goods which may have prolonged direct contact with human skin or mouth, especially:	BedGgstV	§ 3 iVm Anl. 1 Nr. 7
	1. Clothing, bed linen, towels, hair parts, toupees, hats, diapers and other sanitary articles, sleeping bags.		
	2. Shoes, gloves, watch straps, bags, purses and wallets, folders, chair covers, breast bags.		
	3.Textile and leather toys and toys with textile or leather garments		
	4. Yarns and fabrics for end users.		
	Prohibited amines: 4-aminobiphenyl CAS-No. 92-67-1 Benzidine CAS-No.92-87-5 4-chloro-o-toluidine CAS-No. 95-69-2 2-naphthylamine CAS-No. 91-59-8 o-aminoazotoluene CAS-No. 97-56-3 5-nitro-o-toluidine CAS-No. 99-55-8 4-chloroaniline CAS-No.106-47-8 2,4-diaminoanisole CAS-No. 615-05-4 4,4'-diaminodiphenylmethane CAS-No. 01-77-9 3,3'-dichlorobenzidine CAS-No. 91-94-1 3,3'-dimethoxybenzidine CAS-No. 119-90-4 3,3'-dimethylbenzidine CAS-No. 119-93-7 3,3'-dimethyl-4,4'-diaminoiphenyl-methane CAS-No. 838-88-0 p-cresidine CAS-No.120-71-8 4,4'-methylene-bis-(2-chloraniline) CAS-No. 101-14-4 4,4'-oxydianiline CAS-No.101-80-4 4,4'-thiodianiline CAS-No.139-65-1 o-toluidine CAS-No. 95-53-4 2,4-toluylendiamine CAS-No. 137-17-7 o-anisidine (2-methoxyaniline) CAS-No. 90-04-0 4-amino azobenzene CAS-No. 60-09-3		
	The use of prohibited azo dyes is deemed not to have been proven if the amounts contained of each amine component do not exceed 30 mg in one kilogram (0,003 Gew%) of specimen material.		
0202	stationery like pens and it`s top are intended to come into direct and prolonged contact with the skin	ALS	Stellungnahme Nr. 2019/48
0199	The rate of nickel release from articles intended to come into direct and prolongt contact with the skin must not exceed 0,5/µg/cm²/week.	VO (EG) Nr. 1907/2006	Anhang XVII N 27

12.01.22 57 of 86

MTH Retail Group Product Requirements		MTH Retail Group (Germany) GmbH		
Category	r: Cars accessories	21-11		
		Author: Träger		
		Product:Autozube	ehör/ car	
		equipment		
Textiles		Article No.:		
req. no.	Statutory requirement	Law	Article	
5138	All textiles must be fitted with the care instructions of DIN EN ISO 3758 (2013).	DIN EN ISO 3758		
50050	Trisubstituted zinc compounds (e.g. TBT, TPT) with a concentration of more than 0.1 per cent weight inproducts, not mixtures such as: - carpets; - clothing; - wood preservation substances; - leather goods; - PVC-products; - paints and varnishes are prohibited.	VO (EG) Nr. 1907/2006	Anhang XVII	
5289	Textiles containing Nonylphenol or Nonylphenol ethoxylatesl equal to or greater than0,1 % by weight are prohibited. Nonylphenol ethoxylates (NPE) shall not be placed on the market in textile articles which can reasonably be expected to be washed in water during their normal lifecycle, in concentrations equal to or greater than 0,01 % by weight of that textile article or of each part of the textile article.	VO (EG) Nr. 1907/2006	Anhang XVII	

12.01.22 58 of 86

MTH Retail Group	Product Requirements	MTH Retail Group (Germany) GmbH
Category: Cars accessories		21-11
		Author: Träger
		Product:Autozubehör/ car
		equipment
Textiles		Article No.:

req. no.	Statutory requirement	Law	Article
50687	The limit values below apply to the following textiles:	VO (EG) Nr.	Anhang XVII
10001	(a) clothing or related accessories;	1907/2006	7 minding XVIII
	(b) textiles other than clothing which, under normal or reasonably	1907/2000	
	foreseeable conditions of use, come into contact with human skin to an		
	extent similar to clothing;		
	(c) footwear;		
	if the clothing, related accessory, textile other than clothing or footwear		
	is for use by consumers following limits:		
	- Cadmium and its compounds: 1 mg/kg nach Extraktion		
	- Chromium VI compounds: 1 mg/kg nach Extraktion		
	- Arsenic compounds: 1 mg/kg nach Extraktion		
	- Lead and its compounds: 1 mg/kg nach Extraktion		
	- Benzene: 5 mg/kg		
	- Benz[a]anthracen: 1 mg/kg		
	- Benz[e]acephenanthrylene: 1 mg/kg		
	- Benzo[a]pyrene; Benzo[def]chrysene: 1 mg/kg		
	- Benzo[e]pyrene: 1 mg/kg		
	- Benzo[j]fluoranthene: 1 mg/kg		
	- Benzo[k]fluoranthene: 1 mg/kg - Chrysene: 1 mg/kg		
	- Chrysene: 1 mg/kg - Dibenz[a,h]anthracene: 1 mg/kg		
	- α, α,α,4-tetrachlorotoluene; p-chlorobenzotrichloride: 1 mg/kg		
	- α, α,α-trichlorotoluene; benzotrichloride: 1 mg/kg		
	- α, α,α-τησησισιαετίε, benzotrionide: 1 mg/kg		
	- Formaldehyde: 75 mg/kg		
	- 1,2-benzenedicarboxylic acid; di-C 6-8-branched alkylesters, C 7-rich:		
	1000 mg/kg		
	- Bis(2-methoxyethyl)phthalate: 1000 mg/kg		
	- Diisopentylphthalate: 1000 mg/kg		
	- Di-n-pentylphthalate (DPP): 1000 mg/kg		
	- Di-n-hexylphthalate (DnHP): 1000 mg/kg		
	- N-methyl-2-pyrrolidone; 1-methyl-2-pyrrolidone (NMP): 3000 mg/kg		
	- N,N-Dimethylacetamide (DMAC): 3000 mg/kg		
	- N,N-Dimethylformamide; Dimethylformamide (DMF): 3000 mg/kg		
	- 1,4,5,8-Tetraamino-anthrachinon; C.I. Disperse Blue 1: 50 mg/kg		
	- Benzolamin, 4,4'-(4-Iminocyclohexa-2,5-		
	dienylidenmethylen)dianilinhydrochlorid; C.I. Basic Red 9: 50 mg/kg		
	- 4-[4,4'-Bis(dimethylamino)benzhydryliden]cyclohexa-2,5-dien-1-		
	yliden]dimethylammoniumchlorid; C.I. Basic Violet 3 mit ≥ 0,1 %		
	Michlers Keton (EG-Nr. 202- 027-5): 50 mg/kg		
	- 4-Chlor-o-toluidiniumchloride: 30 mg/kg		
	- 2-Naphthylammoniumacetate: 30 mg/kg		
	- 4-Methoxy-m-phenylendiammoniumsulfate; 2,4-Diaminoanisolsulfate:		
	30 mg/kg - 2,4,5-Trimethylanilin-Hydrochloride: 30 mg/kg		
	- Quinoline: 50 mg/kg		
	- Quinoline. 30 mg/kg		
	By way of derogation, in relation to the placing on the market of		
	formaldehyde in jackets, coats or upholstery, the relevant concentration		
	for the purposes shall be 300 mg/kg during the period between 1		
	November 2020 and 1 November 2023. Thereafter, the above		
	concentration applies.		
	The requirements do not apply to:		
	(a) clothing, related accessories or footwear, or parts of clothing, related		
	accessories or footwear, made exclusively of natural leather, fur or hide;		
	(b) non-textile fasteners and non-textile decorative attachments;		
	(c)second-hand clothing, related accessories, textiles other than		
	clothing or footwear		
	(d) wall-to-wall carpets and textile floor coverings for indoor use, rugs		
	and runners.		
	e) disposable textiles,		
	f) personal protective equipment		
	g) medical devices		1

12.01.22 59 of 86

MTH Retail Group	Product Requirements	MTH Retail Group (Germany) GmbH
Category: Cars accessories		21-11
		Author: Träger
		Product:Autozubehör/ car
		equipment
Textiles		Article No.:

req. no.	Statutory requirement	Law	Article
50051	Dibutyl zinc compounds (DBT) with a concentration of more than 0.1 per cent weight are prohibited if these are intended for end-users in such products and mixtures as: - impregnating sprays; - mattresses; - PVC articles; - polyurethane foam; - textiles, - where applicable other articles and mixtures. The above date does not apply to the following products and mixtures: one- and two part room temperature vulcanisation sealing substances and glues (RTV-1 and RTV-2 sealing substances); - paints and coatings containing DBT-compounds as catalysts if these are painted on products; - soft polyvinylchloride (PVC) profiles whether these are extruded with hard PVC or not; material covered with a layer of PVC which contains DBT-compounds as stabilisers, if intended for outdoor use; - outside rainwater piping, guttering and joints as well as roof and exterior wall cladding.	VO (EG) Nr. 1907/2006	Anhang XVII
50049	Dioctylzin combinations (DOT) are prohibited in products if the substance concentration of DOT exceeds 0.1 per cent weight. The following products are affected: textiles with skin contact; gloves; - parts of shoes that come into contact with skin; -walll and floor coverings; - baby articles; ladies hygiene products; -nappies/diapers; -packaging;-two-part room temperature vulcanisation form sets (RTV-2- form sets)	VO (EG) Nr. 1907/2006	Anhang XVII
50438	Textile products are: a) products with a weight share of textile fibres of at least 80 %; b) Material covers for furniture, umbrella and parasols with a weight share of textile components of at least 80 %; c)the textile components of i) the uppermost layer of multi-layered floorcoverings, ii)mattress covers, iii) the covers of camping articles, in so far as these textile components a weight share which comprises at least 80 % of these upper layers or covers; d) Textiles which are worked into other goods and become integral parts of these as far as their composition is stated. The requirements of the Textile Labelling Regulation (EU) Nr. 1007/2011 must be observed. Additional information: FAQ Regulation EU No. 1007-2011_14-11 FAQ zur Textilkennzeichnungsverordnung EU Nr. 1007-2011_14-11	VO (EU) Nr. 1007/2011	Artikel 2 i.V.m.TextilKenn zG

12.01.22 60 of 86

MTH Retail Group	Product Requirements	MTH Retail Group (Germany) GmbH
Category: Cars accessories		21-11
		Author: Träger
		Product:Autozubehör/ car
		equipment
Preparations		Article No.:
Preparations are e.g.: dyes/paints/regulations. These are subject to a this are:	additional requirements, which ar	under the dangerous substances rise out of REACH. Not affected by

plant protection products, biocides and medicinal products

req. no.	Statutory requirement	Law	Article
5229	Manufacturers of compounds within the EU, who come under the REACH obligations will, after registration, make their registration numbers known without being asked. This also applies to private labels.	QS	
50046	The material limits and prohibitions of Annex XVII, current form in each case are to be observed. https://echa.europa.eu/substances-restricted-under-reach	VO (EG) Nr. 1907/2006	Anhang XVII
5227	For all mixes the REACH requirements apply and must be adhered to from 1 June 2007 or 1 June 2008 respectively, if more than 1 ton of one constituent substance is imported.	VO (EG) Nr. 1907/2006	Art. 141
5228	The manufacturers are responsible for the adherence to the obligations arising from REACH for all mixes produced in the EU. This also applies to own brands.	VO (EG) Nr. 1907/2006	Art. 3 Abs. 2, 9
5230	Manufacturers of mixes will make available, of their own accord, a safety data sheet and where appropriate further documentation (evaluation of reliability). The requirements for safety data sheets are changed. Safety data sheets that do not yet meet the new requirements may be made available until December 31, 2022. Additional information: RE (EU) 2020/878 New SDS_20-11 VO (EU) 2020/878_Änderung SDB_20-11	VO (EG) Nr. 1907/2006	Art. 31, 32
50927	From February 24, 2022, diisocyanates may only be placed on the market individually or in combination in substances and mixtures for industrial and commercial use if they contain less than 0.1% by weight or if the customer is aware of the restriction. Substances and mixtures that contain more than 0.1% by weight of diisocyanates and are sold to informed customers must be clearly marked with the sentence: "From August 24, 2023, appropriate training must take place before industrial or commercial use". From August 24, 2023, labor law requirements will also apply. From this date, employers and the self-employed ensure that the user has completed training on the safe use of diisocyanates. The content, documentation and repetition of the training are explained in detail in the entry on diisocyanates in Annex XVII of the REACH regulation.	VO (EG) Nr. 1907/2006	Anh. XVII Nr. 74
50395	The requirements of the safety data sheets are to be fulfilled according to RE (EC) 1907/2006 Annex II. Additional information: RE (EG) Nr. 1907/2006 Annex II 21-11 VO (EG) Nr. 1907/2006 Anhang II 21-11	VO (EG) Nr. 1907/2006	Anhang II

12.01.22 61 of 86

MTH F		roduct Requirements	MTH Retail G	roup (Germany) GmbH
Category	/: Cars accessories		21-11	
			Author: Träger	
			Product:Autozub	ehör/ car
			equipment	
Towline	s		Article No.:	
req. no.	Statutory requirement		Law	Article
80120	Towlines for cars fulfil the requ	uirements of DIN 76033.	DIN 76033	

12.01.22 62 of 86

	Retail Group Product Requirements MTH Retail Group (Germ		oup (Germany) GmbH
Category	r: Cars accessories	21-11	
		Author: Träger	
		Product:Autozubeh	nör/ car
		equipment	
Children	r's car-seats	Article No.:	
req. no.	Statutory requirement	Law	Article
5151	For children's car-seats the regulations of the test norm ECE R 129 or R44/04 must be adhered to. Licensing and labelling of the seats must be carried out before distribution.	Prüfnorm ECE R 129 oder R44/04	
5169	Toys and childcare articles which can be placed in the mouth must not contain more than 0,1% (by weight) of the following phthalates in the plasticised material: - Di-isononylphthalat (DINP) CAS-Nrn. 28553-12-0 und 68515-48-0 EINECS-Nrn. 249-079-5 und 271-090-9 - Di-isodecylphthalat (DIDP) CAS-Nrn. 26761-40-0 und 68515-49-1 EINECS-Nrn. 247-977-1 und 271-091-4 -Di-n-octylphthalat (DNOP) CAS-Nr. 117-84-0 EINECS-Nr. 204-214-7 In this context, childcare articles comprise any product intended to facilitate sleep, relaxation, hygiene, the feeding of children or sucking on the part of the children.		Anhang XVII Nr. 52
50696	For toys and childcare articles which can be placed in the mouth, the limit of 0.1% is observed for following phthalate: - DPHP (Di-2-propylheptylphthalat) Additional information: BfR Opinion No. 004-2012_13-11.pdf BfR Stellungnahme DPHP Nr. 004-2012_13-11.pdf	BfR DPHP	

12.01.22 63 of 86

MTH F	Retail Group Product Requirements	MTH Retail Gro	oup (Germany) GmbH
Categor	y: Cars accessories	21-11	
		Author: Träger	
		Product:Autozubeł	nör/ car
		equipment	
Car sea	t upholstery	Article No.:	
req. no.	Statutory requirement	Law	Article
103017	The adherence to low flammability must be proven to comply with the requirements of Norms. DIN EN 1021, Part 1 and DIN EN 1021 Part 2.	DIN EN 1021-1 u 2	
5285	Car seat covers for car seats with integrated side airbags must fulfill the requirements of the test requirements agreed with the german Federal Motor Transport Authority (Kraftfahrtbundesamt) for obtaining a general operating permit (ABE): - Inflation test according to test specification TA35 - Vehicle-related tests according to test specification TA 35 - Possibly. Flammability according to test specification R118 The relevant documents must be provided by the manufacturer importer.		§ 22

12.01.22 64 of 86

MTH F	Retail Group Product Requirements	MTH Retail (Group (Germany) GmbH
Category	y: Cars accessories	21-11	
		Author: Träger	
		Product:Autozu	behör/ car
		equipment	
Car acc	essories general	Article No.:	
req. no.	Statutory requirement	Law	Article
50242	For certain products and devices which are intended to be built into automobiles the technical regulations (ECE-rules), norms and labelling requirements (Circle with E and national label, Approval number) must be adhered to.	STVZO	§ 21a
	The relevant standards are to be found under: https://www.bmvi.de/SharedDocs/DE/Anlage/VerkehrUndMobiliaet/Strasse/uebersicht-der-ece-regelungen.html	t	
11367	For touch-up pens with a nominal filling quantity of less than 50 ml, the number of pieces may be specified instead of the filling quantity by weight or volume.	FPackV	§ 25 Abs. 1

12.01.22 65 of 86

MTH E	Retail Group Product Requirements	MTH Retail Gro	oup (Germany) GmbH
Categor	y: Cars accessories	21-11	
		Author: Träger	
		Product:Autozubeł	nör/ car
		equipment	
Car Accessories, electric		Article No.:	
All elect car radio	rical/electronic units which are designed for the installation	in a motor-vehicle. F	Product example:
req. no.	Statutory requirement	Law	Article
50688	Fuse-links for road vehicles have to fulfill the requirements of the volume (DIN) ISO 8820.	Normenreihe (DIN) ISO 8820	
50210	Radio equipment that placed on the marked after June 20th 2016, have to fullfill the requirements of the Directive 2014/53/EU. Additional information: Dir 2014-53-EU_16-05 RL 2014-53-EU_16-05	RL 2014/53/EU	Artikel 3

12.01.22 66 of 86

MTH R	Retail Group Product Requirements	MTH Retail Gro	oup (Germany) GmbH
Category	r: Cars accessories	21-11	
		Author: Träger	
		Product:Autozubel	hör/ car
		equipment	,
External	power supply units	Article No.:	
req. no.	Statutory requirement	Law	Article
50409	External power supplies for data-enabled mobile phones must adhere the requirements of DIN EN 62684.	DIN EN 62684	
50889	The ecodesign requirements for external power supplies set out in Annex II are adhered to. The regulation shall not apply to: - voltage converters; - uninterruptible power supplies; - battery chargers without power supply function; - ighting converters; - external power supplies for medical devices; - active power over Ethernet injectors; - docking stations for autonomous appliances; - external power supplies placed on the market before 1 April 2025 solely as a service part or spare part for replacing an identical external power supply placed on the market before 1 April 2020, under the condition that the service part or spare part, or its packaging, clearly indicate 'External power supply to be used exclusively as spare part for' and the primary load product(s) it is intended to be used with. Additional information: RE (EU) 2019/1782_20-05 VO (EU) 2019/1782_20-05	VO (EU) 2019/1782	Artikel 3 und Anhang II
50890	Manufacturers of external power supplies shall: - set out the conformity assessment procedure (internal design control or quality management system) - draw up the technical documentation	VO (EU) 2019/1782	Artikel 4

12.01.22 67 of 86

MTH F	Retail Group Product Requirements	MTH Retail Gro	oup (Germany) GmbH
Categor	y: Cars accessories 2	21-11	
	A	Author: Träger	
	F	Product:Autozubeh	nör/ car
	e	equipment	
Paints/la		Article No.:	
i aiiits/i	r acquers	THOIC INO	
eq. no.	Statutory requirement	Law	Article
216	The use of partly halogenated CFCs in solvents (dyes and	ChemOzonSchi	Art. 6
	paints) is prohibited.	chtV	
214	The import and marketing of products and devices containing chlorofluorocarbons, other perhalogenated chlorofluorocarbons, halons, carbontetrachlorides, 1,1,1-trichloroethane, partly halogenated bromofluoride hydrocarbons and chlorobromomethane are prohibited. The following are affected: - Aerosol products	ChemOzonSchi chtV	Art.4
	- Dyes and paints - Cosmetics - Lubricants - Cleaning materials - Pressurised gas containers - Fire extinguishers - Insulation materials - Refrigerators - Air conditioning units - Mattresses - Foam material - Adhesives		
101	Paints and varnishes for coating buildings, decorative building elements and components for decorative, functional or protective purposes and products for vehicle refinishing according to Annex I ChemVOCFarbV may not be placed on the market if they exceed the limit values for VOC content specified in Annex II ChemVOCFarbV. Additional information: ChemVOCFarbV Anhang I und II_21-11	ChemVOCFarb V	§ 3 Abs. 1-3, Anhang II
103	Manufacturers or importers shall label paints and varnishes for coating buildings, decorative building elements and components for decorative, functional or protective purposes and products for vehicle refinishing in accordance with Annex I ChemVOCFarbV with the following information: 1. product category and the corresponding limit values for volatile organic compounds in g/l according to Annex II 2. the maximum content of volatile organic compounds in the ready-to-use product. The information shall be displayed horizontally and clearly legible. Additional information: ChemVOCFarbV Anhang I und II_21-11	ChemVOCFarb V	§ 4
0050	Trisubstituted zinc compounds (e.g. TBT, TPT) with a concentration of more than 0.1 per cent weight inproducts, not mixtures such as: - carpets; - clothing; - wood preservation substances; - leather goods; - PVC-products; - paints and varnishes are prohibited.	VO (EG) Nr. 1907/2006	Anhang XVII

12.01.22 68 of 86

MTH Retail Group	Product Requirements	MTH Retail Group (Germany) GmbH
Category: Cars accessories		21-11
		Author: Träger
		Product:Autozubehör/ car
		equipment
Paints/lacquers		Article No.:

req. no.	Statutory requirement	Law	Article
50051	Dibutyl zinc compounds (DBT) with a concentration of more than 0.1 per cent weight are prohibited if these are intended for end-users in such products and mixtures as: - impregnating sprays; - mattresses; - PVC articles; - polyurethane foam; - textiles, - where applicable other articles and mixtures. The above date does not apply to the following products and mixtures: one- and two part room temperature vulcanisation sealing substances and glues (RTV-1 and RTV-2 sealing substances); - paints and coatings containing DBT-compounds as catalysts if these are painted on products; - soft polyvinylchloride (PVC) profiles whether these are extruded with hard PVC or not; material covered with a layer of PVC which contains DBT-compounds as stabilisers, if intended for outdoor use; - outside rainwater piping, guttering and joints as well as roof and exterior wall cladding.	VO (EG) Nr. 1907/2006	Anhang XVII
679	Painted articles and lacqueres shall not be placed on the market if the concentration of cadmium (expressed as Cd metal) is equal to or greater than 0,1 % by weight of the paint on the painted article.	VO (EG) Nr. 1907/2006	Anhang XVII
676	Lead carbonate and -sulfates must not be contained in colours.	VO (EG) Nr. 1907/2006	Anhang XVII
90001	Enamel powder, glaze masses and such for hobby purposes are deemed toys.	ALS	2019/41 + LFGB
11381	The voluntary e-mark may not be used for varnishes and paints with a filling quantity of more than 10 to 20 liters (including 20 liters).	FPackV	§ 34 Abs. 2
11380	Requirements for varnishes / paints with a capacity of more than 10 liters to 20 liters: - Indication of the nominal filling quantity by volume or weight (if made from paint mixing systems or by hand) - Indication of the manufacturer of the prepackage - Indication of the nominal filling quantity by weight in grams (g) or kilograms (kg) or according to volume in milliliters (ml) or liters (L, l) - the determined minus deviation from the specified filling quantity must not exceed certain values (§ 34, (3)). Additional information: FPackV § 34_21-05	FPackV	§ 34 Abs. 2, 3
11343	Requirements for the filling quantity information for prepackages with varnishes and paints of the same nominal filling quantity: - Indication of filling quantity according to volume Deviating from this, the following may be marked by weight: - Varnishes and paints from a color mixing plant in wholesalers and retailers - Varnishes and paints that are mostly mixed by hand.	FPackV	§ 6 Abs. 4

12.01.22 69 of 86

MTH Retail Group	Product Requirements	MTH Retail Group (Germany) GmbH
Category: Cars accessories		21-11
		Author: Träger
		Product:Autozubehör/ car
		equipment
Paints/lacquers		Article No.:

req. no.	Statutory requirement	Law	Article
50799	Follow chemicals shall not be placed on the market, or used, as substances or in mixtures where the substance or mixture is intended for the treatment of wood. Furthermore, wood so treated shall not be placed on the market: (a) Creosote; wash oil CAS No 8001-58-9 EC No 232-287-5 (b) Creosote oil; wash oil CAS No 61789-28-4 EC No 263-047-8 (c) Distillates (coal tar), naphthalene oils; naphthalene oil CAS No 84650-04-4 EC No 283-484-8 (d) Creosote oil, acenaphthene fraction; wash oil CAS No 90640-84-9 EC No 283-484-8EC No 292-605-3 (e) Distillates (coal tar), upper; heavy anthracene oil CAS No 65996-91-0 EC No 266-026-1 (f) Anthracene oil CAS No 90640-80-5 EC No 292-602-7 (g) Tar acids, coal, crude; crude phenols CAS No 65996-85-2 EC No 266-019-3 (h) Creosote, wood CAS No 8021-39-4 EC No 232-419-1 (i) Low temperature tar oil, alkaline; extract residues (coal), low temperature coal tar alkaline CAS No 122384-78-5 EC No 310-191-5	VO (EG) Nr. 1907/2006	Anhang XVII
3061	It is prohibited to treat wooden goods with arsenic compounds.	VO (EG) Nr. 1907/2006	Anhang XVII

12.01.22 70 of 86

MTHR	etail Group Product Requirements	MTH Retail Gro	oup (Germany) GmbH
LiBRO E	Freedigateliter		GIIIDIT
Category	: Cars accessories 2	<u> </u>	
Outogory.		uthor: Träger	
		_	" ./
		Product:Autozubeh	or/ car
	e	equipment	
Fire extir	nguishers A	article No.:	
req. no.	Statutory requirement	Law	Article
5214	The import and marketing of products and devices containing chlorofluorocarbons, other perhalogenated chlorofluorocarbons, halons, carbontetrachlorides, 1,1,1-trichloroethane, partly halogenated bromofluoride hydrocarbons and chlorobromomethane are prohibited. The following are affected: - Aerosol products	ChemOzonSchi chtV	Art.4
	 Dyes and paints Cosmetics Lubricants Cleaning materials Pressurised gas containers Fire extinguishers Insulation materials 		
	RefrigeratorsAir conditioning unitsMattressesFoam materialAdhesives		
5238	Hand fire extinguisher must fulfil the norm DIN EN 3-7,8,9,10.	DIN EN 3, Teil 7-10	
50632	For the design, manufacture and conformity assessment of pressure equipment and assemblies with a maximum allowable pressure PS greater than 0,5 bar, the requirements of Directive 2014/68/EU have been since 01/06/2015 or 07/19/2016 observed. Exceptions are to be considered. Additional information: Dir 2014-68-EU pressure equipment_16-05 RL 2014-68-EU Druckgeräte_16-05	14. ProdSV	§ 1
5021	All pressure equipment (f.e. pressure cookers) are subject to the 14. ProdSV (Pressure Regulation) and should be manufactured and marked accordingly.	14. ProdSV	§ 1,3, 5 i.V.m. RL 2014/68/EU
	In particular the essential safety requirements of Annex I of the Pressure Equipment Directive 2014/68 / EU are to be observed. Additional information: Dir 2014-68-EU pressure equipment_16-05 RL 2014-68-EU Druckgeräte_16-05		
5022	Pressure equipment must pass through a conformity procedure and an appropriate conformity certificate is to be issued. This must be kept for 10 years, including the technical	14. ProdSV	§ 5
	documents in german language. For products from (EC) non-member countries the importer must keep the documents and have these ready for checking.		

12.01.22 71 of 86

MTHR	etail Group Product Requirements	MTH Retail G	roup (Germany) GmbH
Category	: Cars accessories	21-11	
		Author: Träger	
		Product:Autozub	ehör/ car
		equipment	
Fire exti	nguishers	Article No.:	
req. no.	Statutory requirement	Law	Article
5023	Pressure equipment are to be labelled as follows: - CE marking - Manufacturer and Adress (from (EC) non-member countries - the importer) - Year of manufacture - Type, batch or serial number - essential maximum/minimum allowable limits - Volume The labelling must be fixed on the pressure equipment.		§ 5, 6
5024	Pressure equipment shall be accompanied with instructions for the user, containing all the necessary safety information in german language. Instructions shall cover information affixed to the pressure equipment in accordance with the marking on the product, with the exception of serial identification, and shall be accompanied where appropriate, by the technical documents, drawings and diagrams necessary for a full understanding of these instructions.		§ 6

12.01.22 72 of 86

MTH E	Retail Group Product Requirements	MTH Retail G	roup (Germany) GmbH
Categor	y: Cars accessories	21-11	
		Author: Träger	
		Product:Autozube	ehör/ car
		equipment	
Fire ext	inguishing devices	Article No.:	
req. no.	Statutory requirement	Law	Article
50416	Fire extinguishers must fulfil the requirements of 13. ProdSV (pressurized gas containers).	13. ProdSV	13. GPSGV und BS 6165
	Additionally, DIN SPEC 14411must be adhered to.		

12.01.22 73 of 86

MTHR	etail Group Product Requirements	MTH Retail Gro	up (Germany) GmbH
Category:	Cars accessories 2	1-11	
	A	uthor: Träger	
	F	Product:Autozubeh	ör/ car
	e	quipment	
Adhesive	es A	article No.:	
req. no.	Statutory requirement	Law	Article
5214	The import and marketing of products and devices containing chlorofluorocarbons, other perhalogenated chlorofluorocarbons, halons, carbontetrachlorides, 1,1,1-trichloroethane, partly halogenated bromofluoride hydrocarbons and chlorobromomethane are prohibited. The following are affected: - Aerosol products	ChemOzonSchi chtV	Art.4
	- Dyes and paints - Cosmetics - Lubricants - Cleaning materials - Pressurised gas containers - Fire extinguishers - Insulation materials - Refrigerators - Air conditioning units - Mattresses - Foam material - Adhesives		
50051	Dibutyl zinc compounds (DBT) with a concentration of more than 0.1 per cent weight are prohibited if these are intended for end-users in such products and mixtures as: - impregnating sprays; - mattresses; - PVC articles; - polyurethane foam; - textiles, - where applicable other articles and mixtures. The above date does not apply to the following products and mixtures: one- and two part room temperature vulcanisation sealing substances and glues (RTV-1 and RTV-2 sealing substances); - paints and coatings containing DBT-compounds as catalysts if these are painted on products; - soft polyvinylchloride (PVC) profiles whether these are extruded with hard PVC or not; material covered with a layer of PVC which contains DBT-compounds as stabilisers, if intended for outdoor use; - outside rainwater piping, guttering and joints as well as roof and exterior wall cladding.	VO (EG) Nr. 1907/2006	Anhang XVII
11342	Requirements for the filling quantity information for prepackages with adhesives/glues of the same nominal filling quantity: - Indication of filling quantity according to weight. It is possible to specify the number of items in the case of glue sticks if it is customary to trade by the number of items.	FPackV	§ 6 Abs. 3, § 25 Abs.1
850	Suppliers must enclose safety data sheets for dangerous products. In so far as the products are passed on to commercial purchasers, the safety data sheets must be transmitted to the purchasers at the latest with the first delivery.	GefStoffV	§5 (1)

12.01.22 74 of 86

MTHR		oduct Requirements	MTH Retail Gr	oup (Germany) GmbH
Category	: Cars accessories		21-11	
			Author: Träger	
			Product:Autozube	hör/ car
			equipment	
Adhesive	es		Article No.:	
req. no.	Statutory requirement		Law	Article
50049	Dioctylzin combinations (DOT) a substance concentration of DOT The following products are affect gloves; - parts of shoes that com and floor coverings; - baby articl nappies/diapers; -packaging;-two vulcanisation form sets (RTV-2-	exceeds 0.1 per cent weight. ted: textiles with skin contact;-ne into contact with skin; -walll es; ladies hygiene products;-p-part room temperature	1907/2006	Anhang XVII

12.01.22 75 of 86

MTHR	etail Group Product Requirements	MTH Retail Gro	oup (Germany) GmbH
Category	: Cars accessories	21-11	
		Author: Träger	
		Product:Autozubeh	nör/ car
		equipment	
Oils and	lubricants	Article No.:	
		T -	
req. no.	Statutory requirement	Law	Article
5214	The import and marketing of products and devices containing chlorofluorocarbons, other perhalogenated chlorofluorocarbons halons, carbontetrachlorides, 1,1,1-trichloroethane, partly halogenated bromofluoride hydrocarbons and chlorobromomethane are prohibited. The following are affected:		Art.4
	- Aerosol products - Dyes and paints - Cosmetics - Lubricants - Cleaning materials - Pressurised gas containers - Fire extinguishers - Insulation materials - Refrigerators - Air conditioning units - Mattresses - Foam material		
	 Air conditioning units Mattresses		

12.01.22 76 of 86

MTHR	etail Group	Product Requirements	MTH Retail (Group (Germany) GmbH
Category	Cars accessories		21-11	
			Author: Träger	
			Product:Autozuk	oehör/ car
			equipment	
Personal	protective equipment,	category 2	Article No.:	
Product e swimming		ng, kayak and bicycle helmets, re	scue vests, knee/	elbow protectors,
req. no.	Statutory requirement		Law	Article

req. no.	Statutory requirement	Law	Article
790	The CE marking must be affixed, clearly visible, legibly and permanently, to every PPE. If this is not possible or warranted due to the particular features of the product, the CE identification can be affixed to the packaging and to the documents accompanying the PPE. Additional information: RE (EU) 2016/425_18-05 VO (EU) 2016/425_18-05	VO (EU) 2016/425	Art. 8, 17
895	PPE articles of the category 2 (warning clothing, kayak helmets, bicycle helmets, knee-/elbow- protectors for inline skating, swimming aids, hearing protection) require an EU type-examination by a notified body and a declaration of conformity to type. Retention period: 10 years after the PPE has been placed on the market. Additional information: RE (EU) 2016/425_18-05 VO (EU) 2016/425_18-05	VO (EU) 2016/425	Art. 8, 19; Anhang V, VI
458	Helmets for cyclists, skaters and roller-skaters must be according to DIN EN 1078 concerning material, construction, field of vision, shock absorber capability, durability and carrying equipment (strap, adjusting mechanism).	DIN EN 1078	DIN EN 1078 i.V.m. § 3 GSG
5178	The harmonised standards in force regarding the regulations for the introduction onto the market of personal protective gear must be adhered to. Presumption of conformity = manufacturer can assume that with the correct application of these standards, the essential health and safety requirements set out in Annex II RE (EU) 2016/425 are fulfilled. In each case, the current norms are to be applied. See: www.baua.de Additional information: RE (EU) 2016/425_18-05 VO (EU) 2016/425_18-05	VO (EU) 2016/425	

12.01.22 77 of 86

MTH E	Retail Group Product Requirements	MTH Retail Gro	oup (Germany) GmbH
Categor	y: Cars accessories	21-11	
J		Author: Träger	
		Product:Autozube	hör/ car
		equipment	
Cleansi	ng wipes	Article No.:	
req. no.	Statutory requirement	Law	Article
50945	The following single-use plastic articles must be marked on the packaging and the outer packaging with the harmonized marking requirement of the Implementing Regulation (EU) 2020/2151: - Sanitary towels (pads), tampons and tampon applicators; - Wet wipes, i.e. pre-wetted personal care and domestic wipes;	EWKKennzV	§ 4 i.V.m. DVO (EU) 2020/2151
	 Tobacco products with filters and filters marketed for use in combination with tobacco products; On the other hand, on cups for beverages made of disposable plastic, the harmonized marking requirement from the Implementing Regulation (EU) 2020/2151 is placed directly on the product. 		
	Manufacturers and importers who place the above-mentioned products on the market for the first time in the respective EU member state are obliged to do so.		
	As a transitional measure, the markings can also be affixed as stickers up to 03.07.2022. From 04.07.2022, the markings must be applied as print.		
	The position, size and design of the marking must be taken from the Implementing Regulation (EU) 2020/2151 Additional information: DVO (EU) 2020/2151_21-11	n	
50947	Extended producer responsibility applies to the following single-use plastic articles:	Richtlinie (EU) 2019/904	Art. 8 i.V.m. Tei E
	- Wet wipes, i.e. pre-wetted personal care and domestic wipes;		
	- Balloons, except balloons for industrial or other professional uses and applications that are not distributed to consumers		
	For these products, the following costs must be covered from 31.12.2024 at the latest:		
	 - Awareness-raising measures - cleaning up litter resulting - data gathering and reporting in accordance with Directive 2008/98/EC. 		
	The above-mentioned costs must already be borne from 05.01.2023 if the extended producer responsibility regime for the single-use plastic products concerned was introduced before 04.07.2018.		

12.01.22 78 of 86

MTH F	Retail Group Product Requirements	MTH Retail G	roup (Germany) GmbH
Categor	y: Cars accessories	21-11	
		Author: Träger	
		Product:Autozube	ehör/ car
		equipment	
Antifree	ezing solution for windscreens	Article No.:	
req. no.	Statutory requirement	Law	Article
50833	Methanol (CAS No 67-56-1 EC No 200-659-6) shall not be placed on the market to the general public in windscreen washing or defrosting fluids, in a concentration equal to or greater than 0,6 % by weight.	VO (EG) Nr. 1907/2006	Anhang XVII i.V.m. VO (EU) 2018/589

12.01.22 79 of 86

MTH E	Retail Group Product Requirements	MTH Retail Gr	oup (Germany) GmbH
Categor	y: Cars accessories	21-11	
		Author: Träger	
		Product:Autozube	hör/ car
		equipment	
Cleansi	ng agend for windows	Article No.:	
req. no.	Statutory requirement	Law	Article
100661	The alcohol-addition must not attack lacquers and rubber (for summer: no alcohol-addition).	QS	
50833	Methanol (CAS No 67-56-1 EC No 200-659-6) shall not be placed on the market to the general public in windscreen washing or defrosting fluids, in a concentration equal to or greater than 0,6 % by weight.	VO (EG) Nr. 1907/2006	Anhang XVII i.V.m. VO (EU) 2018/589

12.01.22 80 of 86

MTH F	Retail Group Product Requirements	MTH Retail G	roup (Germany) GmbH
Category	y: Cars accessories	21-11	
		Author: Träger	
		Product:Autozube	ehör/ car
		equipment	
First aid	kitboxes	Article No.:	
req. no.	Statutory requirement	Law	Article
50243	Medical kit boxes (Group B) for car vehicles must adhere to the Norm DIN 13164, with the CE-label afixed and a declaration of conformity is to be supplied. Additionally a date must be given from which the usage availability (period of use= of the medica kit box may be determined.		

12.01.22 81 of 86

MTH F	Retail Group Product Requirements	MTH Retail G	roup (Germany) GmbH
Category	/: Cars accessories	21-11	
		Author: Träger	
		Product:Autozub	ehör/ car
		equipment	
Jacks		Article No.:	
req. no.	Statutory requirement	Law	Article
80118	Hydraulic car jacks fulfil the requirements of ISO 11530	ISO 11530	
80119	Mechanical car jacks fulfil the requirements of ISO 8720	ISO 8720	

12.01.22 82 of 86

MTHR		quirements	MTH Retail	l Group (Germany) GmbH
Category	r: Cars accessories		21-11	
			Author: Trägei	r
			Product:Autoz	ubehör/ car
			equipment	
Warning	flag		Article No.:	
req. no.	Statutory requirement		Law	Article
50352	Warning flags for labelling overhanging load transporters must conform to the following specifications:		StVO	§ 22
	light red colour, measuring 30 x 30 cm, held crossbar.	apart by a		

12.01.22 83 of 86

MTH Retail Group	Product Requirements	MTH Retail Group (Germany) GmbH
Category: Cars accessories		21-11
		Author: Träger
		Product:Autozubehör/ car
		equipment
Washing, cleaning and cosmetic	care products	Article No.:
All products designed for cleaning r after use (acc. § 2 WRMG).	or according to requirements su	pport cleaning and can reach w a t e

req. no.	Statutory requirement	Law	Article
3001	Cleaning and care agents which are intended for domestic use and contain more than 1000 ppm formaldehyde must be labelled in the respective language of the selling country: "Contains formaldehyde."	BedGgstV	§ 10 Abs. 3 + Anlage 9
5214	The import and marketing of products and devices containing chlorofluorocarbons, other perhalogenated chlorofluorocarbons, halons, carbontetrachlorides, 1,1,1-trichloroethane, partly halogenated bromofluoride hydrocarbons and chlorobromomethane are prohibited. The following are affected: - Aerosol products - Dyes and paints - Cosmetics - Lubricants - Cleaning materials - Pressurised gas containers - Fire extinguishers - Insulation materials - Refrigerators - Air conditioning units - Mattresses - Foam material - Adhesives	ChemOzonSchi chtV	Art.4
704	No washing-, cleaning- or care-products must be offered with more than 0,2 % mass content Formaldehyde.	ChemVerbotsV	§ 3 Anlage 1
5252	The following labeling elements must appear in German on packaging of detergents, cleaning agents and cleaning products: - Name and trade name of the product - Name, trade name and trademark as well as complete address and telephone number of the economic operator responsible for placing the product on the market - address, e-mail address, if available, and telephone number where the data sheet can be obtained by medical personnel - the content in accordance with the requirements set out in Annex VII, Section A. The same information must be included in all accompanying documents of detergents transported in bulk. The labeling according to the Ordinance on Hazardous Substances remains unaffected. Additional information: RE (EC) No 648/2004 Annex VII_21-05 VO (EG) Nr. 648/2004 Anhang VII_21-05	WRMG	§ 8 Abs. 1 + VC (EG) Nr. 648/2004 Art. 1 Abs. 2, 3, Anhang VII Abschnitt A
5250	Washing, cleaning and detergent substances (including sponges with active cleansing materials) may only contain tensides which are bio-degradable. This also applies to cosmetic materials, which serve as cleansers (e.g. soaps, shampoos) whose residues are intentionally conveyed into waste-water and contain tensides	WRMG	§4 i.V. mit §2

12.01.22 84 of 86

All products designed for cleaning or according to requirements support cleaning and can reach w at e r after use (acc. § 2 WRMG).

req. no.	Statutory requirement	Law	Article
11366	For the following products, the number of pieces may be specified instead of the filling quantity by weight or volume: - Fragrance or dishwashing detergents in piece shape weighing less than 50 grams each piece, - Vehicle care products in portion packs.	FPackV	§ 25 Abs. 1
11341	Requirements for the filling quantity information for prepackages with WPR (detergents, cleaning agents, cleaning and care products) with the same nominal filling quantity: - indication of the filling quantity for liquid and pasty WPR by volume - Indication of the filling quantity for solid or powdery WPR by weight - Fill quantities for soft soaps by weight.	FPackV	§ 6 Abs. 2
50779	Household cleaner with a content of about 0.1 percent by mass nonylphenol are prohibited.	VO (EG) Nr. 1907/2006	Anhang XVII
50833	Methanol (CAS No 67-56-1 EC No 200-659-6) shall not be placed on the market to the general public in windscreen washing or defrosting fluids, in a concentration equal to or greater than 0,6 % by weight.	VO (EG) Nr. 1907/2006	Anhang XVII i.V.m. VO (EU) 2018/589
50748	1,4-dichlorobenzene shall not be placed on the market or used, as a substance or as a constituent of mixtures in a concentration equal to or greater than 1 % by weight, where the substance or the mixture is placed on the market for use or used as an air freshener or deodoriser in toilets, homes, offices or other indoor public areas.	VO (EG) Nr. 1907/2006	Anhang XVII Pkt. 64
50495	Washing substances (powder or liquid detergents) for dishwasher use may not be put into circulation if the total phosphate concentration contained in the standard amount is 0.3 grams or more.	VO (EG) Nr. 648/2004	i.V. Mit VO (EU) Nr. 259/2012 Anhang VI a2
50494	Washing materials (powder or liquid washing detergents) intended for consumers must not be put into circulation with a total phosphor concentration of 0,5 g or more in the recommended amount for the main wash for a normal washing machine load using hard water, with reference to normally soiled textiles in the case of normal detergents and for lightly soiled textiles in the case of mild (gentle) detergents.	VO (EG) Nr. 648/2004	iV. mit VO (EU) Nr. 259/2012 Anhang VI a1

12.01.22 85 of 86

All products designed for cleaning or according to requirements support cleaning and can reach w at e r after use (acc. § 2 WRMG).

req. no.	Statutory requirement	Law	Article
50797	Where a liquid consumer laundry detergent in dosages for single use is contained in a soluble packaging, the following additional provisions shall apply: - Liquid consumer laundry detergents contained in soluble packaging for single use shall be contained in an outer packaging. - The outer packaging shall: - be opaque or obscure so that it impedes the visibility of the product or individual doses; - without prejudice to the CLP Regulation, bear the precautionary statement P102 "Keep out of reach of children" at a visible place and in a format that attracts attention; - be an easily reclosable, self-standing container; - without prejudice to the requirements of the CLP Regulation (Provisions relating to child-resistant fastenings), be fitted with a closure that: (a) impedes the ability of young children to open the packaging by requiring coordinated action of both hands with a strength that makes it difficult for young children to open it; (b) maintains its functionality under conditions of repeated opening and closing for the entire life span of the outer packaging.	VO (EG) Nr.1272/2008	Art. 35 i.V.m. Anhang II Abschnitt 3.3
	The soluble packaging shall: - contain an aversive agent in a concentration which is safe, and which elicits oral repulsive behaviour within a maximum time of 6 seconds, in case of accidental oral exposure; - retain its liquid content for at least 30 seconds when the soluble packaging is placed in water at 20 °C; - resist mechanical compressive strength of at least 300 N under standard test conditions. Products (substances, mixtures) classified, labelled and packaged in accordance with Regulation (EC) No 1272/2008 or Directive 1999/45/EC and placed on the market before 1 June 2015 shall not be required to be relabelled and repackaged in		
	accordance with Regulation (EC) No 1272/2008, as amended by this Regulation, until 31 December 2015.		
50493	In the case of machine dishwashing detergents, the following information must be provided on the packaging in German: - The standard dosage in grams or milliliters or the number of tabs for the main wash cycle for normally soiled dishes in a fully loaded dishwasher for 12 place settings, if necessary indicating the dosage for water hardness levels soft, medium and hard.	WRMG	§ 8 Abs. 1 + VC (EG) Nr. 648/2004 Art. 1 Abs. 4, Anhang VII Abschnitt B

12.01.22 86 of 86