req. no.	Statutory requirement	Law	Article
3063	Bis(pentabromphenyl)ether (Decabromdiphenylether, DecaBDE; CAS-Nr.: 1163-19-5; EG-Nr.: 214-604-9)  1.) shall not be manufactured or placed on the market as a substance on its own  2.) shall not be used in the production of, or placed on the market in: (a) another substance, as a constituent; (b) a mixture; (c) an article, or any part thereof, in a concentration equal to or greater than 0,1 % by weight	VO (EG) Nr. 1907/2006	Anhang XVII
50671	Prohibitions and restrictions for persistent organic pollutants are to be observed (POP-Regulation).  Additional information:  RE (EU) 2019/1021_21-05  VO (EU) 2019/1021_21-05	VO (EU) 2019/1021	
50795	Consumer Goods or part thereof under 5 cm (not toys) that could be used by children under normal or reasonably foreseeable conditions of use in the mouth may not be placed on the market if the concentration of lead (expressed as metal) in those articles or accessible parts thereof is equal to or greater than 0,05 % by weight.  This does not apply to products which were first placed on the market before 01 June 2016.  Exceptions (see Additional information) to be observed.  Additional information:  RE (EU) No. 2015-628 REACH Lead_15-04  VO (EU) 2015-628 Änderung REACH Blei_15-04	VO (EG) Nr. 1907/2006	Anhang XVII i.V.m. VERORDNUNG (EU) 2015/628
50538	Following mercury compounds may no longer be manufactured or placed on the market as substances. In mixtures, articles or any parts thereof, they may no longer be placed on the market, if the concentration of mercury is equal to or greater than 0.01 percent weight:  - Phenylmercury acetate (EC-No 200-532-5, CAS-No 62-38-4)  - Phenylmercury propionate (EC-No 203-094-3, CAS-No 103-27-5)  - Phenylmercury 2-ethylhexanoate (EC-No 236-326-7, CAS-No 13302-00-6)  - Phenylmercury octanoate (CAS-No 13864-38-5)  - Phenylmercury neodecanoate (EC-No 247-783-7, CAS-No 26545-49-3)	VO (EG) Nr. 1907/2006	Anhang XVII Nr. 62
50525	If a product marked with a CE mark and complies with it by the CE- requirements, the GS- mark should not to be used. Equivalent requirements of CE criteria and GS criteria rules out a GS-mark.	ProdSG	§ 20 (2)
50527	The GS-mark must be designed in accordance with the provisions of ProdSG.  Additional information: GS-Zeichen_21-11	ProdSG	§ 24 (3)

13.01.22 1 of 66

	signed to be sale.	Τ.	
req. no.	Statutory requirement	Law	Article
50518	The product safety of a product is completely to examined. All components of a product, as:	ProdSG	§ 3
	- the product as self,		
	- identification,		
	- correct instructions,		
	- adequate warnings,		
	<ul> <li>Information about foreseeable misuse,</li> <li>disposal instructions,</li> </ul>		
	- disposal instituctions, - Information for specific user groups,		
50519	must be checked.	ProdSG	8.6
50519	Manufacturers and importers have provisions for appropriate measures (market monitoring, complaint analysis, etc.) shall be	ProdSG	§ 6
	taken to avoid risks associated with the product.		
	This applies to organizational measures to alert consumers and		
	any necessary withdrawal or the recall.		
	Product complaints must be registered. This should include the		
	reason for the complaint and measures initiated.		
	Manufacturers and importers have the competent market		
	surveillance authority immediately informed about health and		
	safety risks associated with the product that they put on the		
	market.		
50500	The actions taken to represent.	D 100	07 (0)
50522	The CE marking must be visible, legible and permanently be directly attached to the product or its data plate. This also applies to the address of the manufacturer, importer or the	ProdSG	§7 (3)
	trademark owner. If the type of product that is not possible or		
	not warranted, the CE marking is affixed on the packaging, as		
	well as on the accompanying documents, provided they are		
	prescribed.		
	Attention!		
	Information from public authorities are exceptions to the direct		
	labeling of the product if they are only economic.		2 - 4 11
50523	If the production (production control) of the product by a notified	ProdSG	§ 7 (4)
	conformity assessment body has been audited, according to the CE mark, the number have to apply on the product.		
50524	Behind the CE mark and the number can be apply an icon	ProdSG	§ 7 (5)
30021	indicating a special risk or special use.		3 . (5)
160071	It is prohibited to place consumer goods on the market under	LFGB	§33 Abs. 1
	misleading designation, information or presentation.		
103003	Consumer articles and toys with liquids, for example in double-	QS	
160070	walled articles, are subject to a purchase ban.  Articles for daily use must not be placed on the market if they do	LFGB	§31 Abs.1
100010	not conform to stipulated requirements from the regulation (EG)	55	30.7.00.1
	Nr 1935/2004 regarding their manufacture		
5046	Products may be introduced onto the market only if they do not	ProdSG	§ 3
	endanger the safety and health of consumers or damage other		
	objects (products). In addition, for products which are subject to		
	other legal provisions the higher requirements specified must		
	also be fulfilled.		

13.01.22 2 of 66

req. no.	Statutory requirement	Law	Article
160069	Articles or substances must not be placed on the market as consumer goods if their intended or predictable use is likely to impair health by virtue of their material composition, e.g. through toxic substances or impurities.	LFGB	§30
5047	All products must be clearly marked on the product as follows:  1. with the full address of the manufacturer. 2. with the full address of the importer, if the headquarters of the manufacturer or person authorised by him is not in Germany. 3. with the full address of the dealer, if he has imported the product himself.  If a direct product marking is not possible (technically), it can also be attached to the packaging (Exceptions are to be observed).  Furthermore, applies to products in the harmonized area (ProdSV and more) supplemental label elements.	ProdSG	§ 6 (1)
5048	Harmonized standards, non-harmonized standards and technical specifications can be used to ensure conformity.	ProdSG	§ 4 und § 5
5351	Products that are not food, but which are due to - their shape, - her smell, - their color, - her appearance, - her presentation, - their marking, - their volume or - her size it is foreseeable that they will be confused with food by consumers, especially children, and therefore be taken to the mouth, sucked or swallowed, which may give rise, in particular, to the risk of suffocation, poisoning, perforation or obstruction of the digestive tract, are forbidden.	LFGB	§ 5, in V. m. § 3 Abs. 1 Nr. 5
5049	Instructions for use / safety instructions in German must be enclosed with all products if certain rules are to be observed to protect the health of people. The use, addition and maintenance of the product must be considered.	ProdSG	§ 3 (4)
5050	The DIN EN IEC / IEEE 82079 standard can be used to create instructions for use.  Following information is recomended:  1. Type of use  2. Assembly  3. Installation  4. Maintenance instructions  5. Warnings, particularly when used for a purpose other than that intended  6. Prevention of maloperation  7. Special instructions for user groups which are exposed to greater danger (children, pregnant women, older people)  8. Complete address of the manufacturer or importer  9. Note on how to keep the instructions for use  10. Note on the legally prescribed disposal	DIN EN IEC/IEEE 82079	

13.01.22 3 of 66

req. no.	Statutory requirement	Law	Article
5052	The GS mark may be used only if a notified GS testing institute has carried out a test and confirmed this. The GS mark can only be applied for by manufacturers or authorized representatives based in the EU or the European free trade area.	ProdSG	§ 20 (1)
5051	The CE marking may be used only if this is subject to the relevant directives and these requirements have also been observed.	ProdSG	§ 7 (2)

13.01.22 4 of 66

MTH Retail Group	Product Requirements	MTH Retail Group (Germany) GmbH
Category: Garden / terrace / balcony /	/ plants 21-11	
	Author	: Träger
	Produc	ct:Garten_Terasse_Balkon_Pflanzen/
	Garder	n_terrace_balcony_plants
Requirements for products which a	are affected by Article	No.:

## REACH

Manufactured item means a product which intentionally releases a substance and acquires at the manufacturing stage a specific form, surface or configuration, which, to a greater extent than its chemical composition, determines its function. As such are accounted e.g. scented candles, textiles releasing scent, perfumed handkerchiefs, Manufactured items are articles, which at the manufacturing stage acquire a specific form, surface or configuration, which to a greater extent than the chemical composition determines their function.

req. no.	Statutory requirement	Law	Article
50395	The requirements of the safety data sheets are to be fulfilled according to RE (EC) 1907/2006 Annex II.  Additional information: RE (EG) Nr. 1907/2006 Annex II 21-11 VO (EG) Nr. 1907/2006 Anhang II 21-11	VO (EG) Nr. 1907/2006	Anhang II
50177	For articles you can find the REACH requirements for producers, importers and distributors in the Guideline of the REACH CLP Helpdesk:  http://www.reach-clp-biozid-helpdesk.de/en/Homepage.html;jsessionid=2AC4AEBE23776D 9211A35669BF9C6791.s2t2	VO (EG) Nr. 1907/2006	
5220	For all ready-made articles (products), which intentionally release more than 1 ton of chemical substance the REACH requirements apply and must be adhered to from 1 June 2007 or 1 June 2008 respectively.  Additional information:  RE (EC) No 1907/2006_21-05  VO (EG) Nr. 1907/2006_21-05	VO (EG) Nr. 1907/2006	Art.141
50046	The material limits and prohibitions of Annex XVII, current form in each case are to be observed.  https://echa.europa.eu/substances-restricted-under-reach	VO (EG) Nr. 1907/2006	Anhang XVII
5221	The manufacturers are responsible for the adherence to the obligations arising from REACH for all ready-made articles (products) produced in the EU. This also applies to own brands.	VO (EG) Nr. 1907/2006	Art.3 Abs.3,4,7,9,11
5222	Manufacturers within the EU, who come under the REACH obligations will, after registration, make their registration numbers known without being asked. This also applies to private labels.	QS	

13.01.22 5 of 66

MTH F	Retail Group Product Requ	irements	MTH Retail Gro	up (Germany) GmbH
Categor	y: Garden / terrace / balcony / plants	21-11		
		Author: T	räger	
		Product:0	Garten_Terasse_B	salkon_Pflanzen
		Garden_	terrace_balcony_p	lants
Articles	of natural latex	Article No		
req. no.	Statutory requirement		Law	Article
50835	For fillers the BfR recommendations are observed	/ed.	BfR-Empfehlung	BfR LII
	This Recommendation for fillers applies to the finaterials:  1. Plastics Dispersions according to Recommendation XV 3. Commodities based on Natural and Synthetic according to Recommendation XXI 4. Cross-Linked Polyurethanes as Adhesive Laterackaging Materials according to Recommendation XLI 5. Linear Polyurethanes for Paper Coatings accommendation XLI 6. Artificial Sausage Casings according to Recommendation XLIV 7. Temperature Resistant Polymer Coating System Cooking and Baking Utensils according to Recommendational Information:  BfR LII. Fillers 2019-06-01_20-05  BfR LII. Füllstoffe 2019-06-01_20-05	ndation XIV c Rubber eyers for Food dation XXVIII cording to commendation estems for Frying,		

13.01.22 6 of 66

Category: Garden / terrace / balcony / plants 21-11

Author: Träger

Product:Garten\_Terasse\_Balkon\_Pflanzen/

Garden\_terrace\_balcony\_plants

Timber, wooden products, paper Article No.:

All types of timber such as solid timber, wood veneer, wooden material boards (e.g. chipboard) and pulp and paper with the exception of bamboo-based and recovered products.

req. no.	Statutory requirement	Law	Article
711	Coated and uncoated wood materials such as chipboard, carpentry, veneer or fiber boards must comply with the test requirements for formaldehyde of the ChemVerbotsVO.	ChemVerbotsV	§ 1 Abs. 1 iVm Anh. Abschn. 3
706	Wood products must not contain more than 5 mg / kg of PCP or PCP salts or compounds.	ChemVerbotsV	§ 3 Anlage 1
3061	It is prohibited to treat wooden goods with arsenic compounds.	VO (EG) Nr. 1907/2006	Anhang XVII
50801	Untreated lumbers and twigs, heather and coniferous timber seeds for the production of smoke used for smoking foodstuffs (smoked chips, strands, boards and woods) are consumer goods and may not exceed the threshold values for pentachlorophenol and its salts, expressed as pentachlorophenol of 0.05 mg/kg wood.	BedGgstV	§ 6 Nr.3 + Anlage 5
50799	Follow chemicals shall not be placed on the market, or used, as substances or in mixtures where the substance or mixture is intended for the treatment of wood. Furthermore, wood so treated shall not be placed on the market:  (a) Creosote; wash oil CAS No 8001-58-9 EC No 232-287-5 (b) Creosote oil; wash oil CAS No 61789-28-4 EC No 263-047-8 (c) Distillates (coal tar), naphthalene oils; naphthalene oil CAS No 84650-04-4 EC No 283-484-8 (d) Creosote oil, acenaphthene fraction; wash oil CAS No 90640-84-9 EC No 283-484-8EC No 292-605-3 (e) Distillates (coal tar), upper; heavy anthracene oil CAS No 65996-91-0 EC No 266-026-1 (f) Anthracene oil CAS No 90640-80-5 EC No 292-602-7 (g) Tar acids, coal, crude; crude phenols CAS No 65996-85-2 EC No 266-019-3 (h) Creosote, wood CAS No 8021-39-4 EC No 232-419-1 (i) Low temperature tar oil, alkaline; extract residues (coal), low temperature coal tar alkaline CAS No 122384-78-5 EC No 310-191-5	VO (EG) Nr. 1907/2006	Anhang XVII
50778	Cellulose and paper with a content of about 0.1 percent by weight of nonylphenol is prohibited.	VO (EG) Nr. 1907/2006	Anhang XVII

13.01.22 7 of 66

	MTH Retail Group Product Requirements				oup (Germany) GmbH
Categor	y: Garden / terrace / balcony / pl	ants 21-11			
		Author:	Träger		
		Product	:Garten_Terasse_I	Balkon Pflanzen	
			_terrace_balcony_		
Wood, a	animal fibre, animals and plant			pianto	
req. no.	Statutory requirement		Law	Article	
50801	Untreated lumbers and twigs, he seeds for the production of smol (smoked chips, strands, boards a goods and may not exceed the the pentachlorophenol and its salts, pentachlorophenol of 0.05 mg/kg	ke used for smoking foodstuffs and woods) are consumer nreshold values for expressed as	BedGgstV	§ 6 Nr.3 + Anlage 5	
706	Wood products must not contain PCP salts or compounds.		ChemVerbotsV	§ 3 Anlage 1	
711	Coated and uncoated wood mate carpentry, veneer or fiber boards requirements for formaldehyde o	must comply with the test	ChemVerbotsV	§ 1 Abs. 1 iVm Anh. Abschn. 3	
3061	It is prohibited to treat wooden go		VO (EG) Nr. 1907/2006	Anhang XVII	
50799	Follow chemicals shall not be plasubstances or in mixtures where intended for the treatment of woo treated shall not be placed on the (a) Creosote; wash oil CAS No 8001-58-9 EC No 232-287-5 (b) Creosote oil; wash oil CAS No 61789-28-4 EC No 263-047-8 (c) Distillates (coal tar), naphthal CAS No 84650-04-4 EC No 283-484-8 (d) Creosote oil, acenaphthene for CAS No 90640-84-9 EC No 283-484-8EC No 292-608 (e) Distillates (coal tar), upper; he CAS No 65996-91-0 EC No 266-026-1 (f) Anthracene oil CAS No 90640-80-5 EC No 292-602-7 (g) Tar acids, coal, crude; crude CAS No 65996-85-2 EC No 266-019-3 (h) Creosote, wood CAS No 8021-39-4 EC No 232-419-1 (i) Low temperature tar oil, alkalint temperature coal tar alkaline CAS No 122384-78-5 EC No 310-191-5	the substance or mixture is od. Furthermore, wood so e market:  ene oils; naphthalene oil  raction; wash oil  5-3 eavy anthracene oil  phenols	VO (EG) Nr. 1907/2006	Anhang XVII	

13.01.22 8 of 66

MTH Retail Group	Product Requirements	MTH Retail	Group (Germany) GmbH
Category: Garden / terrace / balco	ny / plants 21-11		
	Autho	or: Träger	
	Produ	ıct:Garten_Teras	se_Balkon_Pflanzen/
	Garde	en_terrace_balco	ny_plants
Plastics	Article	e No.:	
Plastics also include fully or partly under "Textile Fibres"!	,		
Foamed plastics are for example materials.	mattrasses, cushions, cold boxe	s, bicycle saddles	s, insulating
req. no. Statutory requirement		Law	Article

13.01.22 9 of 66

under "Textile Fibres"!

Foamed plastics are for example mattrasses, cushions, cold boxes, bicycle saddles, insulating

eq. no.	Statutory requirement	Law	Article
713	It must be ascertained that the limits for dioxins and furans are not exceeded.	ChemVerbotsV	§ 3 Anlage 1
	Limits must be adhered to for the following groups of dioxins and furans:		
	Group 1		
	a) 2,3,7,8-Tetrachlorodibenzo-p-dioxin		
	b) 1,2,3,7,8-Pentachlorodibenzo-p-dioxin c) 2,3,7,8-Tetrachlorodibenzofuran		
	d) 2,3,4,7,8-Pentachlorodibenzofuran		
	Group 2		
	a) 1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin		
	b) 1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin c) 1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin		
	d) 1,2,3,7,8-Pentachlorodibenzofuran		
	e) 1,2,3,4,7,8-Hexachlorodibenzofuran		
	f) 1,2,3,7,8,9-Hexachlorodibenzofuran		
	g) 1,2,3,6,7,8-Hexachlorodibenzofuran		
	h) 2,3,4,6,7,8-Hexachlorodibenzofuran		
	Group 3		
	a) 1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin b) 1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin		
	c) 1,2,3,4,6,7,8-Heptachlorodibenzofuran		
	d) 1,2,3,4,7,8,9-Heptachlorodibenzofuran		
	e) 1,2,3,4,6,7,8,9-Octachlorodibenzofuran		
	Group 4		
	a) 2,3,7,8-Tetrabromodibenzo-p-dioxin		
	b) 1,2,3,7,8-Pentabromodibenzo-p-dioxin c) 2,3,7,8-Tetrabromodibenzofuran		
	d) 2,3,4,7,8-Pentabromodibenzofuram		
	Group 5		
	a) 1,2,3,4,7,8-Hexabromodibenzo-p-dioxin		
	b) 1,2,3,7,8,9-Hexabromodibenzo-p-dioxin		
	c) 1,2,3,6,7,8-Hexabromdibenzo-p-dioxin d) 1,2,3,7,8-Pentabromodibenzofuran		
	The following limits must be met:		
	1. 1 µg/kg for the total amounts contained of chemical compounds stated in Group 1		
	2. 5 µg/kg for the total amounts contained of chemical compounds		
	stated in Group 1 and 2		
	3. 100 µg/kg for the total amounts contained of chemical compounds		
	stated in Group 1, 2 and 3 4. 1 µg/kg for the total amounts contained of chemical compounds		
	stated in Group 4		
	5. 5 μg/kg for the total amounts contained of chemical compounds		
	stated in Group 4 and 5		
	The limits in Items 2, 3 and 5 are deemed to have been met only		
	provided the limits applicable to the groups listed there are met.		
	Routes of entry for dioxins and furans may be:		
	- Direct Blue 106 + 108, Violet 23 dyestuffs		
	- Anthraquinonoid vat dyes and anthraquinonoid pigments		
	Dyestuffs produced using chloranil as the basis     Fiber materials or leather treated with pentachlorophenol (PCP).		

13.01.22 10 of 66

Foamed plastics are for example mattrasses, cushions, cold boxes, bicycle saddles, insulating materials.

materiais.				
Statutory requirement	Law	Article		
The following single-use plastic articles must be marked on the packaging and the outer packaging with the harmonized marking requirement of the Implementing Regulation (EU) 2020/2151:  - Sanitary towels (pads), tampons and tampon applicators; - Wet wipes, i.e. pre-wetted personal care and domestic wipes; - Tobacco products with filters and filters marketed for use in combination with tobacco products;  On the other hand, on cups for beverages made of disposable plastic, the harmonized marking requirement from the Implementing Regulation (EU) 2020/2151 is placed directly on the product.  Manufacturers and importers who place the above-mentioned products on the market for the first time in the respective EU member state are obliged to do so.  As a transitional measure, the markings can also be affixed as stickers up to 03.07.2022. From 04.07.2022, the markings must be applied as print.  The position, size and design of the marking must be taken from the Implementing Regulation (EU) 2020/2151  Additional information:  DVO (EU) 2020/2151_21-11	EWKKennzV	§ 4 i.V.m. DVO (EU) 2020/2151		
Certain single-use plastic articles and products made of oxodegradable plastic are banned.  These include in particular - cotton buds sticks, - cutlery (forks, knives, spoons, chopsticks), - plates, - straws; - beverage stirrers - sticks to be attached to and to support balloons, including the mechanisms of such sticks - food containers made of styrofoam - beverage containers made of styrofoam, including their caps and lids; and - cups for beverage made of styrofoam, including their covers	EWKVerbotsV	§ 3		
	The following single-use plastic articles must be marked on the packaging and the outer packaging with the harmonized marking requirement of the Implementing Regulation (EU) 2020/2151:  - Sanitary towels (pads), tampons and tampon applicators; - Wet wipes, i.e. pre-wetted personal care and domestic wipes; - Tobacco products with filters and filters marketed for use in combination with tobacco products;  On the other hand, on cups for beverages made of disposable plastic, the harmonized marking requirement from the Implementing Regulation (EU) 2020/2151 is placed directly on the product.  Manufacturers and importers who place the above-mentioned products on the market for the first time in the respective EU member state are obliged to do so.  As a transitional measure, the markings can also be affixed as stickers up to 03.07.2022. From 04.07.2022, the markings must be applied as print.  The position, size and design of the marking must be taken from the Implementing Regulation (EU) 2020/2151  Additional information:  DVO (EU) 2020/2151_21-11  Certain single-use plastic articles and products made of oxodegradable plastic are banned.  These include in particular - cotton buds sticks, - cutlery (forks, knives, spoons, chopsticks), - plates, - straws; - beverage stirrers - sticks to be attached to and to support balloons, including the mechanisms of such sticks - food containers made of styrofoam - beverage containers made of styrofoam, including their caps and lids; and	The following single-use plastic articles must be marked on the packaging and the outer packaging with the harmonized marking requirement of the Implementing Regulation (EU) 2020/2151:  - Sanitary towels (pads), tampons and tampon applicators; - Wet wipes, i.e. pre-wetted personal care and domestic wipes; - Tobacco products with filters and filters marketed for use in combination with tobacco products;  On the other hand, on cups for beverages made of disposable plastic, the harmonized marking requirement from the Implementing Regulation (EU) 2020/2151 is placed directly on the product.  Manufacturers and importers who place the above-mentioned products on the market for the first time in the respective EU member state are obliged to do so.  As a transitional measure, the markings can also be affixed as stickers up to 03.07.2022. From 04.07.2022, the markings must be applied as print.  The position, size and design of the marking must be taken from the Implementing Regulation (EU) 2020/2151  Additional information:  DVO (EU) 2020/2151_21-11  Certain single-use plastic articles and products made of oxodegradable plastic are banned.  These include in particular cotton buds sticks, cutlery (forks, knives, spoons, chopsticks), plates, straws; beverage stirrers sticks to be attached to and to support balloons, including the mechanisms of such sticks food containers made of styrofoam beverage containers made of styrofoam, including their caps and lids; and		

13.01.22

Foamed plastics are for example mattrasses, cushions, cold boxes, bicycle saddles, insulating materials.

req. no.	Statutory requirement	Law	Article
req. no. 50947	Extended producer responsibility applies to the following single-use plastic articles:  - Wet wipes, i.e. pre-wetted personal care and domestic wipes;  - Balloons, except balloons for industrial or other professional uses and applications that are not distributed to consumers  For these products, the following costs must be covered from 31.12.2024 at the latest:  - Awareness-raising measures - cleaning up litter resulting - data gathering and reporting in accordance with Directive 2008/98/EC.  The above-mentioned costs must already be borne from	Richtlinie (EU) 2019/904	Article Art. 8 i.V.m. Teil E
	05.01.2023 if the extended producer responsibility regime for the single-use plastic products concerned was introduced before 04.07.2018.		
50049	Dioctylzin combinations (DOT) are prohibited in products if the substance concentration of DOT exceeds 0.1 per cent weight. The following products are affected: textiles with skin contact;-gloves; - parts of shoes that come into contact with skin; -walll and floor coverings; - baby articles; ladies hygiene products;-nappies/diapers; -packaging;-two-part room temperature vulcanisation form sets (RTV-2- form sets)	VO (EG) Nr. 1907/2006	Anhang XVII
671	Mixtures and articles produced from plastic material as listed above shall not be placed on the market if the concentration of cadmium (expressed as Cd metal) is equal to or greater than 0,01 % by weight of the plastic material.  By way of derogation, above restriction shall not apply to articles coloured with mixtures containing cadmium for safety reasons.	VO (EG) Nr. 1907/2006	Anhang XVII

13.01.22 12 of 66

Foamed plastics are for example mattrasses, cushions, cold boxes, bicycle saddles, insulating materials

req. no.	Statutory requirement	Law	Article
50737	Products of rubber or plastic components (e.g. sport equipment, household utensils, tools, clothing, footwear, wrist-bands), that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, should not contain more than 1.0 mg / kg of one of the listed PAHs:	VO (EG) Nr. 1907/2006	Anhang XVII Nr. 50
	a) Benzo(a)pyren (BaP) b) Benzo(e)pyren (BeP) c) Benzo(a)anthracen (BaA) d) Chrysen (CHR) e) Benzo(b)fluoranthen (BbFA) f) Benzo(j)fluoranthen (BjFA) g) Benzo(k)fluoranthen (BkFA) h) Dibenzo(a,h)anthracen (DBAhA)		
	This shall not apply to articles placed on the market for the first time before 27 December 2015. For these articles the values of BfR and ZEK apply.		
	(The standard EN 16143:2013 (Petroleum products-Determination of content of Benzo (a)pyrene (BaP) and selected polycyclic aromatic hydrocarbons (PAH) in extender oils- Procedure using double LC cleaning and GC/MS analysis) shall be used as the test method for demonstrating conformity with the limits.)  Additional information:  RE (EC) No 1907/2006_20-05  VO (EG) Nr. 1907/2006_20-05		
50738	Toys, including activity toys, and childcare articles of rubber or plastic components, that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, should not contain more than 0.5 mg / kg of one of the listed PAHs:  a) Benzo(a)pyren (BaP) b) Benzo(e)pyren (BeP) c) Benzo(a)anthracen (BaA)	VO (EG) Nr. 1907/2006	Anhang XVII Nr. 50
	d) Chrysen (CHR) e) Benzo(b)fluoranthen (BbFA) f) Benzo(j)fluoranthen (BjFA) g) Benzo(k)fluoranthen (BkFA) h) Dibenzo(a,h)anthracen (DBAhA)		
	(The standard EN 16143:2013 (Petroleum products-Determination of content of Benzo (a)pyrene (BaP) and selected polycyclic aromatic hydrocarbons (PAH) in extender oils- Procedure using double LC cleaning and GC/MS analysis) shall be used as the test method for demonstrating conformity with the limits.)  Additional information: CR (EC) 2015-326_test method_15-04 VO(EU) Nr. 2015-326_Prüfverfahren_15-04		

13.01.22

Foamed plastics are for example mattrasses, cushions, cold boxes, bicycle saddles, insulating materials

materials	materials.		
req. no.	Statutory requirement	Law	Article
721	Products made of vinyl chloride polymers (e.g. PVC) which are intended to	BedGgstV	§ 6 Abs. 3 iVm Anl.5 Nr. 1
	- come into contact with food during manufacture, treatment,		
	distribution, or use		
	- come into contact with the aking not just tompersity		
	- come into contact with the skin, not just temporarily - come into contact with the mouth		
	- as well as all		
	- toys and joke articles		
	- cleaning and care agents		
	- products for personal hygiene		
	may not contain more than 1 mg monomer vinyl chloride per kg		
723	Analysis of the Consumer Goods must be done according to the	BedGgstV	§ 11 + Anlage
	methods laid down in Annex 10 of the regulation concerning		10
	consumer goods (BedGgstV).  Additional information:		
	Bedarfsgegenständeverordnung_17-05.pdf		
5214	The import and marketing of products and devices containing	ChemOzonSchi	Art.4
	chlorofluorocarbons, other perhalogenated chlorofluorocarbons, halons, carbontetrachlorides, 1,1,1-trichloroethane, partly	chtV	
	halogenated bromofluoride hydrocarbons and		
	chlorobromomethane are prohibited. The following are affected:		
	- Aerosol products		
	- Dyes and paints		
	- Cosmetics		
	- Lubricants - Cleaning materials		
	- Pressurised gas containers		
	- Fire extinguishers		
	- Insulation materials		
	- Refrigerators		
	- Air conditioning units - Mattresses		
	- Foam material		
	- Adhesives		
50050	Trisubstituted zinc compounds (e.g. TBT, TPT) with a	VO (EG) Nr.	Anhang XVII
	concentration of more than 0.1 per cent weight inproducts, not mixtures such as:	1907/2006	
	- carpets;		
	- clothing;		
	- wood preservation substances;		
	- leather goods;		
	- PVC-products;		
	- paints and varnishes		
	are prohibited.		

13.01.22 14 of 66

Foamed plastics are for example mattrasses, cushions, cold boxes, bicycle saddles, insulating materials.

req. no.	Statutory requirement	Law	Article
50051	Dibutyl zinc compounds (DBT) with a concentration of more than 0.1 per cent weight are prohibited if these are intended for end-users in such products and mixtures as: - impregnating sprays; - mattresses; - PVC articles; - polyurethane foam; - textiles, - where applicable other articles and mixtures.  The above date does not apply to the following products and mixtures: one- and two part room temperature vulcanisation sealing substances and glues (RTV-1 and RTV-2 sealing substances); - paints and coatings containing DBT-compounds as catalysts if these are painted on products; - soft polyvinylchloride (PVC) profiles whether these are extruded with hard PVC or not; material covered with a layer of PVC which contains DBT-compounds as stabilisers, if intended for outdoor use; - outside rainwater piping, guttering and joints as well as roof and exterior wall cladding.	VO (EG) Nr. 1907/2006	Anhang XVII
50349	For the dyes of plastic household use articles, the recommendations of the BfR "IX. Colourings for dyeing plastics and other polymers for articles for household use" are to be adhered to.  Additional information:  BfR IX Colorants 2019-06-01_20-05  BfR IX Farbmittel 2019-06-01_20-05	BfR-Empfehlung	BfR IX

13.01.22 15 of 66

MTH Retail Group	Product Requirement	nts MTH Retail Group (Germany) GmbH
Category: Garden / terrace / balcony	/ / plants 2	1-11
	Д	author: Träger
	F	Product:Garten_Terasse_Balkon_Pflanzen/
	G	Sarden_terrace_balcony_plants

Article No.:

Concerns metallic surfaces of household appliances, furniture, sanitary systems, air-conditioning systems, devices for freezing and deep-freezing and so on.

**Metallic surfaces** 

req. no.	Statutory requirement	Law	Article
100669	Avoidance of lead-containing metals for bearings and cadmium containing colours and screws.	QS	
675	For household items, furniture, sanitary systems, airconditions and devices for freezing and deep-freezin and others metallic surfaces must not be treated with cadmium.	VO (EG) Nr. 1907/2006	Anhang XVII
103075	All steel and steelproducts from India must provide freedom of radioactive contamination (Cobalt 60).  Limit: 500 mikrobecquerel per gram.  Analytical method: nuclide specific CO-60 measurement (Gamma-spectroscopy)	ProdSG	
103071	With the application of Chrome III it is essential to ensure that the treatment of the product is absolutely flawless, no corrosion occurs, so that no chrome VI forms	QS	
50795	Consumer Goods or part thereof under 5 cm (not toys) that could be used by children under normal or reasonably foreseeable conditions of use in the mouth may not be placed on the market if the concentration of lead (expressed as metal) in those articles or accessible parts thereof is equal to or greater than 0,05 % by weight.	VO (EG) Nr. 1907/2006	Anhang XVII i.V.m. VERORDNUNG (EU) 2015/628
	This does not apply to products which were first placed on the market before 01 June 2016.		
	Exceptions (see Additional information) to be observed.  Additional information:  RE (EU) No. 2015-628 REACH Lead_15-04  VO (EU) 2015-628 Änderung REACH Blei_15-04		
50772	For all consumer goods made of metal (jewelry, writing instruments, mobile phones) which are intended to come into direct and prolonged in contact with the skin, the corresponding material restrictions of Annex XVII to Regulation (EC) no. 1907/2006 must be observed.	VO (EG) Nr. 1907/2006	Anhang XVII
	https://www.echa.europa.eu/substances-restricted-under-reach		

13.01.22 16 of 66

req. no.	Statutory requirement	Law	Article
716	The goods stated below must not contain any azo dyes / pigments which may detach the prohibited amines. Textile and leather goods which may have prolonged direct contact with human skin or mouth, especially:	BedGgstV	§ 3 iVm Anl. 1 Nr. 7
	1. Clothing, bed linen, towels, hair parts, toupees, hats, diapers and other sanitary articles, sleeping bags.		
	2. Shoes, gloves, watch straps, bags, purses and wallets, folders, chair covers, breast bags.		
	3.Textile and leather toys and toys with textile or leather garments		
	4. Yarns and fabrics for end users.		
	Prohibited amines: 4-aminobiphenyl CAS-No. 92-67-1 Benzidine CAS-No.92-87-5 4-chloro-o-toluidine CAS-No. 95-69-2 2-naphthylamine CAS-No. 91-59-8 o-aminoazotoluene CAS-No. 97-56-3 5-nitro-o-toluidine CAS-No. 99-55-8 4-chloroaniline CAS-No. 106-47-8 2,4-diaminoanisole CAS-No. 615-05-4 4,4'-diaminodiphenylmethane CAS-No. 01-77-9 3,3'-dichlorobenzidine CAS-No. 91-94-1 3,3'-dimethoxybenzidine CAS-No. 119-90-4 3,3'-dimethylbenzidine CAS-No. 119-93-7 3,3'-dimethyl-4,4'-diaminoiphenyl-methane CAS-No. 838-88-0 p-cresidine CAS-No.120-71-8 4,4'-methylene-bis-(2-chloraniline) CAS-No. 101-14-4 4,4'-oxydianiline CAS-No.101-80-4 4,4'-thiodianiline CAS-No.195-65-1 o-toluidine CAS-No. 95-53-4 2,4-toluylendiamine CAS-No. 95-80-7 2,4,5-trimethylaniline CAS-No. 137-17-7 o-anisidine (2-methoxyaniline) CAS-No. 90-04-0 4-amino azobenzene CAS-No. 60-09-3		
	The use of prohibited azo dyes is deemed not to have been proven if the amounts contained of each amine component do not exceed 30 mg in one kilogram (0,003 Gew%) of specimen material.		
50696	For toys and childcare articles which can be placed in the mouth, the limit of 0.1% is observed for following phthalate:  - DPHP (Di-2-propylheptylphthalat)  Additional information:  BfR Opinion No. 004-2012_13-11.pdf  BfR Stellungnahme DPHP Nr. 004-2012_13-11.pdf	BfR DPHP	

13.01.22 17 of 66

covers.			
req. no.	Statutory requirement	Law	Article
50687	The limit values below apply to the following textiles:  (a) clothing or related accessories;	VO (EG) Nr. 1907/2006	Anhang XVII
	(b) textiles other than clothing which, under normal or reasonably foreseeable conditions of use, come into contact with human skin to an extent similar to clothing;		
	(c) footwear;		
	if the clothing, related accessory, textile other than clothing or footwear is for use by consumers following limits:		
	- Cadmium and its compounds: 1 mg/kg nach Extraktion - Chromium VI compounds: 1 mg/kg nach Extraktion - Arsenic compounds: 1 mg/kg nach Extraktion - Lead and its compounds: 1 mg/kg nach Extraktion - Benzene: 5 mg/kg - Benz[e]acephenanthrylene: 1 mg/kg - Benz[e]acephenanthrylene: 1 mg/kg - Benzo[a]pyrene; Benzo[def]chrysene: 1 mg/kg - Benzo[j]fluoranthene: 1 mg/kg - Benzo[j]fluoranthene: 1 mg/kg - Benzo[k]fluoranthene: 1 mg/kg - Chrysene: 1 mg/kg - Dibenz[a,h]anthracene: 1 mg/kg - Q. α,α,4-tetrachlorotoluene; p-chlorobenzotrichloride: 1 mg/kg - α-α-chlorotoluene; benzyl chloride: 1 mg/kg - α-chlorotoluene; benzyl chloride: 1 mg/kg - β-chlorotoluene; α-chloride: 20 mg/kg - β-chlorotoluene; α-chloride: 30 mg/kg		
	- 4-Methoxy-m-phenylendiammoniumsulfate; 2,4-Diaminoanisolsulfate: 30 mg/kg - 2,4,5-Trimethylanilin-Hydrochloride: 30 mg/kg - Quinoline: 50 mg/kg  By way of derogation, in relation to the placing on the market of formaldebyde in		
	By way of derogation, in relation to the placing on the market of formaldehyde in jackets, coats or upholstery, the relevant concentration for the purposes shall be 300 mg/kg during the period between 1 November 2020 and 1 November 2023. Thereafter, the above concentration applies.		
	The requirements do not apply to:		
	(a) clothing, related accessories or footwear, or parts of clothing, related accessories or footwear, made exclusively of natural leather, fur or hide; (b) non-textile fasteners and non-textile decorative attachments; (c)second-hand clothing, related accessories, textiles other than clothing or footwear (d) wall-to-wall carpets and textile floor coverings for indoor use, rugs and runners.		
	e) disposable textiles, f) personal protective equipment g) medical devices		

13.01.22 18 of 66

covers

req. no.	Statutory requirement	Law	Article
50051	Dibutyl zinc compounds (DBT) with a concentration of more than 0.1 per cent weight are prohibited if these are intended for end-users in such products and mixtures as: - impregnating sprays; - mattresses; - PVC articles; - polyurethane foam; - textiles, - where applicable other articles and mixtures.  The above date does not apply to the following products and mixtures: one- and two part room temperature vulcanisation sealing substances and glues (RTV-1 and RTV-2 sealing substances); - paints and coatings containing DBT-compounds as catalysts if these are painted on products; - soft polyvinylchloride (PVC) profiles whether these are extruded with hard PVC or not; material covered with a layer of PVC which contains DBT-compounds as stabilisers, if intended for outdoor use; - outside rainwater piping, guttering and joints as well as roof	VO (EG) Nr. 1907/2006	Anhang XVII
	and exterior wall cladding.		
50737	Products of rubber or plastic components (e.g. sport equipment, household utensils, tools, clothing, footwear, wrist-bands), that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, should not contain more than 1.0 mg / kg of one of the listed PAHs:  a) Benzo(a)pyren (BaP) b) Benzo(e)pyren (BeP) c) Benzo(a)anthracen (BaA) d) Chrysen (CHR) e) Benzo(b)fluoranthen (BbFA) f) Benzo(j)fluoranthen (BjFA) g) Benzo(k)fluoranthen (BkFA) h) Dibenzo(a,h)anthracen (DBAhA)  This shall not apply to articles placed on the market for the first time before 27 December 2015. For these articles the values of BfR and ZEK apply.  (The standard EN 16143:2013 (Petroleum products-Determination of content of Benzo (a)pyrene (BaP) and selected polycyclic aromatic hydrocarbons (PAH) in extender oils- Procedure using double LC cleaning and GC/MS analysis) shall be used as the test method for demonstrating conformity with the limits.)  Additional information: RE (EC) No 1907/2006_20-05 VO (EG) Nr. 1907/2006_20-05	VO (EG) Nr. 1907/2006	Anhang XVII Nr. 50

13.01.22 19 of 66

covers.		-	
req. no.	Statutory requirement	Law	Article
50738	Toys, including activity toys, and childcare articles of rubber or plastic components, that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, should not contain more than 0.5 mg / kg of one of the listed PAHs:	VO (EG) Nr. 1907/2006	Anhang XVII Nr. 50
	a) Benzo(a)pyren (BaP) b) Benzo(e)pyren (BeP) c) Benzo(a)anthracen (BaA) d) Chrysen (CHR) e) Benzo(b)fluoranthen (BbFA) f) Benzo(k)fluoranthen (BjFA) g) Benzo(k)fluoranthen (BkFA)		
	h) Dibenzo(a,h)anthracen (DBAhA)  (The standard EN 16143:2013 (Petroleum products-Determination of content of Benzo (a)pyrene (BaP) and selected polycyclic aromatic hydrocarbons (PAH) in extender oils- Procedure using double LC cleaning and GC/MS analysis) shall be used as the test method for demonstrating conformity with the limits.)  Additional information:		
	CR (EC) 2015-326_test method_15-04 VO(EU) Nr. 2015-326_Prüfverfahren_15-04		
50050	Trisubstituted zinc compounds (e.g. TBT, TPT) with a concentration of more than 0.1 per cent weight inproducts, not mixtures such as: - carpets; - clothing; - wood preservation substances; - leather goods; - PVC-products; - paints and varnishes	VO (EG) Nr. 1907/2006	Anhang XVII
50245	are prohibited.  For products made of leather, which are not only temporarily	BedGgstV	Anl. 4 Nr. 2 und
552.10	with skin contact, e.g.:  - Watch Bands, - Bags, - Backpacks, - Chair covers, - Money bag, - Shoes, - Gloves, - Toys made of leather,  must chromium VI not be detected. (Method B 82.02-11, 2008-10 - § 64-1 LFGB, according to DIN EN ISO 17075)		Anl. 10, Nr. 8
	(Method B 82.02-11, 2008-10 - § 64-1 LFGB, according to DIN		

13.01.22 20 of 66 covers.

req. no.	Statutory requirement	Law	Article
50438	Textile products are: a) products with a weight share of textile fibres of at least 80 %; b) Material covers for furniture, umbrella and parasols with a weight share of textile components of at least 80 %; c)the textile components of i) the uppermost layer of multi-layered floorcoverings, ii) mattress covers, iii) the covers of camping articles, in so far as these textile components a weight share which comprises at least 80 % of these upper layers or covers; d) Textiles which are worked into other goods and become integral parts of these as far as their composition is stated.  The requirements of the Textile Labelling Regulation (EU) Nr. 1007/2011 must be observed.  Additional information: FAQ Regulation EU No. 1007-2011_14-11 FAQ zur Textilkennzeichnungsverordnung EU Nr. 1007-2011_14-11	VO (EU) Nr. 1007/2011	Artikel 2 i.V.m.TextilKenn zG
5289	Textiles containing Nonylphenol or Nonylphenol ethoxylatesl equal to or greater than0,1 % by weight are prohibited.  Nonylphenol ethoxylates (NPE) shall not be placed on the market in textile articles which can reasonably be expected to be washed in water during their normal lifecycle, in concentrations equal to or greater than 0,01 % by weight of that textile article or of each part of the textile article.	VO (EG) Nr. 1907/2006	Anhang XVII
5162	When marking leather articles, the following regulations regarding identification must be observed:  1. Only those products made of animal skin or fur may be marked with the designation 'leather' or 'real leather';  2. The types of artificial product which make up artificial leather must be named;  3. Leather products having a coating of more than 0.15 mm must be marked with following: 'leather with coating';  4. Leather products in combination with other materials may only bear the mark 'leather' if 80% of the product is of leather. Otherwise all the materials must be named.	RAL 060 A2	
705	Textiles and leather must not contain more than 5 mg/kg PCP or its salts or compounds.  The conscious use of pentachlorophenol (PCP), its salts or compounds must be omitted in order to adhere to this limit.	ChemVerbotsV	§ 3 Anlage 1
3031	Imitation leather made of vinyl chloride polymers (e.g. PVC) which are intended to come into contact with the skin, not just temporarily, must not contain more than 1 mg monomer vinyl chloride per kg.	BedGgstV	§ 6 Abs. 3 iVm Anl.5 Nr. 1

13.01.22 21 of 66

eq. no.	Statutory requirement	Law	Article
713	It must be ascertained that the limits for dioxins and furans are not exceeded.	ChemVerbotsV	§ 3 Anlage 1
	Limits must be adhered to for the following groups of dioxins and furans:		
	Group 1		
	a) 2,3,7,8-Tetrachlorodibenzo-p-dioxin		
	b) 1,2,3,7,8-Pentachlorodibenzo-p-dioxin		
	c) 2,3,7,8-Tetrachlorodibenzofuran d) 2,3,4,7,8-Pentachlorodibenzofuran		
	a) 2,0,4,7,0 1 Shaomorodisch25fafafi		
	Group 2		
	a) 1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin b) 1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin		
	c) 1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin		
	d) 1,2,3,7,8-Pentachlorodibenzofuran		
	e) 1,2,3,4,7,8-Hexachlorodibenzofuran		
	f) 1,2,3,7,8,9-Hexachlorodibenzofuran		
	g) 1,2,3,6,7,8-Hexachlorodibenzofuran h) 2,3,4,6,7,8-Hexachlorodibenzofuran		
	Group 3 a) 1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin		
	b) 1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin		
	c) 1,2,3,4,6,7,8-Heptachlorodibenzofuran		
	d) 1,2,3,4,7,8,9-Heptachlorodibenzofuran		
	e) 1,2,3,4,6,7,8,9-Octachlorodibenzofuran		
	Group 4		
	a) 2,3,7,8-Tetrabromodibenzo-p-dioxin		
	b) 1,2,3,7,8-Pentabromodibenzo-p-dioxin		
	c) 2,3,7,8-Tetrabromodibenzofuran d) 2,3,4,7,8-Pentabromodibenzofuram		
	a) 2,0,1,1,0 1 011as/0110as/0120/a/a/ii		
	Group 5		
	a) 1,2,3,4,7,8-Hexabromodibenzo-p-dioxin b) 1,2,3,7,8,9-Hexabromodibenzo-p-dioxin		
	c) 1,2,3,6,7,8-Hexabromdibenzo-p-dioxin		
	d) 1,2,3,7,8-Pentabromodibenzofuran		
	The following limits must be met:		
	1. 1 μg/kg for the total amounts contained of chemical compounds		
	stated in Group 1		
	2. 5 µg/kg for the total amounts contained of chemical compounds stated in Group 1 and 2		
	3. 100 µg/kg for the total amounts contained of chemical compounds		
	stated in Group 1, 2 and 3		
	4. 1 µg/kg for the total amounts contained of chemical compounds stated in Group 4		
	5. 5 µg/kg for the total amounts contained of chemical compounds		
	stated in Group 4 and 5		
	The limits in Items 2, 3 and 5 are deemed to have been met only		
	provided the limits applicable to the groups listed there are met.		
	Routes of entry for dioxins and furans may be:		
	- Direct Blue 106 + 108, Violet 23 dyestuffs		
	- Anthraquinonoid vat dyes and anthraquinonoid pigments		
	- Dyestuffs produced using chloranil as the basis		
	- Fiber materials or leather treated with pentachlorophenol (PCP).	1	

13.01.22 22 of 66

Include textile fibre materials and leather for the manufacture of textiles, home textiles and products/articles with textile components or leather components such as, for example dolls, wigs, seat covers.

req. no.	Statutory requirement	Law	Article
3034	Trichlorobenzene may not be used as a carrier in dyeing of synthetic materials bydisperse dyes.	LFGB	§ 30
	(further notes can be found in the publications of the BfR		
721	Products made of vinyl chloride polymers (e.g. PVC) which are intended to	BedGgstV	§ 6 Abs. 3 iVm Anl.5 Nr. 1
	- come into contact with food during manufacture, treatment, distribution, or use		
	- come into contact with cosmetics or tobacco products - come into contact with the skin, not just temporarily - come into contact with the mouth		
	- as well as all - toys and joke articles		
	- cleaning and care agents - products for personal hygiene		
	may not contain more than 1 mg monomer vinyl chloride per kg		
671	Mixtures and articles produced from plastic material as listed above shall not be placed on the market if the concentration of cadmium (expressed as Cd metal) is equal to or greater than 0,01 % by weight of the plastic material.	VO (EG) Nr. 1907/2006	Anhang XVII
	By way of derogation, above restriction shall not apply to articles coloured with mixtures containing cadmium for safety reasons.		
5169	Toys and childcare articles which can be placed in the mouth must not contain more than 0,1% (by weight) of the following phthalates in the plasticised material:	VO (EG) Nr. 1907/2006	Anhang XVII Nr. 52
	- Di-isononylphthalat (DINP) CAS-Nrn. 28553-12-0 und 68515-48-0 EINECS-Nrn. 249-079-5 und 271-090-9		
	- Di-isodecylphthalat (DIDP) CAS-Nrn. 26761-40-0 und 68515-49-1 EINECS-Nrn. 247-977-1 und 271-091-4		
	-Di-n-octylphthalat (DNOP) CAS-Nr. 117-84-0		
	EINECS-Nr. 204-214-7		
	In this context, childcare articles comprise any product intended to facilitate sleep, relaxation, hygiene, the feeding of children or sucking on the part of the children.		

13.01.22 23 of 66

MTH Retail Group  P  *********************************	roduct Requirements	MTH Retail Group (Germany) GmbH
Category: Garden / terrace / balcony /	plants 21-11	
	Author	r: Träger
	Produ	ct:Garten_Terasse_Balkon_Pflanzen/
	Garde	n_terrace_balcony_plants
Packaging (also wooden packing)	Article	No.:
Products produced out of any material Packagings include sales-, re-, and tra		

req. no. Statutory requirement
50939 Plastic carrier bags with Law Article

50939	Plastic carrier bags with a wall thickness of less than 50 micrometres will be banned in Germany from 2022 without any further sales opportunities. Not affected by the ban are very light plastic carrier bags with a wall thickness of less than 15 micrometres.	VerpackG	§ 5
50925	Wood packaging material, whether or not actually in use in the transport of objects of all kinds, shall only be introduced into the Union territory if it fulfils all of the following requirements:(a) it has been subject to one or more of the approved treatments and complies with the applicable requirements set out in Annex 1 to the International Standard for Phytosanitary Measures No 15 Regulation of Wood Packaging Material in International Trade (ISPM15);(b) it is marked with the mark referred to in Annex 2 of ISPM15 attesting that it has been subject to the treatments referred to in point (a)  This paragraph shall not apply to wood packaging material which is subject to the exemptions provided for in ISPM15.	VO (EU) 2016/2031	Art. 43 Abs. 1
50956	From 01.01.2022, distributors and manufacturers of system-incompatible sales and secondary packaging as well as sales packaging of pollutant-containing filling goods must comply with their obligation to provide evidence that they have fulfilled the take-back and recovery requirements.  In addition, self-monitoring mechanisms must be introduced for transport packaging, sales and secondary packaging not subject to system participation, system-incompatible sales and secondary packaging and sales packaging of hazardous filling goods in order to be able to maintain the take-back and recovery requirements.	VerpackG	§ 15
50950	Beverage bottles with a capacity of up to three litres, including their caps and lids, which are mainly made of PET, shall be made of at least 25% recycled material on average from 2025 onwards.  From 2030, a minimum average of 30% recycled content will apply to all single-use plastic beverage bottles.  Not affected are: a) Glass or metal beverage bottles with plastic caps or lids;  (b) beverage bottles intended for and used for liquid food for special medical purposes as referred to in Article 2(g) of Regulation (EU) No 609/2013.	VerpackG	§ 30 a VerpackG

13.01.22 24 of 66 Products produced out of any material to contain, protect, operate, deliver or offer merchandise. Packagings include sales-, re-, and transport packagings (acc. VerpackV).

req. no.	Statutory requirement	Law	Article
50957	From 01.01.2022, single-use plastic beverage bottles must be subject to additional deposits if they are filled with the following contents:  a. Sparkling wine, mixed sparkling drinks with a sparkling wine content of at least 50% and sparkling drinks made from non-alcoholic or reduced-alcohol wine. b. Wine and mixed wine beverages with a wine content of at least 50% and non-alcoholic or reduced-alcohol wine c. wine-like drinks and mixed drinks, including those in processed form, with a wine-like product content of at least 50%. d. alcohol products subject to alcohol tax (beverages with alcopops tax with mandatory deposit!) e. other mixed drinks containing alcohol with an alcohol content of at least 15%. f. Fruit juices and vegetable juices g. fruit nectars without carbonic acid and vegetable nectars without carbonic acid  In addition, the regulation applies to all beverage cans.  Sales are permitted until 01.07.2022. After that, beverage containers subject to a deposit may no longer be sold to the end consumer without a deposit.  From 01.01.2024, the deposit obligation will be extended again to one-way plastic beverage bottles with a. Milk and mixed milk drinks with a milk content of at least 50%. b. other drinkable milk products.	VerpackG	§ 31, 38 Abs. 7
50951	From January 1, 2023, a reusable alternative for single-use plastic food packaging and single-use beverage cups must also be made available to the end customer if, in each case, the single-use solution is only filled with goods at the final distributor.  The end consumer must be informed of the option.	VerpackG	§ 33 VerpackG
50049	Dioctylzin combinations (DOT) are prohibited in products if the substance concentration of DOT exceeds 0.1 per cent weight. The following products are affected: textiles with skin contact;-gloves; - parts of shoes that come into contact with skin; -walll and floor coverings; - baby articles; ladies hygiene products;-nappies/diapers; -packaging;-two-part room temperature vulcanisation form sets (RTV-2- form sets)	VO (EG) Nr. 1907/2006	Anhang XVII

13.01.22 25 of 66

Products produced out of any material to contain, protect, operate, deliver or offer merchandise. Packagings include sales-, re-, and transport packagings (acc. VerpackV).

req. no.	Statutory requirement	Law	Article
50952	From 03.07.2024, beverage containers with a capacity of up to three litres, including their caps and lids, must be designed in such a way that the caps and lids are firmly attached to the container during the period of use.  The following shall not be included  (a) Glass or metal beverage containers with caps or lids made of plastic;  (b) Metal beverage containers in which only the seals on the lid or caps are made of plastic;	EWKKennzV	§ 3 EWKKennzV
	(c) beverage containers intended for and used for liquid foods for special medical purposes as defined in Article 2(g) of Regulation (EU) No 609/2013 of the European Parliament and of the Council.		
50959	For 2025, at least 25% recyclates must be used in single-use plastic beverage bottles made predominantly of PET. Recyclate use must be 30% for all single-use plastic beverage bottles from 2030.	VerpackG	§ 30a
50958	Final distributors where the single-use plastic food packaging and single-use plastic beverage cups are filled with goods on site must provide a reusable alternative for this in addition to the single-use packaging from 01.01.2023 onwards. Relief applies to small businesses with no more than five employees and to vending machines. Here, containers brought by the end consumer can be used if information boards inform the end consumer of this at the point of sale.	VerpackG	§§ 33, 34
50491	Whoever manufactures, treats and puts, with a label regarding the treatment, wood packaging according to the international standard for wooden packaging material into circulation, must be registered with the authority responsible and label the wood packaging.	PflBeschauV 1989	§13p und 13q
160069	Appropriate records must be kept and retained for three years.  Articles or substances must not be placed on the market as consumer goods if their intended or predictable use is likely to impair health by virtue of their material composition, e.g. through toxic substances or impurities.	LFGB	§30
5321	Manufacturers are required to register before placing the packaging on the market. https://www.verpackungsregister.org https://lucid.verpackungsregister.org	VerpackG	§ 9
5320	All packaging which accumulates in private households must be licensed by a Dual System.	VerpackG	§ 7
3051	Plastic bags with an aperture volume larger as 38 cm have to be marked with following bilingual warning label:  "Plastiktüte ist kein Spielzeug. Von Kindern fernhalten. Erstickungsgefahr!"  "Plastic bag is not a toy. Keep out of reach of children. Danger of suffocation!"	QS	Unternehmensint ern

13.01.22 26 of 66

Packagings include sales-, re-, and transport packagings (acc. VerpackV).

req. no.	Statutory requirement	Law	Article
2655	Packaging must not exceed the defined concentrations value of	VerpackG	§ 5
	- Lead - Cadmium - Mercury - Chromium VI: 100 ppm		
	This applies to transport, re-packaging and sales packaging.		

13.01.22 27 of 66

MTH Retail Group Product Re	quirements	MTH Retail Group (Germany) GmbH
Category: Garden / terrace / balcony / plants	21-11	
	Author:	Träger
	Produc	t:Garten_Terasse_Balkon_Pflanzen/
	Garden	_terrace_balcony_plants
Aerosol dispensers	Article I	No.:

Aerosol dispensers are one-way vessels which are filled with pressure gases (materials with a critical temperature < 50° or a steam pressure of 50° C > 3 bar or cyanogen hydrogen) with a volume of over 50 ml to 1,000 ml for vessels made of metal or up to 220 ml for vessels made of protected glass or plastic which does not splinter or up to 150 ml for vessels made of glass or splintering plastic. Product examples: aerosol packaging, paint sprays/deodorants with propellant, one-way gas cartridges, mounting foam, spray cream.

req. no.	Statutory requirement	Law	Article
5019	Aerosol packages (spray tins), the container of which has a total capacity of 50 millilitres or more, may be put on the market only if they fulfil the safety requirements of the directive 75/324/EEC in respective version.  Exceptions to this are:  1. Aerosol packages with metal containers, the total capacity of which exceeds 1000 millilitres;  2. Aerosol packages with glass containers, the total capacity of which a) exceeds 220 millilitres, provided the container is fitted with a permanent protective covering, b) exceeds 150 millilitres, provided the container consists of unprotected glass.  3. Aerosol packages with plastic containers, the total capacity of which a) exceeds 220 millilitres provided the container can form no fragments when broken, b) exceeds 150 millilitres if the container forms fragments when broken.  In addition the affected aerosol packages must be labelled, and the text of the labelling must be written in German.  The conformity mark consists of a reversed epsilon "3".  Additional information:  CD 75-324-EEC_15-04  RL 75-324-EWG_15-04	13. ProdSV	§ 1
5215	The use of partly halogenated CFCs in aerosols is prohibited.	ChemOzonSchi chtV	Art.6
5300	Pressure gas packs with fluorinated greenhouse gases must not be placed on the market.	VO (EU) Nr. 517/2014	Art.11 Anh.III
5214	The import and marketing of products and devices containing chlorofluorocarbons, other perhalogenated chlorofluorocarbons, halons, carbontetrachlorides, 1,1,1-trichloroethane, partly halogenated bromofluoride hydrocarbons and chlorobromomethane are prohibited. The following are affected:  - Aerosol products - Dyes and paints - Cosmetics - Lubricants - Cleaning materials - Pressurised gas containers - Fire extinguishers - Insulation materials - Refrigerators - Air conditioning units - Mattresses - Foam material - Adhesives	ChemOzonSchi chtV	Art.4

13.01.22 28 of 66

MTH Retail Group	Product Require	ements	MTH Retail Group (Germany) GmbH
Category: Garden / terrace / balco	ony / plants	21-11	
		Author:	Träger
		Product	::Garten_Terasse_Balkon_Pflanzen/
		Garden	_terrace_balcony_plants
Construction products		Article N	No.:

Product examples: mortar components, wall hooks, construction timber, adhesive, pre-stressing reinforcement (e. g. wires), welding material, mechanical connection agents (nails, clips, dowels, bolts, screws), fittings, metal construction components (staircases, galleries, footbridges, fixed ladders, façades, ceiling-, roof-, wall elements, supports, posts, flue channels, metal units, staircases, galleries, footbridges, fixed ladders, fronts)

footbridges, fixed ladders, fronts)			
req. no.	Statutory requirement	Law	Article
5214	The import and marketing of products and devices containing chlorofluorocarbons, other perhalogenated chlorofluorocarbons, halons, carbontetrachlorides, 1,1,1-trichloroethane, partly halogenated bromofluoride hydrocarbons and chlorobromomethane are prohibited. The following are affected:	ChemOzonSchi chtV	Art.4
	- Aerosol products		
	- Dyes and paints		
	- Cosmetics		
	- Lubricants		
	- Cleaning materials		
	- Pressurised gas containers		
	- Fire extinguishers		
	- Insulation materials - Refrigerators		
	- Air conditioning units		
	- Mattresses		
	- Foam material		
	- Adhesives		
50051	Dibutyl zinc compounds (DBT) with a concentration of more	VO (EG) Nr.	Anhang XVII
	than 0.1 per cent weight are prohibited if these are intended for	1907/2006	
	end-users in such products and mixtures as:		
	- impregnating sprays;		
	- mattresses;		
	- PVC articles;		
	- polyurethane foam;		
	<ul><li>textiles,</li><li>where applicable other articles and mixtures.</li></ul>		
	- where applicable other articles and mixtures.		
	The above date does not apply to the following products and		
	mixtures:		
	one- and two part room temperature vulcanisation sealing		
	substances and glues (RTV-1 and RTV-2 sealing substances);		
	- paints and coatings containing DBT-compounds as catalysts if		
	these are painted on products;		
	- soft polyvinylchloride (PVC) profiles whether these are extruded with hard PVC or not;		
	material covered with a layer of PVC which contains DBT-		
	compounds as stabilisers, if intended for outdoor use;		
	- outside rainwater piping, guttering and joints as well as roof		
	and exterior wall cladding.		
80033	The current applicable overviews of harmonised norms are to	VO (EU) Nr.	
	be found under:	305/2011	
	https://www.dibt.de/de/service/listen-und-verzeichnisse/		

13.01.22 29 of 66

Category: Garden / terrace / balcony / plants 21-11

Author: Träger

Product:Garten\_Terasse\_Balkon\_Pflanzen/

Garden\_terrace\_balcony\_plants

Construction products Article No.:

Construction products are building materials, units and installations which are built in permanently in constructional installations.

Product examples: mortar components, wall hooks, construction timber, adhesive, pre-stressing reinforcement (e. g. wires), welding material, mechanical connection agents (nails, clips, dowels, bolts, screws), fittings, metal construction components (staircases, galleries, footbridges, fixed ladders, façades, ceiling-, roof-, wall elements, supports, posts, flue channels, metal units, staircases, galleries, footbridges, fixed ladders, fronts)

req. no.	Statutory requirement	Law	Article
80034	For construction products which fulfill a harmonised norm and are labelled with a CE-label, it is not necessary to apply for a national permit in Germany (EuGH-decision 16.10.2014; C 100/13).	VO (EU) Nr. 305/2011	
50049	Dioctylzin combinations (DOT) are prohibited in products if the substance concentration of DOT exceeds 0.1 per cent weight. The following products are affected: textiles with skin contact;-gloves; - parts of shoes that come into contact with skin; -walll and floor coverings; - baby articles; ladies hygiene products;-nappies/diapers; -packaging;-two-part room temperature vulcanisation form sets (RTV-2- form sets)	VO (EG) Nr. 1907/2006	Anhang XVII
50556	For construction products, for which there is a harmonised norm, a declaration of performance is to be supplied. This also applies if there is a "European Technical Assessment" available.  This does not apply, if at Union level or national no provisions are available for essential features to which a construction product must adhere.  Additional information:  RE (EU) No 305/2011_19-11  VO (EU) Nr. 305/2011_19-11	VO (EU) Nr. 305/2011	Art. 4 + 5

13.01.22 30 of 66

Product examples: mortar components, wall hooks, construction timber, adhesive, pre-stressing reinforcement (e. g. wires), welding material, mechanical connection agents (nails, clips, dowels, bolts, screws), fittings, metal construction components (staircases, galleries, footbridges, fixed ladders, façades, ceiling-, roof-, wall elements, supports, posts, flue channels, metal units, staircases, galleries, footbridges, fixed ladders, fronts)

footbridges, fixed ladders, fronts)			
req. no.	Statutory requirement	Law	Article
50557	Content of the declaration of performance  1. The declaration of performance shall express the performance of construction products in relation to the essential characteristics of those products in accordance with the relevant harmonised technical specifications.  2. The declaration of performance shall contain, in particular, the following information:  (a) the reference of the product-type for which the declaration of performance has been drawn up;  (b) the system or systems of assessment and verification of constancy of performance of the construction product, as set out in Annex V;  (c) the reference number and date of issue of the harmonised standard or the European Technical Assessment which has been used for the assessment of each essential characteristic;  (d) where applicable, the reference number of the Specific Technical Documentation used and the requirements with which the manufacturer claims the product complies.  3. The declaration of performance shall in addition contain:  (a) the intended use or uses for the construction product, in accordance with the applicable harmonised technical specification;  (b) the list of essential characteristics, as determined in the harmonised technical specification for the declared intended use or uses;  (c) the performance of at least one of the essential characteristics of the construction product, relevant for the declared intended use or uses;  (d) where applicable, the performance of the construction product, by levels or classes, or in a description, if necessary based on a calculation in relation to its essential characteristics determined in accordance with Article 3(3);  (e) the performance of those essential characteristics of the construction product which are related to the intended use or uses, taking into consideration the provisions in relation to the intended use or uses where the manufacturer intends the product to be made available on the market;  (f) for the listed essential characteristics for which no performance is declared, the letters 'NPD	VO (EU) Nr. 305/2011	Art. 6 + Anh. III

13.01.22 31 of 66

Article No.:

**Construction products** 

Product examples: mortar components, wall hooks, construction timber, adhesive, pre-stressing reinforcement (e. g. wires), welding material, mechanical connection agents (nails, clips, dowels, bolts, screws), fittings, metal construction components (staircases, galleries, footbridges, fixed ladders, façades, ceiling-, roof-, wall elements, supports, posts, flue channels, metal units, staircases, galleries, footbridges, fixed ladders, fronts)

req. no.	Statutory requirement	Law	Article
50559	The CE-labelling may only then be used if the manufacturer or importer has created a declaration of performance.  Additional information:  RE (EU) No 305/2011_19-11  VO (EU) Nr. 305/2011_19-11	VO (EU) Nr. 305/2011	Art. 8
50560	Rules and conditions for the affixing of CE marking  1. The CE marking shall be affixed visibly, legibly and indelibly to the construction product or to a label attached to it. Where this is not possible or not warranted on account of the nature of the product, it shall be affixed to the packaging or to the accompanying documents.  2. The CE marking shall be followed by the two last digits of the year in which it was first affixed, the name and the registered address of the manufacturer, or the identifying mark allowing identification of the name and address of the manufacturer easily and without any ambiguity, the unique identification code of the product-type, the reference number of the declaration of performance, the level or class of the performance declared, the reference to the harmonised technical specification applied, the identification number of the notified body, if applicable, and the intended use as laid down in the harmonised technical specification applied.  3. The CE marking shall be affixed before the construction product is placed on the market. It may be followed by a pictogram or any other mark notably indicating a special risk or use.	VO (EU) Nr. 305/2011	Art. 9
50561	Manufacturers have the following duties to fulfil: - creation of the performance declaration - make the performance declaration available - technical documentation - the performance declaration and the technical documentation must be retained for 10 years - the declared performance must be ensured in series production - the products must be labelled for identification with type-, batch- or serial number or a different label - the product must be supplied with the contact address - the product must be accompanied by instructions for use and safety information	VO (EU) Nr. 305/2011	Art.11

13.01.22 32 of 66

Article No.:

**Construction products** 

Product examples: mortar components, wall hooks, construction timber, adhesive, pre-stressing reinforcement (e. g. wires), welding material, mechanical connection agents (nails, clips, dowels, bolts, screws), fittings, metal construction components (staircases, galleries, footbridges, fixed ladders, façades, ceiling-, roof-, wall elements, supports, posts, flue channels, metal units, staircases, galleries, footbridges, fixed ladders, fronts)

req. no.	Statutory requirement	Law	Article
50735	For building contruction products (products, mixtures according to REACh) which contain SVHC (Substances of Very High Concern) materials (see list of candidates) and do not require a safety data sheet, appropriate and relevant information must be available.  For details see:  Additional information:  Format for the mandatory designation of construction products_13-11  Format für die Pflichtkennzeichnung von Stoffen in Bauprodukten_13-11	VO (EU) Nr. 305/2011	Artikel 6 (5)
50558	The performance declaration is to be made available to the consumer in printed or electronic form.  (1) Economic operators may make available a declaration of performance referred to in Article 4(1) of Regulation (EU) No 305/2011 on a website, by virtue of derogation from Article 7(1) of Regulation (EU) No 305/2011, provided that they comply with all of the following conditions:  (a) they shall ensure that the content of a declaration of performance is not altered after it has been made available on the website;  (b) they shall ensure that the website where the declarations of performance drawn up for construction products have been made available is monitored and maintained so that the website and the declarations of performance are continuously available to recipients of construction products;  (c) they shall ensure that the declaration of performance may be accessed by the recipients of construction products free of charge for a period of 10 years after the construction product has been placed on the market, or for such other period that may be applicable in accordance with the second subparagraph of Article 11(2) of Regulation (EU) No 305/2011;  (d) they shall provide instructions to the recipients of construction products on how to access the website and the declarations of performance drawn up for such products available on that website.  2. Manufacturers shall ensure that every single product, or batch of the same product, they are placing on the market is linked to a given declaration of performance by means of the unique identification code of the product-type.	VO (EU) Nr. 305/2011	VO (EU) Nr. 305/2011 Art. 7 i.V. mit DELVO (EU) Nr. 157/2014

13.01.22 33 of 66

	Retail Group Product Requireme	Product Requirements		MTH Retail Group (Germany) GmbH	
Categor	y: Garden / terrace / balcony / plants	21-11			
	,	Author: T	räger		
	ı	Product:0	Garten_Terasse_	Balkon_Pflanzen/	
			errace_balcony_		
Biocide		Article No	•		
req. no.	Statutory requirement		Law	Article	
50928	The mercury bans and mercury limit values of Regulation 2017/852 must be observed.  Additional information:  RE (EU) 2017/852_20-11  VO (EU) 2017/852_20-11	on (EU)	VO (EU) 2017/852		
50802	For biocidal products and treated articles the requirements of Regulation (EU) No. 528/2012 shall apply.  Exceptions are to be observed. e.g. Pesticides, cosmetics, pharmaceuticals, toys,)  Additional information: RE (EU) No 528/2012 21-11 /O (EU) Nr. 528/2012 21-11		VO (EU) Nr. 528/2012	Art. 2	
50549	For non-food products and textiles which have been tre biocides, the safety data sheets or a list with the biocide are to be delivered.  Should a licence number be available (inside EU) then equally to be communicated.	lata sheets or a list with the biocides used nber be available (inside EU) then this is		Art. 58, Abs. 1	
50774	Where biocidal products are from the EU, the respective registration of the country of origin shall apply. Where p are from third countries, the importer must apply for reg	ducts are from the EU, the respective country of origin shall apply. Where products		Art. 17	
50776	Manufacturers, importers of biocidal products that conta existing active substances do not have to approve these products. Instead, the products must be reported to the Institute for Occupational Safety and Health (BAuA).  This applies as long as no decision on approval or non-has been made for existing active substances (Annex II Regulation (EU) No. 1062/2014).  The report can be made online via the following page: https://www.baua.de/DE/Biozid-Meldeverordnung/starts Additional information: Liste Altwirkstoffe 21-11	ers, importers of biocidal products that contain we substances do not have to approve these stead, the products must be reported to the Federal Occupational Safety and Health (BAuA).  as long as no decision on approval or non-approval ade for existing active substances (Annex II of (EU) No. 1062/2014).  can be made online via the following page:  .baua.de/DE/Biozid-Meldeverordnung/startseite.html information:		§ 4	
50806	Biocidal products may only be made available on the meither the substance supplier or the product supplier is in the list of active substance suppliers. This also applie biocidal products that are marketed during the transition period in Germany.  Pls. see Link below for the list: https://www.reach-clp-biozid-helpdesk.de/de/Biozide/Wirkstoffe/Genehmigte-Wirkstoffe/Genehmigte-Wirkstoffe/Genehmigte-Wirkstoffe.html	ncluded s for	VO (EU) Nr. 528/2012	Art. 95, Abs. 2	

13.01.22 34 of 66

MTH F	Retail Group Product Req	uirements	MTH Retail Gro	oup (Germany) GmbH
Categor	y: Garden / terrace / balcony / plants	21-11		
		Author: T	räger	
		Product:0	Garten_Terasse_	Balkon_Pflanzen/
		Garden_t	errace_balcony_	plants
Campin	g and garden furniture	Article No	).:	
•				
req. no.	Statutory requirement		Law	Article
50147	All camping furniture must fulfil the regulations norms 581 parts 1 to 4.	s in the list of	DIN EN 581-2	DIN EN 581-1,- 2,-3,-4
5364	The stability of furniture for sitting on must adl requirements of Norm EN 1022	re for sitting on must adhere to the		
50787	Domestic kitchen storage units and worktops requirements of DIN EN 14749.	ge units and worktops fulfill the		
50626	Self-supporting energized devices for the heig office work chairs (Gas spring or mechanical structure fulfill the requirements of DIN EN 16955.	ized devices for the height adjustment of spring or mechanical spring) have to		
721	Products made of vinyl chloride polymers (e.g intended to  - come into contact with food during manufact distribution, or use - come into contact with cosmetics or tobacco - come into contact with the skin, not just temp - come into contact with the mouth - as well as all - toys and joke articles - cleaning and care agents - products for personal hygiene  may not contain more than 1 mg monomer vir	food during manufacture, treatment, cosmetics or tobacco products the skin, not just temporarily the mouth  hts hygiene an 1 mg monomer vinyl chloride per kg		§ 6 Abs. 3 iVm Anl.5 Nr. 1
50576	Children's cots and folding cots for domestic usering the length greater than 900 mm and not more that to fulfill the requirements of DIN EN 716-1.		DIN EN 716-1	

13.01.22 35 of 66

MTH Retail Group	Product Require	ments	MTH Retail Group (Germany) GmbH
Category: Garden / terrace / balco	ny / plants	21-11	
		Author:	Träger
		Product	t:Garten_Terasse_Balkon_Pflanzen/
		Garden	_terrace_balcony_plants
pressure equipment	equipment Article No.:		No.:
Pressure equipment and assembli	es with a maximum allo	wahle nre	ssure PS greater than 0.5 har

Pressure equipment and assemblies with a maximum allowable pressure PS greater than 0,5 bar.

req. no.	Statutory requirement	Law	Article
50632	For the design, manufacture and conformity assessment of pressure equipment and assemblies with a maximum allowable pressure PS greater than 0,5 bar, the requirements of Directive 2014/68/EU have been since 01/06/2015 or 07/19/2016 observed. Exceptions are to be considered.  Additional information:  Dir 2014-68-EU pressure equipment_16-05  RL 2014-68-EU Druckgeräte_16-05	14. ProdSV	§ 1
5021	All pressure equipment (f.e. pressure cookers) are subject to the 14. ProdSV (Pressure Regulation) and should be manufactured and marked accordingly.  In particular the essential safety requirements of Annex I of the Pressure Equipment Directive 2014/68 / EU are to be observed.  Additional information:  Dir 2014-68-EU pressure equipment_16-05  RL 2014-68-EU Druckgeräte_16-05	14. ProdSV	§ 1,3, 5 i.V.m. RL 2014/68/EU
5022	Pressure equipment must pass through a conformity procedure and an appropriate conformity certificate is to be issued.  This must be kept for 10 years, including the technical documents in german language.  For products from (EC) non-member countries the importer must keep the documents and have these ready for checking.	14. ProdSV	§ 5
5023	Pressure equipment are to be labelled as follows:  - CE marking - Manufacturer and Adress (from (EC) non-member countries - the importer) - Year of manufacture - Type, batch or serial number - essential maximum/minimum allowable limits - Volume  The labelling must be fixed on the pressure equipment.	14. ProdSV	§ 5, 6
5024	Pressure equipment shall be accompanied with instructions for the user, containing all the necessary safety information in german language.  Instructions shall cover information affixed to the pressure equipment in accordance with the marking on the product, with the exception of serial identification, and shall be accompanied, where appropriate, by the technical documents, drawings and diagrams necessary for a full understanding of these instructions.	14. ProdSV	§ 6

13.01.22 36 of 66

MTH E	Retail Group Product Requ	uirements	MTH Retail G	roup (Germany) GmbH
Categor	y: Garden / terrace / balcony / plants	21-11		
Autho		Author:	Träger	
		Product:Garten_Te		_Balkon_Pflanzen/
		Garden	_terrace_balcony	_plants
Garden	-watering artcles	Article N	No.:	
Hoses,	coupllings, parts of taps, distributors etc			
req. no.	Statutory requirement		Law	Article
80039	For garden hoses (rubber with textile insertion requirements of norm DIN EN ISO 1403 are to account.	,	DIN EN ISO 1403	
80038	For garden hoses (plastic with textile insertions requirements of Norm DIN EN ISO 6224 are to account.		DIN EN ISO 6224	

13.01.22 37 of 66

MTHR	etail Group Product Requirem	nents	MTH Retail Gro	oup (Germany) GmbH
Libro 🔤	Mic. dain Pinnshypieliter			Gillon
Category:	Garden / terrace / balcony / plants	21-11		
		Author: Ti	räger	
		Product:0	Garten_Terasse_l	Balkon_Pflanzen/
		Garden_t	errace_balcony_	plants
Dangero	us substances according to GHS (CLP)	Article No	u:	
req. no.	Statutory requirement		Law	Article
50084	Producers of dangerous substances must fulfill the requirements of the Regulation (EC) No. 1272/2008.		VO (EG) Nr.1272/2008	
	Included herein: - assessment of materials and mixtures; - documantation which has led to the discovery of the assessment and labelling of the dangerous substance - safety data sheet; - secure packaging; - labelling of the packaging.  Additional information: RE (EG) No 1272/2008_21-05 VO (EG) Nr. 1272/2008_21-05			
50671	Prohibitions and restrictions for persistent organic pol to be observed (POP-Regulation). <b>Additional information:</b> RE (EU) 2019/1021_21-05 VO (EU) 2019/1021_21-05	llutants are	VO (EU) 2019/1021	
933	Packaging of dangerous materials or preparations is with child-proof locks if they are classified:  - classified for acute toxicity, categories 1 to 3, STOT exposure category 1, STOT - repeated exposure cate skin corrosion category 1, and/or contain  - more than 3% methanol, and/or  - more than 1% dichloromethane, and/or	- single	VO (EG) Nr.1272/2008	Artikel 35 i.V.m. Anh. II
	- containing a substance or mixture with an aspiration (with the exception of substances and mixtures place market in the form of aerosols or in a container fitted sealed spray attachment).	d on the		
50794	Packaging of dangerous materials or preparations is with a tactile warning if they are classified:  - for acute toxicity, skin corrosion, germ cell m category 2, carcinogenicity category 2, reproductive t category 2, respiratory sensitisation, or Stot, categoriaspiration hazard, or flammable gases, liquids and so categories 1 and 2.	nutagenicity oxicity es 1 and 2,	VO (EG) Nr.1272/2008	Artikel 35 i.V.m. Anh. II
	This provision does not apply to aerosols which are o classified and labelled as 'flammable aerosols, Categ 'flammable aerosols, Category 2'. It does not apply eitransportable gas receptacles.	ory 1' or		

13.01.22 38 of 66

req. no.	Statutory requirement	Law	Article
50830	Annex VIII of the CLP Regulation will provide harmonized information for emergency health and preventive measures:  Notification requires mixtures that have been classified as dangerous due to their health or physical effects.  The notification obligation does not apply to mixtures for research and development as well as mixtures classified as gases under pressure or as explosive.  A unique formula identifier (UFI) must appear on the label.  Include information on the name of the mixture and on the identification of the transmitter, the hazard labeling and the components of the mixture, including non-classified components. Concerning the concentration of mixture components, exact percentages or concentration ranges can be given.  Communications must be made electronically in an XML format prepared by the European Chemicals Agency (ECHA) and made available free of charge. ECHA is also developing a pan-European product categorization system to be used in the communication.  Notifications that have been submitted before the date of application and do not comply with the new requirements remain valid until 01.01.2025, unless there are significant changes in the formulation, the product identifier or the toxicology of the mixture.  The application of the new information requirements is staggered for importers and downstream users:  for mixtures for consumer use  for mixtures for professional use  -01.01.2024 for mixtures for industrial use  Additional information:  RE (EG) No 1272/2008 Annex VIII_20-11  VO (EG) Nr. 1272/2008 Anhang VIII_20-11	VO (EG) Nr.1272/2008	Anhang VIII

13.01.22 39 of 66

MTH Retail Group	Product Requiremen	nts MTH Retail Group (Germany) GmbH
Category: Garden / terrace / balco	ony / plants 2	1-11
	A	uthor: Träger
	Р	roduct:Garten_Terasse_Balkon_Pflanzen/
	G	arden_terrace_balcony_plants
Dangerous materials	А	rticle No.:

The dangerous materials include all products which are explosive, oxidizing, highly or extremely inflammable, inflammable, very toxic, toxic, harmful, corrosive, irritant, sensitising, cancerorgenic, endangering to reproduction, heredity-altering or dangerous for the environment, possess other chronic damaging properties, are explosive or can transfer infectious germs.

req. no.	Statutory requirement	Law	Article
828	It has to be guaranteed, that dangerous substances are marked correctly	GefStoffV	§ 4
850	Suppliers must enclose safety data sheets for dangerous products. In so far as the products are passed on to commercial purchasers, the safety data sheets must be transmitted to the purchasers at the latest with the first delivery.	GefStoffV	§5 (1)
2602	Substances which are carcinogenic, mutagenic or toxic to reproduction must not be placed on the market.	ChemVerbotsV	
2643	Draw attention to dangerous features of materials in the product description.	GefStoffV	
5009	Biocidal products have to be labelled according to the Gefahrstoff-VO [Dangerous Chemicals Ordinance] where dangerous substances are contained.	BiozidGz	§ 15
50671	Prohibitions and restrictions for persistent organic pollutants are to be observed (POP-Regulation).  Additional information:  RE (EU) 2019/1021_21-05  VO (EU) 2019/1021_21-05	VO (EU) 2019/1021	
933	Packaging of dangerous materials or preparations is to be fitted with child-proof locks if they are classified:  - classified for acute toxicity, categories 1 to 3, STOT - single exposure category 1, STOT - repeated exposure category 1, or skin corrosion category 1, and/or contain  - more than 3% methanol, and/or  - more than 1% dichloromethane, and/or  - containing a substance or mixture with an aspiration hazard (with the exception of substances and mixtures placed on the market in the form of aerosols or in a container fitted with a sealed spray attachment).	VO (EG) Nr.1272/2008	Artikel 35 i.V.m. Anh. II
50794	Packaging of dangerous materials or preparations is to be fitted with a tactile warning if they are classified:  - for acute toxicity, skin corrosion, germ cell mutagenicity category 2, carcinogenicity category 2, reproductive toxicity category 2, respiratory sensitisation, or Stot, categories 1 and 2, aspiration hazard, or flammable gases, liquids and solids in categories 1 and 2.  This provision does not apply to aerosols which are only classified and labelled as 'flammable aerosols, Category 1' or 'flammable aerosols, Category 2'. It does not apply either to transportable gas receptacles.	VO (EG) Nr.1272/2008	Artikel 35 i.V.m. Anh. II

13.01.22 40 of 66

MTH R	Retail Group Product Requirements	MTH Retail Gro	oup (Germany) GmbH
Category	r: Garden / terrace / balcony / plants 21-1	  1	
	Auth	nor: Träger	
		duct:Garten_Terasse_I	Balkon Pflanzen/
<b>-</b> '4		den_terrace_balcony_	piarits
Furnitur	<b>e</b> Ario	cle No.:	
req. no.	Statutory requirement	Law	Article
671	Mixtures and articles produced from plastic material as liste above shall not be placed on the market if the concentration cadmium (expressed as Cd metal) is equal to or greater that 0,01 % by weight of the plastic material.	n of 1907/2006	Anhang XVII
	By way of derogation, above restriction shall not apply to articles coloured with mixtures containing cadmium for safe reasons.	ty	
721	Products made of vinyl chloride polymers (e.g. PVC) which intended to	are BedGgstV	§ 6 Abs. 3 iVm Anl.5 Nr. 1
	<ul> <li>come into contact with food during manufacture, treatmen distribution, or use</li> <li>come into contact with cosmetics or tobacco products</li> <li>come into contact with the skin, not just temporarily</li> <li>come into contact with the mouth</li> <li>as well as all</li> <li>toys and joke articles</li> <li>cleaning and care agents</li> <li>products for personal hygiene</li> </ul>	t,	
	may not contain more than 1 mg monomer vinyl chloride pe	er kg	
50575	Seating furniture for domestic use have to fulfill the requirements for strength, durability and safety of DIN EN 12520.	DIN EN 12520	
50616	Furniture for non-domestic seating have to fulfill the requirements for strength, durability and safety of DIN EN 16139.	DIN EN 16139	
50617	Office work chairs have to fulfill the safety requirements of I EN 1335-2.	DIN	
50618	Swivelling work chairs have to fulfill the safety requirements DIN 68877-2.		
50619	Chairs for domestic use have to fulfill the performance characteristics of DIN 68878.	DIN 68878	
50626	Self-supporting energized devices for the height adjustment office work chairs (Gas spring or mechanical spring) have to fulfill the requirements of DIN EN 16955.		
50787	Domestic kitchen storage units and worktops fulfill the requirements of DIN EN 14749.	DIN EN 14749	
103014	Bathroom furniture must be suitably damp-proof.	QS	
50574	Tables for domestic use have to fulfill the requirements for strength, durability and safety of DIN EN 12521.	DIN EN 12521	
50576	Children's cots and folding cots for domestic use with an int length greater than 900 mm and not more than 1400 mm hat to fulfill the requirements of DIN EN 716-1.	ave	
50577	Bunk beds and high beds with an internal length of more the 140 cm and a maximum width of the bed base of 120 cm futher requirements of DIN EN 747-1.	ılfill	
50578	Beds and mattresses fulfill the requirements of DIN EN 172	5. DIN EN 1725	

13.01.22 41 of 66

MTH E	Retail Group Product Requ	uirements	MTH Retail G	roup (Germany) GmbH
Categor	y: Garden / terrace / balcony / plants	ony / plants 21-11 Author: Träger		
		Product	•	_Balkon_Pflanzen/ _plants
Pesticio	des	Article N	lo.:	
req. no.	Statutory requirement		Law	Article
50829	Plant protection products must comply with the European Regulation (EC) No. 1107/2009.  Additional information: RE (EU) No 1107/2009_21-05 VO (EU) Nr. 1107/2009_21-05	e requirements of	VO (EG) Nr. 1107/2009	Art. 2

13.01.22 42 of 66

MTH R	Retail Group Product Require	ements	MTH Retail G	roup (Germany) GmbH
Orti	u Oandan (Aannaa (Halasa (Halasa (Halasa	04.44		
Category	y: Garden / terrace / balcony / plants	21-11		
		Author: T	•	
		Product:0	Garten_Terasse	_Balkon_Pflanzen/
		Garden_t	errace_balcony	_plants
Product	s, close to skin	Article No	o.:	
Products	that come into direct contact with the skin.			
req. no.	Statutory requirement		Law	Article
723	Analysis of the Consumer Goods must be done ac methods laid down in Annex 10 of the regulation c consumer goods (BedGgstV).  Additional information:  Bedarfsgegenständeverordnung_17-05.pdf		BedGgstV	§ 11 + Anlage 10
50049	Dioctylzin combinations (DOT) are prohibited in p substance concentration of DOT exceeds 0.1 per of The following products are affected: textiles with sigloves; - parts of shoes that come into contact with and floor coverings; - baby articles; ladies hygiene nappies/diapers; -packaging;-two-part room temper vulcanisation form sets (RTV-2- form sets)	cent weight. kin contact;- h skin; -walll e products;-	VO (EG) Nr. 1907/2006	Anhang XVII
50050	Trisubstituted zinc compounds (e.g. TBT, TPT) wit concentration of more than 0.1 per cent weight inp mixtures such as: - carpets; - clothing; - wood preservation substances; - leather goods; - PVC-products; - paints and varnishes are prohibited.		VO (EG) Nr. 1907/2006	Anhang XVII
50051	Dibutyl zinc compounds (DBT) with a concentration than 0.1 per cent weight are prohibited if these are end-users in such products and mixtures as:  - impregnating sprays;  - mattresses;  - PVC articles;  - polyurethane foam;  - textiles,  - where applicable other articles and mixtures.  The above date does not apply to the following promixtures:  one- and two part room temperature vulcanisation substances and glues (RTV-1 and RTV-2 sealing:  - paints and coatings containing DBT-compounds these are painted on products;  - soft polyvinylchloride (PVC) profiles whether these extruded with hard PVC or not;  material covered with a layer of PVC which contain compounds as stabilisers, if intended for outdoor uncoutside rainwater piping, guttering and joints as wand exterior wall cladding.	e intended for oducts and sealing substances); as catalysts if se are ns DBT- use;	VO (EG) Nr. 1907/2006	Anhang XVII

13.01.22 43 of 66

req. no.	Statutory requirement	Law	Article	
50245	For products made of leather, which are not only temporarily with skin contact, e.g.:	BedGgstV	Anl. 4 Nr. 2 und Anl. 10, Nr. 8	
	<ul> <li>Watch Bands,</li> <li>Bags,</li> <li>Backpacks,</li> <li>Chair covers,</li> <li>Money bag,</li> <li>Shoes,</li> <li>Gloves,</li> <li>Toys made of leather,</li> <li>must chromium VI not be detected.</li> <li>(Method B 82.02-11, 2008-10 - § 64-1 LFGB, according to DIN EN ISO 17075)</li> <li>This requirement applies from May 1st 2014 in all EU-Countries (CR (EU) No. 301/2014 amending annex XVII of REACh-CR)</li> </ul>			

13.01.22 44 of 66

Products	Products that come into direct contact with the skin.				
req. no.	Statutory requirement	Law	Article		
50687	The limit values below apply to the following textiles:	VO (EG) Nr.	Anhang XVII		
	(a) clothing or related accessories;	1907/2006			
	(b) textiles other than clothing which, under normal or reasonably foreseeable conditions of use, come into contact with human skin to an extent similar to clothing;				
	(c) footwear;				
	if the clothing, related accessory, textile other than clothing or footwear is for use by consumers following limits:				
	- Cadmium and its compounds: 1 mg/kg nach Extraktion - Chromium VI compounds: 1 mg/kg nach Extraktion - Arsenic compounds: 1 mg/kg nach Extraktion - Lead and its compounds: 1 mg/kg nach Extraktion				
	- Benzene: 5 mg/kg - Benz[a]anthracen: 1 mg/kg				
	- Benz[e]acephenanthrylene: 1 mg/kg - Benzo[a]pyrene; Benzo[def]chrysene: 1 mg/kg - Benzo[e]pyrene: 1 mg/kg				
	- Benzo[f]fluoranthene: 1 mg/kg - Benzo[k]fluoranthene: 1 mg/kg				
	- Chrysene: 1 mg/kg - Dibenz[a,h]anthracene: 1 mg/kg				
	<ul> <li>- α, α,α,4-tetrachlorotoluene; p-chlorobenzotrichloride: 1 mg/kg</li> <li>- α, α,α-trichlorotoluene; benzotrichloride: 1 mg/kg</li> <li>- α-chlorotoluene; benzyl chloride: 1 mg/kg</li> </ul>				
	- Formaldehyde: 75 mg/kg -1,2-benzenedicarboxylic acid; di-C 6-8-branched alkylesters, C 7-rich: 1000				
	mg/kg - Bis(2-methoxyethyl)phthalate: 1000 mg/kg - Diisopentylphthalate: 1000 mg/kg				
	- Di-n-pentylphthalate (DPP): 1000 mg/kg - Di-n-hexylphthalate (DnHP): 1000 mg/kg				
	- N-methyl-2-pyrrolidone; 1-methyl-2-pyrrolidone (NMP): 3000 mg/kg - N,N-Dimethylacetamide (DMAC): 3000 mg/kg				
	<ul> <li>N,N-Dimethylformamide; Dimethylformamide (DMF): 3000 mg/kg</li> <li>1,4,5,8-Tetraamino-anthrachinon; C.I. Disperse Blue 1: 50 mg/kg</li> <li>Benzolamin, 4,4'-(4-Iminocyclohexa-2,5- dienylidenmethylen)dianilinhydrochlorid;</li> </ul>				
	C.I. Basic Red 9: 50 mg/kg - 4-[4,4'-Bis(dimethylamino)benzhydryliden]cyclohexa-2,5-dien-1-				
	yliden]dimethylammoniumchlorid; C.I. Basic Violet 3 mit ≥ 0,1 % Michlers Keton (EG-Nr. 202- 027-5): 50 mg/kg - 4-Chlor-o-toluidiniumchloride: 30 mg/kg				
	- 2-Naphthylammoniumacetate: 30 mg/kg - 4-Methoxy-m-phenylendiammoniumsulfate; 2,4-Diaminoanisolsulfate: 30 mg/kg				
	- 2,4,5-Trimethylanilin-Hydrochloride: 30 mg/kg - Quinoline: 50 mg/kg				
	By way of derogation, in relation to the placing on the market of formaldehyde in jackets, coats or upholstery, the relevant concentration for the purposes shall be 300 mg/kg during the period between 1 November 2020 and 1 November 2023.				
	Thereafter, the above concentration applies.  The requirements do not apply to:				
	(a) clothing, related accessories or footwear, or parts of clothing, related				
	accessories or footwear, made exclusively of natural leather, fur or hide; (b) non-textile fasteners and non-textile decorative attachments; (c)second-hand clothing, related accessories, textiles other than clothing or footwear				
	(d) wall-to-wall carpets and textile floor coverings for indoor use, rugs and runners. e) disposable textiles,				
	f) personal protective equipment g) medical devices				

13.01.22 45 of 66

roa ro	Ctatutan requirement	Low	Article
req. no. 50737	Products of rubber or plastic components (e.g. sport equipment, household utensils, tools, clothing, footwear, wrist-bands), that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, should not contain more than 1.0 mg / kg of one of the listed PAHs:	VO (EG) Nr. 1907/2006	Article Anhang XVII Nr. 50
	a) Benzo(a)pyren (BaP) b) Benzo(e)pyren (BeP) c) Benzo(a)anthracen (BaA) d) Chrysen (CHR) e) Benzo(b)fluoranthen (BbFA) f) Benzo(j)fluoranthen (BjFA) g) Benzo(k)fluoranthen (BkFA) h) Dibenzo(a,h)anthracen (DBAhA)		
	This shall not apply to articles placed on the market for the first time before 27 December 2015. For these articles the values of BfR and ZEK apply.		
	(The standard EN 16143:2013 (Petroleum products-Determination of content of Benzo (a)pyrene (BaP) and selected polycyclic aromatic hydrocarbons (PAH) in extender oils- Procedure using double LC cleaning and GC/MS analysis) shall be used as the test method for demonstrating conformity with the limits.)  Additional information:  RE (EC) No 1907/2006_20-05  VO (EG) Nr. 1907/2006_20-05		
50738	Toys, including activity toys, and childcare articles of rubber or plastic components, that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, should not contain more than 0.5 mg / kg of one of the listed PAHs:	VO (EG) Nr. 1907/2006	Anhang XVII Nr. 50
	a) Benzo(a)pyren (BaP) b) Benzo(e)pyren (BeP) c) Benzo(a)anthracen (BaA) d) Chrysen (CHR) e) Benzo(b)fluoranthen (BbFA) f) Benzo(j)fluoranthen (BjFA) g) Benzo(k)fluoranthen (BkFA) h) Dibenzo(a,h)anthracen (DBAhA)		
	(The standard EN 16143:2013 (Petroleum products-Determination of content of Benzo (a)pyrene (BaP) and selected polycyclic aromatic hydrocarbons (PAH) in extender oils- Procedure using double LC cleaning and GC/MS analysis) shall be used as the test method for demonstrating conformity with the limits.)  Additional information:  CR (EC) 2015-326_test method_15-04  VO(EU) Nr. 2015-326_Prüfverfahren_15-04		

13.01.22 46 of 66

req. no.	Statutory requirement	Law	Article
689	In textiles and home textiles which are intended to come not only temporarily into contact with the human body, and in textile toy animals and dolls, the following flame proofing agents may not be used:  1. tri-(2.3-dibromopropyl)-phosphate (TRIS)  2. Tris-(aziridinyl)-phosphine oxide (TEPA)	BedGgstV	§ 3 iVm Anl. 1 Nr. 4
721	Polybrominated biphenyls (PBB)  Products made of vinyl chloride polymers (e.g. PVC) which are	BedGgstV	§ 6 Abs. 3 iVm
21	intended to	Deacysiv	Anl.5 Nr. 1
	<ul> <li>come into contact with food during manufacture, treatment, distribution, or use</li> <li>come into contact with cosmetics or tobacco products</li> <li>come into contact with the skin, not just temporarily</li> <li>come into contact with the mouth</li> <li>as well as all</li> <li>toys and joke articles</li> <li>cleaning and care agents</li> </ul>		
	- products for personal hygiene		
	may not contain more than 1 mg monomer vinyl chloride per kg		
326	Textiles, which contain more than 1500 ppm formaldehyde and are intended to come into contact with the human body, have to be marked as follows:  "Enthält Formaldehyd. Es wird empfohlen, das Kleidungsstück zur besseren Hautverträglichkeit vor dem ersten Tragen zu waschen."  ("Contains formaldehyde. It is recommended that the article is washed before wearing for the first time for better skin tolerance").  The text is to be altered correspondingly for home textiles.	BedGgstV	§ 10 Abs. 3 + Anlage 9
2662	The use of nickel and its compounds is prohibited for products in which the nickel-containing parts (e.g. buttons, zips, jewellery, watches, rivet heads, hair slides) come, not just temporarily, into contact with the body and give off more than 0.5 μg/cm²/week Nickel.  For nickel-containing products with a nickel-free coating, a limit value of 0,5 μg/cm²/week Nickel, over a period of at least 2 years with normal use, is to be observed.	BedGgstV	§ 6 Nr. 4 i.V.m. Anlage 5a u Norm DIN EN 1811:2015
	The Norm DIN EN 1811:2015-10 is to be used for the assessment of nickel continence.		
2916	The allergenic dispersion dyes Dispersion blue 1, 35, 106 and 124 Dispersion yellow 3 Dispersion orange 3, 37/76 and Dispersion red 1 must not be contained in products worn close to the skin. (further information can be found in the publicatins of the BfR)	LFGB	§30

13.01.22 47 of 66

Products, close to skin

Products that come into direct contact with the skin.

req. no.	Statutory requirement	Law	Article
req. no. 716	The goods stated below must not contain any azo dyes / pigments which may detach the prohibited amines. Textile and leather goods which may have prolonged direct contact with human skin or mouth, especially:  1. Clothing, bed linen, towels, hair parts, toupees, hats, diapers and other sanitary articles, sleeping bags.  2. Shoes, gloves, watch straps, bags, purses and wallets, folders, chair covers, breast bags.  3. Textile and leather toys and toys with textile or leather garments  4. Yarns and fabrics for end users.  Prohibited amines: 4-aminobiphenyl CAS-No. 92-67-1 Benzidine CAS-No.92-87-5 4-chloro-o-toluidine CAS-No. 95-69-2 2-naphthylamine CAS-No. 91-59-8 o-aminoazotoluene CAS-No. 97-56-3 5-nitro-o-toluidine CAS-No. 99-55-8 4-chloroaniline CAS-No. 106-47-8 2,4-diaminoanisole CAS-No. 615-05-4 4,4'-diaminodiphenylmethane CAS-No. 01-77-9 3,3'-dimethoxybenzidine CAS-No. 119-90-4 3,3'-dimethyl-4,4'-diaminoiphenyl-methane CAS-No. 838-88-0 p-cresidine CAS-No.120-71-8 4,4'-methylene-bis-(2-chloraniline) CAS-No. 101-14-4 4,4'-oxydianiline CAS-No.101-80-4	Law BedGgstV	Article § 3 iVm Anl. 1 Nr. 7
	4,4'-oxydianiline CAS-No.101-80-4 4,4'-thiodianiline CAS-No.139-65-1 o-toluidine CAS-No. 95-53-4 2,4-toluylendiamine CAS-No. 95-80-7 2,4,5-trimethylaniline CAS-No. 137-17-7 o-anisidine (2-methoxyaniline) CAS-No. 90-04-0 4-amino azobenzene CAS-No. 60-09-3		
	The use of prohibited azo dyes is deemed not to have been proven if the amounts contained of each amine component do not exceed 30 mg in one kilogram (0,003 Gew%) of specimen material.		
80202	stationery like pens and it`s top are intended to come into direct and prolonged contact with the skin	ALS	Stellungnahme Nr. 2019/48
80199	The rate of nickel release from articles intended to come into direct and prolongt contact with the skin must not exceed 0,5/µg/cm²/week.	VO (EG) Nr. 1907/2006	Anhang XVII Nr. 27

13.01.22 48 of 66

MTHR	etail Group Product Requ	irements	MTH Retail G	roup (Germany) GmbH
Category:	Garden / terrace / balcony / plants	21-11		
		Author: T	räger	
		Product:0	Garten_Terasse	_Balkon_Pflanzen/
		Garden_	terrace_balcony	_plants
Textiles		Article No	O.:	
req. no.	Statutory requirement		Law	Article
5138	All textiles must be fitted with the care instruction ISO 3758 (2013).	ons of DIN EN	DIN EN ISO 3758	
50050	Trisubstituted zinc compounds (e.g. TBT, TPT) concentration of more than 0.1 per cent weight mixtures such as: - carpets; - clothing; - wood preservation substances; - leather goods; - PVC-products; - paints and varnishes		VO (EG) Nr. 1907/2006	Anhang XVII
	are prohibited.			
5289	Textiles containing Nonylphenol or Nonylphenol equal to or greater than 0,1 % by weight are pro-		VO (EG) Nr. 1907/2006	Anhang XVII
	Nonylphenol ethoxylates (NPE) shall not be pla market in textile articles which can reasonably be washed in water during their normal lifecycl- concentrations equal to or greater than 0,01 % textile article or of each part of the textile article	be expected to e, in by weight of that		

13.01.22 49 of 66

			_
req. no.	Statutory requirement	Law	Article
50687	The limit values below apply to the following textiles:	VO (EG) Nr.	Anhang XVII
	(a) clothing or related accessories;	1907/2006	
	(b) textiles other than clothing which, under normal or reasonably foreseeable conditions of use, come into contact with human skin to an extent similar to clothing;		
	(c) footwear;		
	if the clothing, related accessory, textile other than clothing or footwear is for use by consumers following limits:		
	- Cadmium and its compounds: 1 mg/kg nach Extraktion - Chromium VI compounds: 1 mg/kg nach Extraktion - Arsenic compounds: 1 mg/kg nach Extraktion - Lead and its compounds: 1 mg/kg nach Extraktion		
	- Benzene: 5 mg/kg - Benz[a]anthracen: 1 mg/kg		
	<ul> <li>- Benz[e]acephenanthrylene: 1 mg/kg</li> <li>- Benzo[a]pyrene; Benzo[def]chrysene: 1 mg/kg</li> <li>- Benzo[e]pyrene: 1 mg/kg</li> </ul>		
	- Benzo[j]fluoranthene: 1 mg/kg - Benzo[k]fluoranthene: 1 mg/kg		
	- Chrysene: 1 mg/kg - Dibenz[a,h]anthracene: 1 mg/kg		
	<ul> <li>- α, α,α,4-tetrachlorotoluene; p-chlorobenzotrichloride: 1 mg/kg</li> <li>- α, α,α-trichlorotoluene; benzotrichloride: 1 mg/kg</li> <li>- α-chlorotoluene; benzyl chloride: 1 mg/kg</li> </ul>		
	- Formaldehyde: 75 mg/kg - 1,2-benzenedicarboxylic acid; di-C 6-8-branched alkylesters, C 7-rich: 1000		
	mg/kg - Bis(2-methoxyethyl)phthalate: 1000 mg/kg		
	<ul> <li>Diisopentylphthalate: 1000 mg/kg</li> <li>Di-n-pentylphthalate (DPP): 1000 mg/kg</li> <li>Di-n-hexylphthalate (DnHP): 1000 mg/kg</li> </ul>		
	- N-methyl-2-pyrrolidone; 1-methyl-2-pyrrolidone (NMP): 3000 mg/kg - N,N-Dimethylacetamide (DMAC): 3000 mg/kg		
	<ul> <li>N,N-Dimethylformamide; Dimethylformamide (DMF): 3000 mg/kg</li> <li>1,4,5,8-Tetraamino-anthrachinon; C.I. Disperse Blue 1: 50 mg/kg</li> <li>Benzolamin, 4,4'-(4-Iminocyclohexa-2,5- dienylidenmethylen)dianilinhydrochlorid;</li> </ul>		
	C.I. Basic Red 9: 50 mg/kg - 4-[4,4'-Bis(dimethylamino)benzhydryliden]cyclohexa-2,5-dien-1- yliden]dimethylammoniumchlorid; C.I. Basic Violet 3 mit ≥ 0,1 % Michlers Keton		
	(EG-Nr. 202- 027-5): 50 mg/kg - 4-Chlor-o-toluidiniumchloride: 30 mg/kg		
	<ul> <li>2-Naphthylammoniumacetate: 30 mg/kg</li> <li>4-Methoxy-m-phenylendiammoniumsulfate; 2,4-Diaminoanisolsulfate: 30 mg/kg</li> <li>2,4,5-Trimethylanilin-Hydrochloride: 30 mg/kg</li> </ul>		
	- Quinoline: 50 mg/kg		
	By way of derogation, in relation to the placing on the market of formaldehyde in jackets, coats or upholstery, the relevant concentration for the purposes shall be 300 mg/kg during the period between 1 November 2020 and 1 November 2023. Thereafter, the above concentration applies.		
	The requirements do not apply to:		
	(a) clothing, related accessories or footwear, or parts of clothing, related		
	accessories or footwear, made exclusively of natural leather, fur or hide; (b) non-textile fasteners and non-textile decorative attachments; (c)second-hand clothing, related accessories, textiles other than clothing or footwear		
	(d) wall-to-wall carpets and textile floor coverings for indoor use, rugs and runners. e) disposable textiles, f) personal protective equipment		
	f) personal protective equipment g) medical devices		

13.01.22 50 of 66

req. no.	Statutory requirement	Law	Article
50051	Dibutyl zinc compounds (DBT) with a concentration of more than 0.1 per cent weight are prohibited if these are intended for end-users in such products and mixtures as:  - impregnating sprays;  - mattresses;  - PVC articles;  - polyurethane foam;  - textiles,  - where applicable other articles and mixtures.  The above date does not apply to the following products and mixtures:  one- and two part room temperature vulcanisation sealing substances and glues (RTV-1 and RTV-2 sealing substances);  - paints and coatings containing DBT-compounds as catalysts if these are painted on products;  - soft polyvinylchloride (PVC) profiles whether these are extruded with hard PVC or not;  material covered with a layer of PVC which contains DBT-compounds as stabilisers, if intended for outdoor use;  - outside rainwater piping, guttering and joints as well as roof and exterior wall cladding.	VO (EG) Nr. 1907/2006	Anhang XVII
50049	Dioctylzin combinations (DOT) are prohibited in products if the substance concentration of DOT exceeds 0.1 per cent weight. The following products are affected: textiles with skin contact; gloves; - parts of shoes that come into contact with skin; -walll and floor coverings; - baby articles; ladies hygiene products; -nappies/diapers; -packaging;-two-part room temperature vulcanisation form sets (RTV-2- form sets)	VO (EG) Nr. 1907/2006	Anhang XVII
50438	Textile products are: a) products with a weight share of textile fibres of at least 80 %; b) Material covers for furniture, umbrella and parasols with a weight share of textile components of at least 80 %; c)the textile components of i) the uppermost layer of multi-layered floorcoverings, ii) mattress covers, iii) the covers of camping articles, in so far as these textile components a weight share which comprises at least 80 % of these upper layers or covers; d) Textiles which are worked into other goods and become integral parts of these as far as their composition is stated.  The requirements of the Textile Labelling Regulation (EU) Nr. 1007/2011 must be observed.  Additional information: FAQ Regulation EU No. 1007-2011_14-11 FAQ zur Textilkennzeichnungsverordnung EU Nr. 1007-2011_14-11	VO (EU) Nr. 1007/2011	Artikel 2 i.V.m.TextilKeni

13.01.22 51 of 66

MTH Retail Group Pr	oduct Requirements	MTH Retail Group (Germany) GmbH
Category: Garden / terrace / balcony / p	plants 21-11	
	Author	: Träger
	Produc	ct:Garten_Terasse_Balkon_Pflanzen/
	Garder	n_terrace_balcony_plants
Preparations	Article	No.:
Preparations are e.g.: dves/paints/lacgu	uers and all products listed u	inder the dangerous substances

Preparations are e.g.: dyes/paints/lacquers and all products listed under the dangerous substances regulations. These are subject to additional requirements, which arise out of REACH. Not affected by this are:

plant protection products, biocides and medicinal products

req. no.	Statutory requirement	Law	Article
5229	Manufacturers of compounds within the EU, who come under the REACH obligations will, after registration, make their registration numbers known without being asked. This also applies to private labels.	QS	
50046	The material limits and prohibitions of Annex XVII, current form in each case are to be observed.  https://echa.europa.eu/substances-restricted-under-reach	VO (EG) Nr. 1907/2006	Anhang XVII
5227	For all mixes the REACH requirements apply and must be adhered to from 1 June 2007 or 1 June 2008 respectively, if more than 1 ton of one constituent substance is imported.	VO (EG) Nr. 1907/2006	Art. 141
5228	The manufacturers are responsible for the adherence to the obligations arising from REACH for all mixes produced in the EU. This also applies to own brands.	VO (EG) Nr. 1907/2006	Art. 3 Abs. 2, 9
5230	Manufacturers of mixes will make available, of their own accord, a safety data sheet and where appropriate further documentation (evaluation of reliability).  The requirements for safety data sheets are changed. Safety data sheets that do not yet meet the new requirements may be made available until December 31, 2022.  Additional information:  RE (EU) 2020/878 New SDS_20-11  VO (EU) 2020/878_Änderung SDB_20-11	VO (EG) Nr. 1907/2006	Art. 31, 32
50927	From February 24, 2022, diisocyanates may only be placed on the market individually or in combination in substances and mixtures for industrial and commercial use if they contain less than 0.1% by weight or if the customer is aware of the restriction. Substances and mixtures that contain more than 0.1% by weight of diisocyanates and are sold to informed customers must be clearly marked with the sentence: "From August 24, 2023, appropriate training must take place before industrial or commercial use".  From August 24, 2023, labor law requirements will also apply. From this date, employers and the self-employed ensure that the user has completed training on the safe use of diisocyanates. The content, documentation and repetition of the training are explained in detail in the entry on diisocyanates in Annex XVII of the REACH regulation.	VO (EG) Nr. 1907/2006	Anh. XVII Nr. 74
50395	The requirements of the safety data sheets are to be fulfilled according to RE (EC) 1907/2006 Annex II.  Additional information:  RE (EG) Nr. 1907/2006 Annex II 21-11  VO (EG) Nr. 1907/2006 Anhang II 21-11	VO (EG) Nr. 1907/2006	Anhang II

13.01.22 52 of 66

MTHR	etail Group Product Requirements	MTH Retail G	roup (Germany)
LIBRO E	Mic-dain Pleasingsteller		GmbH
Category:	Garden / terrace / balcony / plants 21-11		
	Author: T	räger	
		•	_Balkon_Pflanzen/
		errace_balcony	_
Morte alo			_piants
Work glo	ves Article No	)	
i		Τ.	\ A (* 1
req. no. 790	Statutory requirement The CE marking must be affixed, clearly visible, legibly and	VO (EU)	Article Art. 8, 17
790	permanently, to every PPE. If this is not possible or warranted due to the particular features of the product, the CE identification can be affixed to the packaging and to the documents accompanying the PPE.  Additional information:  RE (EU) 2016/425_18-05  VO (EU) 2016/425_18-05	2016/425	Ait. 6, 17
3075	For work gloves of catagory 2 the CE marking has to be	VO (EU)	Art 17 (2) Anh
3075	For work gloves of category 3 the CE marking has to be followed by the identification number of the notified body which conducted the product checks and the assessment of the quality system.  Additional information:  RE (EU) 2016/425_18-05  VO (EU) 2016/425_18-05	2016/425	Art. 17 (3), Anh. VII, VIII
3076	Work gloves of category 3 require an EU type-examination by a notified body and a declaration of conformity to type. Retention period: 10 years after the PPE has been placed on the market. <b>Additional information:</b> RE (EU) 2016/425_18-05 VO (EU) 2016/425_18-05	VO (EU) 2016/425	Art. 8, 19; Anh. V, VII, VIII
3077	Work gloves must meet the requirements of the relevant harmonized standards, the respective intended use and the personal protective equipment category.  Work gloves are to be classified (personal protective equipment) in different categories:	VO (EU) 2016/425	Art. 18, Anh. I
	Category 1 (gloves for minimal risks such as household gloves) DIN EN 420 Category 2 (gloves for medium risks as gloves for general Working with a good cut, abrasion and puncture resistance) DIN EN 420 + DIN EN 388 Category 3 (gloves for irreversible or fatal risks as chemical gloves) DIN EN 420 + specific Norm Additional information: RE (EU) 2016/425_18-05 VO (EU) 2016/425_18-05		
3078	Work gloves of category 1 require an EU declaration of conformity which is issued by the producer on his own responsibility. Retention period: 10 years after the PPE has been placed on the market <b>Additional information:</b> RE (EU) 2016/425_18-05 VO (EU) 2016/425_18-05	VO (EU) 2016/425	Art. 8, 19; Anh.
50622	Protective gloves against cold (until – 50 degrees Celsius) have to fulfill the requirements of DIN EN 511.	DIN EN 511	
50623	Protective gloves against thermal risks (heat and/or fire) have to fulfill the requirements of DIN EN 407.	DIN EN 407	

13.01.22 53 of 66

MTH E	•	duct Requirements	MTH Retail Gr	oup (Germany) GmbH
Categor	y: Garden / terrace / balcony / pla	ants 21-11		
		Author: T	räger	
		Product:0	Garten_Terasse_	Balkon_Pflanzen/
		Garden_	terrace_balcony_	plants
Work gl	oves	Article No	0.:	
req. no.	Statutory requirement		Law	Article
50624	Chainsaw protective gloves have DIN EN ISO 11393-4.	to fulfill the requirements of	DIN EN ISO 11393-4	
50625	Protective gloves against chemicator to fulfill the requirements of DIN E		DIN EN 374-1	

13.01.22 54 of 66

MTH E		Requirements	MTH Retail (	Group (Germany) GmbH
Categor	y: Garden / terrace / balcony / plants	21-11		
		Author: 7	räger	
		Product:	Garten_Terasse	e_Balkon_Pflanzen/
		Garden_	terrace_balcon	y_plants
Axes ar	nd choppers	Article N	0.:	
req. no.	Statutory requirement		Law	Article
80001	For axes and choppers the requirements of 7287 are to be adhered to.	contained in norm DIN	DIN 7287	
50636	Wood splitting hammers and axes have to requirements of DIN 5129.	fulfill the	DIN 5129	

13.01.22 55 of 66

MTH E	•	Product Requirements	MTH Retail Gr	oup (Germany) GmbH
Categor	y: Garden / terrace / balcony /	plants 21-1	1	
		Autho	or: Träger	
		Prod	uct:Garten_Terasse_	Balkon_Pflanzen/
		Gard	len_terrace_balcony_	_plants
Pressur	ised spray devices	Articl	le No.:	
req. no.	Statutory requirement		Law	Article
50621	Knapsack sprayers for crop p to fulfill the requirements of D	rotection (more than 3 liters) ha IN EN ISO 19932-1.	ave DIN EN ISO 19932-1	

13.01.22 56 of 66

	Retail Group Product Req	uirements	MTH Retail G	Group (Germany) GmbH
Category	y: Garden / terrace / balcony / plants	21-11		
		Author: T	räger	
		Product:0	arten_Terasse	e_Balkon_Pflanzen/
		Garden_t	errace_balcony	/_plants
Fertilise	rs	Article No	).:	
req. no.	Statutory requirement		Law	Article
378	Fertilizers can be placed on the market either with the national rules of the target market or European requirements. The label contains a country and the legal regulation on which it is	in accordance with reference to this	DüMV	§ 2
11332	For prepackages - the nominal filling quantity must be specifie - the filling quantity must meet the specified re - The required information, labels and symbol available.  FPackV regulates the details of these require	equirements Is must be	MessEG	§ 43 Abs. 1
150461	EU fertilization products must meet the require Regulation (EU) 2019/1009 from June 16, 20 It applies to the following product groups: PFC1: fertilizer PFC2: lime fertilizer PFC3: soil improver PFC4: growing media PFC5: inhibitors PFC6: plant biostimulant PFC7: mixture of fertilizers  Important duties of the manufacturer are:  Compliant manufacture and labeling of EU fe Transport and storage of the products in a war jeopardize the conformity of the products Transmission of information on non-compliant have already been placed on the market to de necessary, market surveillance authorities Cooperation with the market surveillance author of non-compliant products and the provision of prove conformity  Additional information:  RE (EU) 2019/1009_21-11  VO (EU) 2019/1009_21-11	rtilizer products ay that does not t products that ealers and, if	VO (EU) 2019/1009	
11333	Sham packs which simulate a larger quantity are prohibited.	than they contain	MessEG	§ 43 Abs. 2
11334	The requirements of the FPackV do not apply 1. prepackages with a nominal filling quantity or piece, which are sold to commercial end us samples, 3. prepackages intended for export or for sea 4. Conformity-assessed or calibrated measur 5. prepackages with wine products and spirits 1) in duty-free shops, which intended for consthe European Union.  Additional information: FPackV Anlage 1_21-05	according to area sers, 2. Free going vessels ing standards s (FPackV Annex	FPackV	§ 1 Abs. 2 + FPackV Anlage 1

13.01.22 57 of 66

MTH F	Retail Group Product Req	uirements	MTH Retail	Group (Germany) GmbH
Categor	y: Garden / terrace / balcony / plants	21-11		
		Author:	Träger	
		Produc	t:Garten_Terass	se_Balkon_Pflanzen/
		Garden	_terrace_balcor	ny_plants
Fertilise	ers	Article I	No.:	
req. no.	Statutory requirement		Law	Article
11335	On prepackages of the same and different no	•	FPackV	§ 3 Abs. 1, 2, §

req. no.	Statutory requirement	Law	Article
11335	On prepackages of the same and different nominal filling quantity and on other sales units for which a nominal filling quantity is specified, the net filling quantity must be specified according to the size of weight or volume. If other regulations specify the number of pieces, length or area, than the size should be used.  If there are no regulations for a specific size for specifying the nominal filling quantity, a size which corresponds to the general public opinion must be used.	FPackV	§ 3 Abs. 1, 2, § 31
11336	It is forbidden to specify - indefinite nominal filling quantities, - the additional specification of the product weight, unless this is permitted in other regulations.	FPackV	§ 3 Abs. 3, § 31
11347	In the case of prepackages with the same nominal filling quantity, which are marked by weight or volume, at the time of manufacture  - the mean value of the filling quantity must not fall below the nominal filling quantity (FPackV Appendix 3 No. 6)  - the specified value for the minus deviation from the nominal filling quantity must not exceed = TU1 (FPackV § 9 Paragraph 3)  - The minus deviation from the nominal filling quantity must not exceed certain marketability values = TU2 (FPackV § 9 Paragraph 4).  A different production time is defined for some products in Appendix 2 of the FPackV.  Additional information:  FPackV § 9_21-05  FPackV Anlage 2_21-05  FPackV Anlage 3_21-05	FPackV	§ 9, § 12 Abs. 2, § 13 Abs.2, § 14 Abs. 1,2,3, § 16 Abs. 1, § 19 Abs. 2 + FPackV Anlage 3, FPackV Anlage 2
11352	The labeling of filling quantityfor fertilizers is, depending on the product, based on the European specifications for fertilizers or national regulations.	FPackV	§ 12
11382	Requirements for prepackaged fertilizers that are not designated as EC fertilizers, as well as soil additives, growing media and plant additives weighing more than 10 kg:  - Indication of the nominal filling quantity according to volume or weight (if made from paint mixing systems or by hand)  - Indication of the manufacturer of the prepackage  - Indication of the nominal filling quantity according to weight in grams (g) or kilograms (kg) or according to volume in milliliters (ml) or liters (L, I)  - the determined minus deviation from the specified filling quantity must not exceed three out of a hundred.  Additional information: FPackV § 34_21-05	FPackV	§ 34 Abs. 2, 3

13.01.22 58 of 66

MTH Retail Group Produ	ct Requirements MTH	HRetail Group (Germany) GmbH
Category: Garden / terrace / balcony / plant	s 21-11	
	Author: Träger	
	Product:Garter	n_Terasse_Balkon_Pflanzen/
	Garden_terrace	e_balcony_plants
Fertilisers	Article No.:	

req. no.	Statutory requirement	Law	Article
11384	Manufacturers of prepackages over 10 kg / 10 L must carry out a test using suitable scales that sort out the non-compliant prepackages. Alternatively, a random check can also be carried out.  The maximum permitted minus deviation is specified in § 34 (5) FpackV.  Additional information:  FPackV § 34_21-05	FPackV	§ 34 Abs. 5, § 12 Abs. 3, § 16 Abs. 2, § 17 Abs. 4, § 19 Abs. 2
11385	If products are filled in measuring containers, these must meet the requirements of § 35, § 36, § 37 FPackV.  Additional information:  FPackV § 35, § 36, § 37_21-05	FPackV	§ 35, § 36, § 37
11394	The manufacturer of prepackages with the same nominal filling quantity according to weight or volume must fulfill certain control and documentation obligations, which are specified in § 41 FPackV.  This requirement also applies to sales units without wrapping	FPackV	§ 41, § 16 Abs. 2, § 12 Abs. 2, § 13 Abs. 2,, § 14 Abs. 3, § 17 Abs. 4, § 18 Abs. 5, § 19 Abs. 3, § 30 Abs. 5
11395	The requirements for the nominal filling quantity by volume relate to a temperature of 20 ° C, expect refrigerated and frozen products.	FPackV	§ 42, § 12 Abs. 3, § 13 Abs. 3, § 14 Abs. 4, § 16 Abs. 2, § 17 Abs. 4, § 19 Abs. 3
50198	Fertilizers that are marketed with the "EC fertilizer" label must meet the requirements of Regulation EC No. 2003/2003.  From July 16, 2022, the regulation will be replaced by Regulation (EU) 2019/1009.  The rules of the successor regulation can be applied to more types of fertilizers:  • PFC1: fertilizer  • PFC2: lime fertilizer  • PFC3: soil improver  • PFC4: growing media  • PFC5: inhibitors  • PFC6: plant biostimulant  • PFC7: mixture of fertilizers	DüMV	§ 7
50804	Fertilizers, soil additives, growing media and plant additives that are placed on the market according to the DüMV must meet the requirements of Appendix 1  Additional information:  DE_DüMV Anlage 1_21-11	DüMV	§4 i.V.m. Anlage 1

13.01.22 59 of 66

MTH Retail Group	Product Requirem	ents	MTH Retail Gro	up (Germany) GmbH
Category: Garden / terrace / balcon	y / plants	21-11		
		Author: Tr	äger	
		Product:G	arten_Terasse_E	Balkon_Pflanzen/
		Garden_te	errace_balcony_p	lants
Garden tools		Article No	.:	
Includes handle tools such as rakes	s, shovels, spades and s	similar.		
req. no. Statutory requirement			Law	Article
565 Good fitting of handle and t	tool		DIN 68340	

13.01.22 60 of 66

MTH E	Retail Group Product Req	uirements	MTH Retail G	roup (Germany) GmbH
Categor	y: Garden / terrace / balcony / plants	21-11		
		Author:	Träger	
		Product	t:Garten_Terasse	_Balkon_Pflanzen/
		Garden	_terrace_balcony	_plants
Garden	hoses	Article 1	No.:	
req. no.	Statutory requirement		Law	Article
80039	For garden hoses (rubber with textile insertion requirements of norm DIN EN ISO 1403 are to account.	,	DIN EN ISO 1403	
80038	For garden hoses (plastic with textile insertion requirements of Norm DIN EN ISO 6224 are taccount.	•	DIN EN ISO 6224	

13.01.22 61 of 66

MTH E		duct Requirements	MTH Retail Gr	oup (Germany) GmbH
Categor	y: Garden / terrace / balcony / pla	ants 21-11		
		Author:	Träger	
		Product	::Garten_Terasse_	_Balkon_Pflanzen/
		Garden	_terrace_balcony_	_plants
home to	extiles	Article 1	No.:	
req. no.	Statutory requirement		Law	Article
5138	All textiles must be fitted with the ISO 3758 (2013).	care instructions of DIN EN	DIN EN ISO 3758	

13.01.22 62 of 66

req. no.	Statutory requirement	Law	Article
0687	The limit values below apply to the following textiles:	VO (EG) Nr.	Anhang XVII
	(a) clothing or related accessories;	1907/2006	
	(b) textiles other than clothing which, under normal or reasonably foreseeable conditions of use, come into contact with human skin to an extent similar to clothing;		
	(c) footwear;		
	if the clothing, related accessory, textile other than clothing or footwear is for use by consumers following limits:		
	- Cadmium and its compounds: 1 mg/kg nach Extraktion - Chromium VI compounds: 1 mg/kg nach Extraktion - Arsenic compounds: 1 mg/kg nach Extraktion - Lead and its compounds: 1 mg/kg nach Extraktion - Benzene: 5 mg/kg		
	- Benz[a]anthracen: 1 mg/kg - Benz[e]acephenanthrylene: 1 mg/kg - Benzo[a]pyrene; Benzo[def]chrysene: 1 mg/kg - Benzo[e]pyrene: 1 mg/kg		
	<ul> <li>Benzo[j]fluoranthene: 1 mg/kg</li> <li>Benzo[k]fluoranthene: 1 mg/kg</li> <li>Chrysene: 1 mg/kg</li> <li>Dibenz[a,h]anthracene: 1 mg/kg</li> <li>α, α,α,4-tetrachlorotoluene; p-chlorobenzotrichloride: 1 mg/kg</li> </ul>		
	<ul> <li>- α, α,α,4-tetracniorotoluene; p-chlorobenzotrichloride: 1 mg/kg</li> <li>- α, α,α-trichlorotoluene; benzotrichloride: 1 mg/kg</li> <li>- α-chlorotoluene; benzyl chloride: 1 mg/kg</li> <li>- Formaldehyde: 75 mg/kg</li> <li>- 1,2-benzenedicarboxylic acid; di-C 6-8-branched alkylesters, C 7-rich: 1000</li> </ul>		
	mg/kg - Bis(2-methoxyethyl)phthalate: 1000 mg/kg - Disopentylphthalate: 1000 mg/kg - Di-n-pentylphthalate (DPP): 1000 mg/kg		
	<ul> <li>Di-n-hexylphthalate (DnHP): 1000 mg/kg</li> <li>N-methyl-2-pyrrolidone; 1-methyl-2-pyrrolidone (NMP): 3000 mg/kg</li> <li>N,N-Dimethylacetamide (DMAC): 3000 mg/kg</li> <li>N,N-Dimethylformamide; Dimethylformamide (DMF): 3000 mg/kg</li> <li>1,4,5,8-Tetraamino-anthrachinon; C.I. Disperse Blue 1: 50 mg/kg</li> </ul>		
	- Benzolamin, 4,4'-(4-Iminocyclohexa-2,5-dienylidenmethylen)dianilinhydrochlorid; C.I. Basic Red 9: 50 mg/kg - 4-[4,4'-Bis(dimethylamino)benzhydryliden]cyclohexa-2,5-dien-1-yliden]dimethylammoniumchlorid; C.I. Basic Violet 3 mit ≥ 0,1 % Michlers Keton (EG-Nr. 202- 027-5): 50 mg/kg		
	<ul> <li>- 4-Chlor-o-toluidiniumchloride: 30 mg/kg</li> <li>- 2-Naphthylammoniumacetate: 30 mg/kg</li> <li>- 4-Methoxy-m-phenylendiammoniumsulfate; 2,4-Diaminoanisolsulfate: 30 mg/kg</li> <li>- 2,4,5-Trimethylanilin-Hydrochloride: 30 mg/kg</li> </ul>		
	- Quinoline: 50 mg/kg  By way of derogation, in relation to the placing on the market of formaldehyde in jackets, coats or upholstery, the relevant concentration for		
	the purposes shall be 300 mg/kg during the period between 1 November 2020 and 1 November 2023. Thereafter, the above concentration applies.		
	The requirements do not apply to:		
	<ul> <li>(a) clothing, related accessories or footwear, or parts of clothing, related accessories or footwear, made exclusively of natural leather, fur or hide;</li> <li>(b) non-textile fasteners and non-textile decorative attachments;</li> <li>(c)second-hand clothing, related accessories, textiles other than clothing or footwear</li> </ul>		
	<ul><li>(d) wall-to-wall carpets and textile floor coverings for indoor use, rugs and runners.</li><li>e) disposable textiles,</li></ul>		
	f) personal protective equipment g) medical devices		

13.01.22 63 of 66

req. no.	Statutory requirement	Law	Article
50051	Dibutyl zinc compounds (DBT) with a concentration of more than 0.1 per cent weight are prohibited if these are intended for end-users in such products and mixtures as: - impregnating sprays; - mattresses; - PVC articles; - polyurethane foam; - textiles, - where applicable other articles and mixtures.  The above date does not apply to the following products and mixtures: one- and two part room temperature vulcanisation sealing substances and glues (RTV-1 and RTV-2 sealing substances); - paints and coatings containing DBT-compounds as catalysts if these are painted on products; - soft polyvinylchloride (PVC) profiles whether these are extruded with hard PVC or not; material covered with a layer of PVC which contains DBT-compounds as stabilisers, if intended for outdoor use; - outside rainwater piping, guttering and joints as well as roof and exterior wall cladding.	VO (EG) Nr. 1907/2006	Anhang XVII
5289	Textiles containing Nonylphenol or Nonylphenol ethoxylatesl equal to or greater than0,1 % by weight are prohibited.  Nonylphenol ethoxylates (NPE) shall not be placed on the market in textile articles which can reasonably be expected to be washed in water during their normal lifecycle, in concentrations equal to or greater than 0,01 % by weight of that textile article or of each part of the textile article.	VO (EG) Nr. 1907/2006	Anhang XVII
50049	Dioctylzin combinations (DOT) are prohibited in products if the substance concentration of DOT exceeds 0.1 per cent weight. The following products are affected: textiles with skin contact;-gloves; - parts of shoes that come into contact with skin; -walll and floor coverings; - baby articles; ladies hygiene products;-nappies/diapers; -packaging;-two-part room temperature vulcanisation form sets (RTV-2- form sets)	VO (EG) Nr. 1907/2006	Anhang XVII

13.01.22 64 of 66

MTH E		duct Requirements	MTH Retail G	roup (Germany) GmbH
Categor	y: Garden / terrace / balcony / pla	ants 21-11		
		Author:	Träger	
		Produc	t:Garten_Terasse	_Balkon_Pflanzen/
		Garden	_terrace_balcony	_plants
Insection	ides	Article I	No.:	
req. no.	Statutory requirement		Law	Article
832	Insecticides must fulfill the require regulation (EU) Nr. 528/2012.	ements of the biocide	VO (EU) Nr. 528/2012	Art. 2

13.01.22 65 of 66

MTHR	etail Group	Product Requirem	ents	MTH Retail Gr	oup (Germany) GmbH
Category	: Garden / terrace / balcony	/ / plants	21-11		
			Author: T	räger	
			Product:0	Garten_Terasse_	_Balkon_Pflanzen/
			Garden_t	errace_balcony_	_plants
Tent			Article No	o.:	
req. no.	Statutory requirement			Law	Article
50153	For tents the Norm DIN EN account.	ISO 5912 is to be taken ir	nto	DIN EN ISO 5912	

13.01.22 66 of 66