	a GS-mark.
60527	The GS-mark must be provisions of ProdSG. Additional informatio GS-Zeichen_21-11

MTH Retail Group

Product Requirements

Category: General Requirements

Libro 📖

21-11 Author: Träger Product:

Requirements for all products

Article No.:

The topic safety of products concerns the complete range of "hardware", since products generally have to be designed to be safe. Statutory requirement req. no. Law Article

req. no.	Statutory requirement	Law	Article
3063	 Bis(pentabromphenyl)ether (Decabromdiphenylether, DecaBDE; CAS-Nr.: 1163-19-5; EG-Nr.: 214-604-9) 1.) shall not be manufactured or placed on the market as a substance on its own 2.) shall not be used in the production of, or placed on the market in: (a) another substance, as a constituent; (b) a mixture; (c) an article, or any part thereof, in a concentration equal to or greater than 0,1 % by weight 	VO (EG) Nr. 1907/2006	Anhang XVII
50671	Prohibitions and restrictions for persistent organic pollutants are to be observed (POP-Regulation). Additional information: RE (EU) 2019/1021_21-05 VO (EU) 2019/1021_21-05	VO (EU) 2019/1021	
50795	Consumer Goods or part thereof under 5 cm (not toys) that could be used by children under normal or reasonably foreseeable conditions of use in the mouth may not be placed on the market if the concentration of lead (expressed as metal) in those articles or accessible parts thereof is equal to or greater than 0,05 % by weight. This does not apply to products which were first placed on the market before 01 June 2016. Exceptions (see Additional information) to be observed. Additional information: RE (EU) No. 2015-628 REACH Lead_15-04 VO (EU) 2015-628 Änderung REACH Blei_15-04	VO (EG) Nr. 1907/2006	Anhang XVII i.V.m. VERORDNUNG (EU) 2015/628
50538	 Following mercury compounds may no longer be manufactured or placed on the market as substances. In mixtures, articles or any parts thereof, they may no longer be placed on the market, if the concentration of mercury is equal to or greater than 0.01 percent weight: Phenylmercury acetate (EC-No 200-532-5, CAS-No 62-38-4) Phenylmercury propionate (EC-No 203-094-3, CAS-No 103-27-5) Phenylmercury 2-ethylhexanoate (EC-No 236-326-7, CAS-No 13302-00-6) Phenylmercury octanoate (CAS-No 13864-38-5) Phenylmercury neodecanoate (EC-No 247-783-7, CAS-No 26545-49-3) 	VO (EG) Nr. 1907/2006	Anhang XVII Nr. 62
50525	If a product marked with a CE mark and complies with it by the CE- requirements, the GS- mark should not to be used. Equivalent requirements of CE criteria and GS criteria rules out a GS-mark.	ProdSG	§ 20 (2)
50527	The GS-mark must be designed in accordance with the provisions of ProdSG. Additional information: GS-Zeichen_21-11	ProdSG	§ 24 (3)
		1	1

Libro 🖾	Retail Group Product Requirements	WIH Ketail (Group (Germany) GmbH
Categor	y: General Requirements 2	21-11	
	P	Author: Träger	
	F	Product:	
Require		Article No.:	
-	•		uoto gonorally boy
	c safety of products concerns the complete range of "hardwa signed to be safe.	re, since prou	ucts generally have
req. no.	Statutory requirement	Law	Article
50518	The product safety of a product is completely to examined. All components of a product, as:	ProdSG	§ 3
	 the product as self, identification, correct instructions, adequate warnings, Information about foreseeable misuse, disposal instructions, Information for specific user groups, 		
	- mormation for specific user groups,		
50519	must be checked.Manufacturers and importers have provisions for appropriate measures (market monitoring, complaint analysis, etc.) shall be taken to avoid risks associated with the product.This applies to organizational measures to alert consumers and any necessary withdrawal or the recall.Product complaints must be registered. This should include the reason for the complaint and measures initiated.	ProdSG	§ 6
	Manufacturers and importers have the competent market surveillance authority immediately informed about health and safety risks associated with the product that they put on the market. The actions taken to represent.		
50522	The CE marking must be visible, legible and permanently be directly attached to the product or its data plate. This also applies to the address of the manufacturer, importer or the trademark owner. If the type of product that is not possible or not warranted, the CE marking is affixed on the packaging, as well as on the accompanying documents, provided they are prescribed.	ProdSG	§7 (3)
	Attention! Information from public authorities are exceptions to the direct labeling of the product if they are only economic.		
50523	If the production (production control) of the product by a notified conformity assessment body has been audited, according to the CE mark, the number have to apply on the product.	ProdSG	§ 7 (4)
50524	Behind the CE mark and the number can be apply an icon indicating a special risk or special use.	ProdSG	§ 7 (5)
160071	It is prohibited to place consumer goods on the market under misleading designation, information or presentation.	LFGB	§33 Abs. 1
103003	Consumer articles and toys with liquids, for example in double- walled articles, are subject to a purchase ban.	QS	
160070	Articles for daily use must not be placed on the market if they do not conform to stipulated requirements from the regulation (EG) Nr 1935/2004 regarding their manufacture	LFGB	§31 Abs.1
5046	Products may be introduced onto the market only if they do not endanger the safety and health of consumers or damage other objects (products). In addition, for products which are subject to other legal provisions the higher requirements specified must also be fulfilled.	ProdSG	§ 3
160069	Articles or substances must not be placed on the market as consumer goods if their intended or predictable use is likely to impair health by virtue of their material composition, e.g. through toxic substances or impurities.	LFGB	§30

	Retail Group Product Requirements	MTH Retail Gro	up (Germany) GmbH
Categor	y: General Requirements	21-11	
		Author: Träger	
		Product:	
Require		Article No.:	
The topi	ic safety of products concerns the complete range of "hardwa		s generally have
	signed to be safe.		
req. no.	Statutory requirement	Law	Article
5047	All products must be clearly marked on the product as follows:	ProdSG	§ 6 (1)
	 with the full address of the manufacturer. with the full address of the importer, if the headquarters of the manufacturer or person authorised by him is not in Germany. with the full address of the dealer, if he has imported the product himself. 	•	
	If a direct product marking is not possible (technically), it can also be attached to the packaging (Exceptions are to be observed).		
	Furthermore, applies to products in the harmonized area (ProdSV and more) supplemental label elements.		
5048	Harmonized standards, non-harmonized standards and technical specifications can be used to ensure conformity.	ProdSG	§ 4 und § 5
5351	Products that are not food, but which are due to - their shape, - her smell, - their color, - her appearance, - her presentation, - their marking, - their volume or - her size it is foreseeable that they will be confused with food by	LFGB	§ 5, in V. m. § 3 Abs. 1 Nr. 5
	consumers, especially children, and therefore be taken to the mouth, sucked or swallowed, which may give rise, in particular, to the risk of suffocation, poisoning, perforation or obstruction of the digestive tract, are forbidden.		
5049	Instructions for use / safety instructions in German must be enclosed with all products if certain rules are to be observed to protect the health of people. The use, addition and maintenance of the product must be considered.	ProdSG	§ 3 (4)
5050	 The DIN EN IEC / IEEE 82079 standard can be used to create instructions for use. Following information is recomended: Type of use Assembly Installation Maintenance instructions Warnings, particularly when used for a purpose other than that intended Prevention of maloperation Special instructions for user groups which are exposed to 	DIN EN IEC/IEEE 82079	
5052	greater danger (children, pregnant women, older people) 8. Complete address of the manufacturer or importer 9. Note on how to keep the instructions for use 10. Note on the legally prescribed disposal The GS mark may be used only if a notified GS testing institute has carried out a test and confirmed this. The GS mark can only be applied for by manufacturers or authorized representatives	, ProdSG	§ 20 (1)
5051	based in the EU or the European free trade area. The CE marking may be used only if this is subject to the relevant directives and these requirements have also been observed.	ProdSG	§ 7 (2)

MTHR	Product Requirements	MTH Retail Gr	oup (Germany)
Libro 🔤	99 Mile-dall Flexingshritter		GmbH
0.1		04.44	
Category	: General Requirements	21-11	
		Author: Träger	
		Product:	
Require	ments for products which are affected by REACH	Article No.:	
manufac chemical releasing stage ac	tured item means a product which intentionally releases a turing stage a specific form, surface or configuration, which composition, determines its function. As such are account scent, perfumed handkerchiefs, Manufactured items are a quire a specific form, surface or configuration, which to a g tion determines their function.	n, to a greater exter ed e.g. scented car articles, which at the	nt than its ndles, textiles e manufacturing
req. no.	Statutory requirement	Law	Article
50395	The requirements of the safety data sheets are to be fulfilled according to RE (EC) 1907/2006 Annex II. Additional information: RE (EG) Nr. 1907/2006 Annex II 21-11 VO (EG) Nr. 1907/2006 Anhang II 21-11	VO (EG) Nr. 1907/2006	Anhang II
50177	For articles you can find the REACH requirements for producers, importers and distributors in the Guideline of the REACH CLP Helpdesk: http://www.reach-clp-biozid- helpdesk.de/en/Homepage.html;jsessionid=2AC4AEBE237761 9211A35669BF9C6791.s2t2	VO (EG) Nr. 1907/2006	
5220	For all ready-made articles (products), which intentionally release more than 1 ton of chemical substance the REACH requirements apply and must be adhered to from 1 June 2007 or 1 June 2008 respectively. Additional information: RE (EC) No 1907/2006_21-05 VO (EG) Nr. 1907/2006_21-05	VO (EG) Nr. 1907/2006	Art.141
50046	The material limits and prohibitions of Annex XVII, current form in each case are to be observed. https://echa.europa.eu/substances-restricted-under-reach	N VO (EG) Nr. 1907/2006	Anhang XVII

The manufacturers are responsible for the adherence to the obligations arising from REACH for all ready-made articles (products) produced in the EU. This also applies to own

Manufacturers within the EU, who come under the REACH

obligations will, after registration, make their registration numbers known without being asked. This also applies to

5221

5222

brands.

private labels.

VO (EG) Nr.

1907/2006

QS

Art.3

Abs.3,4,7,9,11

	Retail Group Product Requirements	MTH Retail Gro	up (Germany) GmbH
Categor	y: General Requirements	21-11	
		Author: Träger	
		Product:	
Articles	of natural latex	Article No.:	
req. no.	Statutory requirement	Law	Article
50835	 For fillers the BfR recommendations are observed. This Recommendation for fillers applies to the follwing materials: Plastics Dispersions according to Recommendation XIV Silicones according to Recommendation XV Commodities based on Natural and Synthetic Rubber according to Recommendation XXI Cross-Linked Polyurethanes as Adhesive Layers for Food Packaging Materials accord-ing to Recommendation XXVIII Linear Polyurethanes for Paper Coatings according to Recommendation XLII Artificial Sausage Casings according to Recommendation XLIV Temperature Resistant Polymer Coating Systems for Frying, Cooking and Baking Utensils according to Recommendation LI Additional information: BfR LII. Fillers 2019-06-01_20-05 	BfR-Empfehlung	BfR LII

	Retail Group	Product Requirements	MTH Retail G	roup (Germany) GmbH
Categor	y: General Requirements		21-11	
			Author: Träger	
			Product:	
Glas			Article No.:	
All sorts	of glas.			
req. no.	Statutory requirement		Law	Article
103019	For glass in furniture the te adhered to.	st norm DIN EN 14072 must be	DIN EN 14072	

MTH Retail Group

Product Requirements

LIERO MM Mc.dale Manalgalellier

Category: General Requirements

21-11 Author: Träger Product: Article No.:

Timber, wooden products, paper

All types of timber such as solid timber, wood veneer, wooden material boards (e.g. chipboard) and pulp and paper with the exception of bamboo-based and recovered products.

req. no.	Statutory requirement	Law	Article
711	Coated and uncoated wood materials such as chipboard, carpentry, veneer or fiber boards must comply with the test requirements for formaldehyde of the ChemVerbotsVO.	ChemVerbotsV	§ 1 Abs. 1 iVm Anh. Abschn. 3
706	Wood products must not contain more than 5 mg / kg of PCP or PCP salts or compounds.	ChemVerbotsV	§ 3 Anlage 1
3061	It is prohibited to treat wooden goods with arsenic compounds.	VO (EG) Nr. 1907/2006	Anhang XVII
50801	Untreated lumbers and twigs, heather and coniferous timber seeds for the production of smoke used for smoking foodstuffs (smoked chips, strands, boards and woods) are consumer goods and may not exceed the threshold values for pentachlorophenol and its salts, expressed as pentachlorophenol of 0.05 mg/kg wood.	BedGgstV	§ 6 Nr.3 + Anlage 5
50799	Follow chemicals shall not be placed on the market, or used, as substances or in mixtures where the substance or mixture is intended for the treatment of wood. Furthermore, wood so treated shall not be placed on the market: (a) Creosote; wash oil CAS No 8001-58-9 EC No 232-287-5 (b) Creosote oil; wash oil CAS No 61789-28-4 EC No 263-047-8 (c) Distillates (coal tar), naphthalene oils; naphthalene oil CAS No 84650-04-4 EC No 283-484-8 (d) Creosote oil, acenaphthene fraction; wash oil CAS No 90640-84-9 EC No 283-484-8EC No 292-605-3 (e) Distillates (coal tar), upper; heavy anthracene oil CAS No 65996-91-0 EC No 266-026-1 (f) Anthracene oil CAS No 90640-80-5 EC No 292-602-7 (g) Tar acids, coal, crude; crude phenols CAS No 65996-85-2 EC No 266-019-3 (h) Creosote, wood CAS No 8021-39-4 EC No 232-419-1 (i) Low temperature tar oil, alkaline; extract residues (coal), low temperature coal tar alkaline CAS No 122384-78-5 EC No 310-191-5	VO (EG) Nr. 1907/2006	Anhang XVII
50778	Cellulose and paper with a content of about 0.1 percent by	VO (EG) Nr. 1907/2006	Anhang XVII

	Retail Group Product Requirements	MTH Retail Gro	oup (Germany) GmbH
Categor	y: General Requirements	21-11	
		Author: Träger	
		Product:	
Wood, a		Article No.:	
req. no.	Statutory requirement	Law	Article
50801	Untreated lumbers and twigs, heather and coniferous timber seeds for the production of smoke used for smoking foodstuffs (smoked chips, strands, boards and woods) are consumer goods and may not exceed the threshold values for pentachlorophenol and its salts, expressed as pentachlorophenol of 0.05 mg/kg wood .	BedGgstV	§ 6 Nr.3 + Anlage 5
706	Wood products must not contain more than 5 mg / kg of PCP or PCP salts or compounds.	ChemVerbotsV	§ 3 Anlage 1
711	Coated and uncoated wood materials such as chipboard, carpentry, veneer or fiber boards must comply with the test requirements for formaldehyde of the ChemVerbotsVO.	ChemVerbotsV	§ 1 Abs. 1 iVm Anh. Abschn. 3
3061	It is prohibited to treat wooden goods with arsenic compounds.	VO (EG) Nr. 1907/2006	Anhang XVII
50799	 Follow chemicals shall not be placed on the market, or used, as substances or in mixtures where the substance or mixture is intended for the treatment of wood. Furthermore, wood so treated shall not be placed on the market: (a) Creosote; wash oil CAS No 8001-58-9 EC No 232-287-5 (b) Creosote oil; wash oil CAS No 61789-28-4 EC No 263-047-8 (c) Distillates (coal tar), naphthalene oils; naphthalene oil CAS No 84650-04-4 EC No 283-484-8 (d) Creosote oil, acenaphthene fraction; wash oil CAS No 90640-84-9 EC No 283-484-8EC No 292-605-3 (e) Distillates (coal tar), upper; heavy anthracene oil CAS No 65996-91-0 EC No 266-026-1 (f) Anthracene oil CAS No 90640-80-5 EC No 292-602-7 (g) Tar acids, coal, crude; crude phenols CAS No 65996-85-2 EC No 266-019-3 (h) Creosote, wood CAS No 8021-39-4 EC No 232-419-1 (i) Low temperature tar oil, alkaline; extract residues (coal), low temperature coal tar alkaline CAS No 122384-78-5 EC No 310-191-5 	VO (EG) Nr. 1907/2006	Anhang XVII

MTHR	etail Group	Product Requirements	MTH Retail Gro	up (Germany) GmbH
Category	: General Requirements		21-11	
			Author: Träger	
			Product:	
Plastics			Article No.:	
under "Te	extile Fibres"! plastics are for example m	synthetically manufactured rubbe nattrasses, cushions, cold boxes,		
req. no.	Statutory requirement		Law	Article

MIH: Libro 🖾	Retail Group Product Requirements	MTH Retail Gro	oup (Germany) GmbH
Category	/: General Requirements	21-11	
		Author: Träger	
		Product:	
Plastics		Article No.:	
	also include fully or partly synthetically manufactured rubbe		ve bandled
under "T Foamed	extile Fibres"! plastics are for example mattrasses, cushions, cold boxes,		
materials		1	A
eq. no. 13	Statutory requirement It must be ascertained that the limits for dioxins and furans are	Law ChemVerbotsV	Article § 3 Anlage 1
10	not exceeded.	Chemverbolsv	3 0 / mage 1
	Limits must be adhered to for the following groups of dioxins and furans:		
	Group 1		
	a) 2,3,7,8-Tetrachlorodibenzo-p-dioxin		
	 b) 1,2,3,7,8-Pentachlorodibenzo-p-dioxin c) 2,3,7,8-Tetrachlorodibenzofuran 		
	d) 2,3,4,7,8-Pentachlorodibenzofuran		
	Group 2		
	a) 1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin		
	b) 1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin		
	 c) 1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin d) 1,2,3,7,8-Pentachlorodibenzofuran 		
	e) 1,2,3,4,7,8-Hexachlorodibenzofuran		
	f) 1,2,3,7,8,9-Hexachlorodibenzofurang) 1,2,3,6,7,8-Hexachlorodibenzofuran		
	h) 2,3,4,6,7,8-Hexachlorodibenzofuran		
	Group 3		
	a) 1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin		
	 b) 1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin c) 1,2,3,4,6,7,8-Heptachlorodibenzofuran 		
	d) 1,2,3,4,7,8,9-Heptachlorodibenzofuran		
	e) 1,2,3,4,6,7,8,9-Octachlorodibenzofuran		
	Group 4		
	a) 2,3,7,8-Tetrabromodibenzo-p-dioxin b) 1,2,3,7,8-Pentabromodibenzo-p-dioxin		
	c) 2,3,7,8-Tetrabromodibenzofuran		
	d) 2,3,4,7,8-Pentabromodibenzofuram		
	Group 5		
	a) 1,2,3,4,7,8-Hexabromodibenzo-p-dioxin		
	b) 1,2,3,7,8,9-Hexabromodibenzo-p-dioxinc) 1,2,3,6,7,8-Hexabromdibenzo-p-dioxin		
	d) 1,2,3,7,8-Pentabromodibenzofuran		
	The following limits must be met:		
	1. 1 μ g/kg for the total amounts contained of chemical		
	compounds stated in Group 1		
	2. 5 µg/kg for the total amounts contained of chemical		
	compounds stated in Group 1 and 2		
	3. 100 µg/kg for the total amounts contained of chemical		
	compounds stated in Group 1, 2 and 3		
	4. 1 µg/kg for the total amounts contained of chemical		
	compounds stated in Group 4		
	5. 5 µg/kg for the total amounts contained of chemical		
	compounds		
.02.22	stated in Group 4 and 5		10 of 28
	The limits in Items 2, 3 and 5 are deemed to have been met		
	only provided the limits applicable to the groups listed there are	;	

MTHR	Retail Group Product Requirements	MTH Retail Gr	oup (Germany) GmbH
Category	/: General Requirements	21-11	
		Author: Träger	
		Product:	
Plastics		Article No.:	
under "To	also include fully or partly synthetically manufactured rubbe extile Fibres"! plastics are for example mattrasses, cushions, cold boxes, s.		
req. no.	Statutory requirement	Law	Article
50945	 The following single-use plastic articles must be marked on the packaging and the outer packaging with the harmonized marking requirement of the Implementing Regulation (EU) 2020/2151: Sanitary towels (pads), tampons and tampon applicators; Wet wipes, i.e. pre-wetted personal care and domestic wipes; Tobacco products with filters and filters marketed for use in combination with tobacco products; On the other hand, on cups for beverages made of disposable plastic, the harmonized marking requirement from the Implementing Regulation (EU) 2020/2151 is placed directly on the product. Manufacturers and importers who place the above-mentioned products on the market for the first time in the respective EU member state are obliged to do so. As a transitional measure, the markings can also be affixed as stickers up to 03.07.2022. From 04.07.2022, the markings mus be applied as print. 	EWKKennzV	§ 4 i.V.m. DVO (EU) 2020/2151
	The position, size and design of the marking must be taken from the Implementing Regulation (EU) 2020/2151 Additional information: DVO (EU) 2020/2151_21-11	n	
50940	Certain single-use plastic articles and products made of oxo- degradable plastic are banned. These include in particular - cotton buds sticks, - cutlery (forks, knives, spoons, chopsticks), - plates, - straws; - beverage stirrers - sticks to be attached to and to support balloons, including the mechanisms of such sticks - food containers made of styrofoam - beverage containers made of styrofoam, including their caps and lids; and - cups for beverage made of styrofoam, including their covers and lids.	EWKVerbotsV	§ 3

	Product Requirements	MTH Retail Gro	oup (Germany) GmbH
Category	y: General Requirements	21-11	
		Author: Träger	
		Product:	
Plastics		Article No.:	
under "T	also include fully or partly synthetically manufactured rubber extile Fibres"! plastics are for example mattrasses, cushions, cold boxes, I s.		
req. no.	Statutory requirement	Law	Article
50947	 Extended producer responsibility applies to the following single-use plastic articles: Wet wipes, i.e. pre-wetted personal care and domestic wipes; Balloons, except balloons for industrial or other professional uses and applications that are not distributed to consumers For these products, the following costs must be covered from 31.12.2024 at the latest: Awareness-raising measures cleaning up litter resulting data gathering and reporting in accordance with Directive 2008/98/EC. The above-mentioned costs must already be borne from 05.01.2023 if the extended producer responsibility regime for the single-use plastic products concerned was introduced before 04.07.2018. 	Richtlinie (EU) 2019/904	Art. 8 i.V.m. Teil E
50049	Dioctylzin combinations (DOT) are prohibited in products if the substance concentration of DOT exceeds 0.1 per cent weight. The following products are affected: textiles with skin contact;-gloves; - parts of shoes that come into contact with skin; -walll and floor coverings; - baby articles; ladies hygiene products;-nappies/diapers; -packaging;-two-part room temperature vulcanisation form sets (RTV-2- form sets)	VO (EG) Nr. 1907/2006	Anhang XVII
671	 Mixtures and articles produced from plastic material as listed above shall not be placed on the market if the concentration of cadmium (expressed as Cd metal) is equal to or greater than 0,01 % by weight of the plastic material. By way of derogation, above restriction shall not apply to articles coloured with mixtures containing cadmium for safety reasons. 	VO (EG) Nr. 1907/2006	Anhang XVII

MIHH Libro M	Retail Group Product Requirements	MTH Retail G	oup (Germany) GmbH
Category	y: General Requirements	21-11	
		Author: Träger	
		Product:	
Plastics		Article No.:	
	also include fully or partly synthetically manufactured rubbe	rs. Plastic fibres w	ere handled
	extile Fibres"! plastics are for example mattrasses, cushions, cold boxes, s.	bicycle saddles, ir	nsulating
eq. no.	Statutory requirement	Law	Article
50737	Products of rubber or plastic components (e.g. sport equipment household utensils, tools, clothing, footwear, wrist-bands), that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, should not contain more than 1.0 mg / kg of one of the listed PAHs: a) Benzo(a)pyren (BaP)		Anhang XVII Ni 50
	 a) Benzo(a)pyren (BaF) b) Benzo(e)pyren (BeP) c) Benzo(a)anthracen (BaA) d) Chrysen (CHR) e) Benzo(b)fluoranthen (BbFA) f) Benzo(j)fluoranthen (BjFA) g) Benzo(k)fluoranthen (BkFA) h) Dibenzo(a,h)anthracen (DBAhA) 		
	This shall not apply to articles placed on the market for the first time before 27 December 2015. For these articles the values of BfR and ZEK apply.		
	(The standard EN 16143:2013 (Petroleum products- Determination of content of Benzo (a)pyrene (BaP) and selected polycyclic aromatic hydrocarbons (PAH) in extender oils- Procedure using double LC cleaning and GC/MS analysis) shall be used as the test method for demonstrating conformity with the limits.) Additional information: RE (EC) No 1907/2006_20-05 VO (EG) Nr. 1907/2006_20-05		
50738	Toys, including activity toys, and childcare articles of rubber or plastic components, that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, should not contain more than 0.5 mg / kg of one of the listed PAHs:	VO (EG) Nr. 1907/2006	Anhang XVII N 50
	 a) Benzo(a)pyren (BaP) b) Benzo(e)pyren (BeP) c) Benzo(a)anthracen (BaA) d) Chrysen (CHR) e) Benzo(b)fluoranthen (BbFA) f) Benzo(j)fluoranthen (BjFA) g) Benzo(k)fluoranthen (BkFA) h) Dibenzo(a,h)anthracen (DBAhA) 		
	(The standard EN 16143:2013 (Petroleum products- Determination of content of Benzo (a)pyrene (BaP) and selected polycyclic aromatic hydrocarbons (PAH) in extender oils- Procedure using double LC cleaning and GC/MS analysis) shall be used as the test method for demonstrating conformity with the limits.) Additional information: CR (EC) 2015-326_test method_15-04 VO(EU) Nr. 2015-326_Prüfverfahren_15-04		

Libro 🔤	Product Requirements	MTH Retail Gro	up (Germany) GmbH
Category	: General Requirements	21-11	
		Author: Träger	
		Product:	
Plastics		Article No.:	
	also include fully or partly synthetically manufactured rubber		ro bondlod
under "Te Foamed	extile Fibres"! plastics are for example mattrasses, cushions, cold boxes,		
materials		1	A
req. no. 721	Statutory requirement Products made of vinyl chloride polymers (e.g. PVC) which are intended to	Law BedGgstV	Article § 6 Abs. 3 iVm Anl.5 Nr. 1
	 come into contact with food during manufacture, treatment, distribution, or use come into contact with cosmetics or tobacco products come into contact with the skin, not just temporarily 		
	 come into contact with the mouth as well as all toys and joke articles cleaning and care agents 		
	 products for personal hygiene may not contain more than 1 mg monomer vinyl chloride per kg 		
723	Analysis of the Consumer Goods must be done according to the methods laid down in Annex 10 of the regulation concerning consumer goods (BedGgstV). Additional information: Bedarfsgegenständeverordnung_17-05.pdf	e BedGgstV	§ 11 + Anlage 10
5214	The import and marketing of products and devices containing chlorofluorocarbons, other perhalogenated chlorofluorocarbons, halons, carbontetrachlorides, 1,1,1-trichloroethane, partly halogenated bromofluoride hydrocarbons and chlorobromomethane are prohibited. The following are affected:		Art.4
	 Aerosol products Dyes and paints Cosmetics Lubricants 		
	- Cleaning materials - Pressurised gas containers - Fire extinguishers - Insulation materials		
	 Refrigerators Air conditioning units Mattresses Foam material 		
50050	- Adhesives Trisubstituted zinc compounds (e.g. TBT, TPT) with a concentration of more than 0.1 per cent weight inproducts, not mixtures such as:	VO (EG) Nr. 1907/2006	Anhang XVII
	mixtures such as: - carpets; - clothing; - wood preservation substances;		
	 leather goods; PVC-products; paints and varnishes 		
	are prohibited.		

MTH F	Retail Group Product Requirements	MTH Retail Gro	up (Germany) GmbH
Category	y: General Requirements	21-11	
		Author: Träger	
		Product:	
Plastics		Article No.:	
under "T	also include fully or partly synthetically manufactured rubber extile Fibres"! plastics are for example mattrasses, cushions, cold boxes, l s.		
req. no.	Statutory requirement	Law	Article
50051	 Dibutyl zinc compounds (DBT) with a concentration of more than 0.1 per cent weight are prohibited if these are intended for end-users in such products and mixtures as: impregnating sprays; mattresses; PVC articles; polyurethane foam; textiles, where applicable other articles and mixtures. The above date does not apply to the following products and mixtures: one- and two part room temperature vulcanisation sealing substances and glues (RTV-1 and RTV-2 sealing substances); paints and coatings containing DBT-compounds as catalysts if these are painted on products; soft polyvinylchloride (PVC) profiles whether these are extruded with hard PVC or not; material covered with a layer of PVC which contains DBT-compounds as stabilisers, if intended for outdoor use; outside rainwater piping, guttering and joints as well as roof and exterior wall cladding. 		Anhang XVII
50349	For the dyes of plastic household use articles, the recommendations of the BfR "IX. Colourings for dyeing plastics and other polymers for articles for household use" are to be adhered to. Additional information: BfR IX Colorants 2019-06-01_20-05 BfR IX Farbmittel 2019-06-01_20-05	BfR-Empfehlung	BfR IX

MTH Retail Group MTH Retail Group (Germany) **Product Requirements** GmbH LIERO MARY Mardell Menalgaleliter 21-11 Category: General Requirements Author: Träger Product: Metallic surfaces Article No.: Concerns metallic surfaces of household appliances, furniture, sanitary systems, air-conditioning systems, devices for freezing and deep-freezing and so on. req. no. Statutory requirement Law Article Avoidance of lead-containing metals for bearings and cadmium 100669 QS containing colours and screws. 675 For household items, furniture, sanitary systems, airconditions VO (EG) Nr. Anhang XVII and devices for freezing and deep-freezin and others metallic 1907/2006 surfaces must not be treated with cadmium. 103075 All steel and steelproducts from India must provide freedom of ProdSG radioactive contamination (Cobalt 60). Limit: 500 mikrobecquerel per gram. Analytical method: nuclide specific CO-60 measurement (Gamma-spectroscopy) 103071 With the application of Chrome III it is essential to ensure that QS the treatment of the product is absolutely flawless, no corrosion occurs. so that no chrome VI forms 50795 Consumer Goods or part thereof under 5 cm (not tovs) that VO (EG) Nr. Anhang XVII could be used by children under normal or reasonably 1907/2006 i.V.m. VERORDNUNG foreseeable conditions of use in the mouth may not be placed on the market if the concentration of lead (expressed as metal) (EU) 2015/628 in those articles or accessible parts thereof is equal to or greater than 0,05 % by weight. This does not apply to products which were first placed on the market before 01 June 2016. Exceptions (see Additional information) to be observed. Additional information: RE (EU) No. 2015-628 REACH Lead_15-04 VO (EU) 2015-628 Änderung REACH Blei_15-04 50772 For all consumer goods made of metal (jewelry, writing VO (EG) Nr. Anhang XVII instruments, mobile phones) which are intended to come into 1907/2006 direct and prolonged in contact with the skin, the corresponding material restrictions of Annex XVII to Regulation (EC) no. 1907/2006 must be observed. https://www.echa.europa.eu/substances-restricted-under-reach

	Retail Group Product Requirements	wiin Ketall G	iroup (Germany Gmbł
Category	y: General Requirements	21-11	
		Author: Träger	
		Product:	
Textile f	ibre materials / leather and imitation leather	Article No.:	
	extile fibre materials and leather for the manufacture of text /articles with textile components or leather components suc		
covers.			
q. no.	Statutory requirement	Law	Article
6	The goods stated below must not contain any azo dyes / pigments which may detach the prohibited amines. Textile and leather goods which may have prolonged direct contact with human skin or mouth, especially:	BedGgstV	§ 3 iVm Anl. 1 Nr. 7
	1. Clothing, bed linen, towels, hair parts, toupees, hats, diapers and other sanitary articles, sleeping bags.		
	2. Shoes, gloves, watch straps, bags, purses and wallets, folders, chair covers, breast bags.		
	3.Textile and leather toys and toys with textile or leather garments		
	4. Yarns and fabrics for end users.		
	Prohibited amines : 4-aminobiphenyl CAS-No. 92-67-1 Benzidine CAS-No.92-87-5		
	4-chloro-o-toluidine CAS-No. 95-69-2 2-naphthylamine CAS-No. 91-59-8		
	o-aminoazotoluene CAS-No. 97-56-3 5-nitro-o-toluidine CAS-No. 99-55-8 4-chloroaniline CAS-No.106-47-8		
	2,4-diaminoanisole CAS-No. 615-05-4		
	4,4´-diaminodiphenylmethane CAS-No. 01-77-9 3,3´-dichlorobenzidine CAS-No. 91-94-1		
	3,3 '-dimethoxybenzidine CAS-No. 119-90-4		
	3,3'-dimethylbenzidine CAS-No. 119-93-7 3,3'-dimethyl-4,4'-diaminoiphenyl-methane CAS-No. 838-88-0		
	p-cresidine CAS-No.120-71-8		
	4,4 ['] -methylene-bis-(2-chloraniline) CAS-No . 101-14-4 4,4 ['] -oxydianiline CAS-No.101-80-4		
	4,4´-thiodianiline CAS-No.139-65-1		
	o-toluidine CAS-No. 95-53-4 2,4-toluylendiamine CAS-No. 95-80-7		
	2,4,5-trimethylaniline CAS-No. 137-17-7		
	o-anisidine (2-methoxyaniline) CAS-No. 90-04-0 4-amino azobenzene CAS-No. 60-09-3		
	The use of prohibited azo dyes is deemed not to have been proven if the amounts contained of each amine component do not exceed 30 mg in one kilogram (0,003 Gew%) of specimer material.	1	
696	For toys and childcare articles which can be placed in the mouth, the limit of 0.1% is observed for following phthalate:	BfR DPHP	
	- DPHP (Di-2-propylheptylphthalat) Additional information:		
	BfR Opinion No. 004-2012_13-11.pdf		
	BfR Stellungnahme DPHP Nr. 004-2012_13-11.pdf		

	Retail Group Product Requirements	MTH Retail G	roup (Germany) GmbH
Categor	y: General Requirements	21-11	
- 2.0901	,	Author: Träger	
		Product:	
Territe			
	ibre materials / leather and imitation leather	Article No.:	
	textile fibre materials and leather for the manufacture of text s/articles with textile components or leather components suc	,	
covers.			dolla, wiga, acat
eq. no.	Statutory requirement	Law	Article
50687	The limit values below apply to the following textiles:	VO (EG) Nr. 1907/2006	Anhang XVII
	(a) clothing or related accessories;	1907/2006	
	(b) textiles other than clothing which, under normal or reasonably foreseeable conditions of use, come into contact with human skin to an extent similar to clothing;		
	(c) footwear;		
	if the clothing, related accessory, textile other than clothing or footwear is for use by consumers following limits:		
	 Cadmium and its compounds: 1 mg/kg nach Extraktion Chromium VI compounds: 1 mg/kg nach Extraktion Arsenic compounds: 1 mg/kg nach Extraktion Lead and its compounds: 1 mg/kg nach Extraktion 		
	- Benzene: 5 mg/kg - Benz[a]anthracen: 1 mg/kg		
	- Benz[e]acephenanthrylene: 1 mg/kg - Benzo[a]pyrene; Benzo[def]chrysene: 1 mg/kg		
	- Benzo[e]pyrene: 1 mg/kg		
	- Benzo[j]fluoranthene: 1 mg/kg - Benzo[k]fluoranthene: 1 mg/kg		
	- Chrysene: 1 mg/kg		
	- Dibenz[a,h]anthracene: 1 mg/kg		
	 - α, α,α,4-tetrachlorotoluene; p-chlorobenzotrichloride: 1 mg/kg - α, α,α-trichlorotoluene; benzotrichloride: 1 mg/kg 		
	- α-chlorotoluene; benzyl chloride: 1 mg/kg		
	 Formaldehyde: 75 mg/kg 1,2-benzenedicarboxylic acid; di-C 6-8-branched alkylesters, (
	7-rich: 1000 mg/kg		
	- Bis(2-methoxyethyl)phthalate: 1000 mg/kg - Diisopentylphthalate: 1000 mg/kg		
	- Di-n-pentylphthalate (DPP): 1000 mg/kg		
	- Di-n-hexylphthalate (DnHP): 1000 mg/kg - N-methyl-2-pyrrolidone; 1-methyl-2-pyrrolidone (NMP): 3000		
	- N-methyl-2-pyrrolidone; 1-methyl-2-pyrrolidone (NMP): 3000 mg/kg		
	- N,N-Dimethylacetamide (DMAC): 3000 mg/kg		
	- N,N-Dimethylformamide; Dimethylformamide (DMF): 3000 mg/kg		
	- 1,4,5,8-Tetraamino-anthrachinon; C.I. Disperse Blue 1: 50		
	mg/kg - Benzolamin, 4,4'-(4-Iminocyclohexa-2,5-		
	dienylidenmethylen)dianilinhydrochlorid; C.I. Basic Red 9: 50		
	mg/kg - 4-[4,4'-Bis(dimethylamino)benzhydryliden]cyclohexa-2,5-dien-		
	1-yliden]dimethylammoniumchlorid; C.I. Basic Violet 3 mit ≥ 0,1		
	% Michlers Keton (EG-Nr. 202- 027-5): 50 mg/kg - 4-Chlor-o-toluidiniumchloride: 30 mg/kg		
	- 2-Naphthylammoniumacetate: 30 mg/kg		
	- 4-Methoxy-m-phenylendiammoniumsulfate; 2,4-		
	Diaminoanisolsulfate: 30 mg/kg - 2,4,5-Trimethylanilin-Hydrochloride: 30 mg/kg - Quinoline: 50 mg/kg		
	By way of derogation, in relation to the placing on the market of formaldehyde in jackets, coats or upholstery, the relevant		
4.02.22	concentration for the purposes shall be 300 mg/kg during the		18 of 28
	period between 1 November 2020 and 1 November 2023. Thereafter, the above concentration applies.		
	The requirements do not apply to:		

	Retail Group Product Requirements Image: I	MTH Retail G	roup (Germany) GmbH
Category	/: General Requirements	21-11	
		Author: Träger	
		Product:	
Textile f	ibre materials / leather and imitation leather	Article No.:	
	extile fibre materials and leather for the manufacture of te /articles with textile components or leather components su	xtiles, home textiles	
eq. no.	Statutory requirement	Law	Article
60051	 Dibutyl zinc compounds (DBT) with a concentration of more than 0.1 per cent weight are prohibited if these are intended f end-users in such products and mixtures as: impregnating sprays; mattresses; PVC articles; polyurethane foam; textiles, where applicable other articles and mixtures. The above date does not apply to the following products and mixtures: one- and two part room temperature vulcanisation sealing substances and glues (RTV-1 and RTV-2 sealing substances) paints and coatings containing DBT-compounds as catalyst these are painted on products; soft polyvinylchloride (PVC) profiles whether these are extruded with hard PVC or not; material covered with a layer of PVC which contains DBT-compounds as stabilisers, if intended for outdoor use; outside rainwater piping, guttering and joints as well as roof and exterior wall cladding. 	:); ts if	Anhang XVII
0737	 Products of rubber or plastic components (e.g. sport equipmer household utensils, tools, clothing, footwear, wrist-bands), the come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, should not contain more than 1.0 mg / kg of one of the listed PAHs: a) Benzo(a)pyren (BaP) b) Benzo(e)pyren (BeP) c) Benzo(a)anthracen (BaA) d) Chrysen (CHR) e) Benzo(b)fluoranthen (BbFA) f) Benzo(j)fluoranthen (BbFA) g) Benzo(k)fluoranthen (BkFA) h) Dibenzo(a,h)anthracen (DBAhA) This shall not apply to articles placed on the market for the fir time before 27 December 2015. For these articles the values BfR and ZEK apply. (The standard EN 16143:2013 (Petroleum products-Determination of content of Benzo (a)pyrene (BaP) and selected polycyclic aromatic hydrocarbons (PAH) in extender oils- Procedure using double LC cleaning and GC/MS analysi shall be used as the test method for demonstrating conformity with the limits.) Additional information: RE (EC) No 1907/2006_20-05 VO (EG) Nr. 1907/2006_20-05	at 1907/2006 st of	Anhang XVII Nr. 50

	Product Requirements	MTH Retail G	roup (Germany) GmbH
Category	r: General Requirements	21-11	
		Author: Träger	
		Product:	
Textile fi	ibre materials / leather and imitation leather	Article No.:	
	extile fibre materials and leather for the manufacture of tex /articles with textile components or leather components su	-	
req. no.	Statutory requirement	Law	Article
50738	Toys, including activity toys, and childcare articles of rubber or plastic components, that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, should not contain more than 0.5 mg / kg of one of the listed PAHs: a) Benzo(a)pyren (BaP) b) Benzo(e)pyren (BeP) c) Benzo(a)anthracen (BaA) d) Chrysen (CHR)	d 1907/2006	Anhang XVII Nr. 50
	e) Benzo(b)fluoranthen (BbFA) f) Benzo(j)fluoranthen (BjFA) g) Benzo(k)fluoranthen (BkFA) h) Dibenzo(a,h)anthracen (DBAhA)		
	(The standard EN 16143:2013 (Petroleum products- Determination of content of Benzo (a)pyrene (BaP) and selected polycyclic aromatic hydrocarbons (PAH) in extender oils- Procedure using double LC cleaning and GC/MS analysis shall be used as the test method for demonstrating conformity with the limits.) Additional information: CR (EC) 2015-326_test method_15-04 VO(EU) Nr. 2015-326_Prüfverfahren_15-04		
50050	Trisubstituted zinc compounds (e.g. TBT, TPT) with a concentration of more than 0.1 per cent weight inproducts, not mixtures such as: - carpets; - clothing; - wood preservation substances; - leather goods; - PVC-products; - paints and varnishes	VO (EG) Nr. 1907/2006	Anhang XVII
	are prohibited.		
50245	For products made of leather, which are not only temporarily with skin contact, e.g.: - Watch Bands, - Bags, - Backpacks, - Chair covers, - Money bag, - Shoes, - Gloves, - Toys made of leather, must chromium VI not be detected.	BedGgstV	Anl. 4 Nr. 2 und Anl. 10, Nr. 8
	(Method B 82.02-11, 2008-10 - § 64-1 LFGB, according to DIN EN ISO 17075) This requirement applies from May 1st 2014 in all EU-Countrie (CR (EU) No. 301/2014 amending annex XVII of REACh-CR)	es	

	Retail Group Product Requirement	ts MTH Retail Gr	oup (Germany) GmbH
Categor	y: General Requirements	21-11	
0.		Author: Träger	
		Product:	
Tardia			
	ibre materials / leather and imitation leather	Article No.:	
	extile fibre materials and leather for the manufacture of s/articles with textile components or leather components		
req. no.	Statutory requirement	Law	Article
50438	 Textile products are: a) products with a weight share of textile fibres of at least b) Material covers for furniture, umbrella and parasols with weight share of textile components of at least 80 %; c)the textile components of i) the uppermost layer of multi-layered floorcoverings, ii) mattress covers, iii) the covers of camping articles, in so far as these textile components a weight share which comprises at least 80 % of these upper layers or covers; d) Textiles which are worked into other goods and becomprintegral parts of these as far as their composition is stated The requirements of the Textile Labelling Regulation (EU) 	h e I.	Artikel 2 i.V.m.TextilKenr zG
	1007/2011 must be observed. Additional information: FAQ Regulation EU No. 1007-2011_14-11 FAQ zur Textilkennzeichnungsverordnung EU Nr. 1007- 2011_14-11		
5289	 Textiles containing Nonylphenol or Nonylphenol ethoxylate equal to or greater than0,1 % by weight are prohibited. Nonylphenol ethoxylates (NPE) shall not be placed on the market in textile articles which can reasonably be expected be washed in water during their normal lifecycle, in concentrations equal to or greater than 0,01 % by weight or textile article or of each part of the textile article. 	1907/2006 e d to	Anhang XVII
5162	 When marking leather articles, the following regulations regarding identification must be observed: 1.Only those products made of animal skin or fur may be marked with the designation 'leather' or 'real leather'; 2.The types of artificial product which make up artificial leather be named; 3.Leather products having a coating of more than 0.15 mr be marked with following: 'leather with coating'; 4.Leather products in combination with other materials mate bear the mark 'leather' if 80% of the product is of leather. Otherwise all the materials must be named. 	n must	
705	Textiles and leather must not contain more than 5 mg/kg F or its salts or compounds. The conscious use of pentachlorophenol (PCP), its salts of compounds must be omitted in order to adhere to this limit	or	§ 3 Anlage 1
3031	Imitation leather made of vinyl chloride polymers (e.g. PV) which are intended to come into contact with the skin, not temporarily, must not contain more than 1 mg monomer vi chloride per kg.	C) BedGgstV just	§ 6 Abs. 3 iVm Anl.5 Nr. 1

MTH F	Retail Group Product Requirements	MTH Retail Gro	oup (Germany) GmbH
Category	y: General Requirements	21-11	
		Author: Träger	
		Product:	
Textile f	ibre materials / leather and imitation leather	Article No.:	
	extile fibre materials and leather for the manufacture of texti		and
	/articles with textile components or leather components such		
covers.		1	
req. no. 713	Statutory requirement It must be ascertained that the limits for dioxins and furans are	Law ChemVerbotsV	Article § 3 Anlage 1
15	not exceeded.	Chemverbolsv	3 5 Allage 1
	Limits must be adhered to for the following groups of dioxins and furans:		
	Group 1		
	a) 2,3,7,8-Tetrachlorodibenzo-p-dioxin		
	 b) 1,2,3,7,8-Pentachlorodibenzo-p-dioxin c) 2,3,7,8-Tetrachlorodibenzofuran 		
	d) 2,3,4,7,8-Pentachlorodibenzofuran		
	Group 2		
	a) 1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin		
	b) 1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin c) 1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin		
	d) 1,2,3,7,8-Pentachlorodibenzofuran		
	e) 1,2,3,4,7,8-Hexachlorodibenzofuran f) 1,2,3,7,8,9-Hexachlorodibenzofuran		
	g) 1,2,3,6,7,8-Hexachlorodibenzofuran		
	h) 2,3,4,6,7,8-Hexachlorodibenzofuran		
	Group 3		
	a) 1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin b) 1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin		
	c) 1,2,3,4,6,7,8-Heptachlorodibenzofuran		
	d) 1,2,3,4,7,8,9-Heptachlorodibenzofuran e) 1,2,3,4,6,7,8,9-Octachlorodibenzofuran		
	Group 4		
	a) 2,3,7,8-Tetrabromodibenzo-p-dioxin		
	 b) 1,2,3,7,8-Pentabromodibenzo-p-dioxin c) 2,3,7,8-Tetrabromodibenzofuran 		
	d) 2,3,4,7,8-Pentabromodibenzofuram		
	Group 5		
	a) 1,2,3,4,7,8-Hexabromodibenzo-p-dioxin		
	b) 1,2,3,7,8,9-Hexabromodibenzo-p-dioxin c) 1,2,3,6,7,8-Hexabromdibenzo-p-dioxin		
	d) 1,2,3,7,8-Pentabromodibenzofuran		
	The following limits must be met:		
	 1 µg/kg for the total amounts contained of chemical compounds 		
	stated in Group 1		
	 5 μg/kg for the total amounts contained of chemical compounds 		
	stated in Group 1 and 2		
	3. 100 µg/kg for the total amounts contained of chemical compounds		
	stated in Group 1, 2 and 3		
	 4. 1 μg/kg for the total amounts contained of chemical compounds 		
	stated in Group 4		
	5. 5 μ g/kg for the total amounts contained of chemical		
	compounds stated in Group 4 and 5		
4.02.22	The limits in Items 2, 3 and 5 are deemed to have been met		22 of 28
	only provided the limits applicable to the groups listed there are		
	met.		

MTH R	Retail Group Product Requirements	MTH Retail G	roup (Germany) GmbH
Category	y: General Requirements	21-11	
		Author: Träger	
		Product:	
Toxtilo f		Article No.:	
Include t	extile fibre materials and leather for the manufacture of texti /articles with textile components or leather components suc	les, home textiles	
req. no.	Statutory requirement	Law	Article
3034	Trichlorobenzene may not be used as a carrier in dyeing of synthetic materials bydisperse dyes.	LFGB	§ 30
	(further notes can be found in the publications of the BfR		
721	Products made of vinyl chloride polymers (e.g. PVC) which are intended to	BedGgstV	§ 6 Abs. 3 iVm Anl.5 Nr. 1
	 come into contact with food during manufacture, treatment, distribution, or use come into contact with cosmetics or tobacco products come into contact with the skin, not just temporarily come into contact with the mouth 		
	- as well as all - toys and joke articles		
	 cleaning and care agents products for personal hygiene 		
	may not contain more than 1 mg monomer vinyl chloride per kg		
671	Mixtures and articles produced from plastic material as listed above shall not be placed on the market if the concentration of cadmium (expressed as Cd metal) is equal to or greater than 0,01 % by weight of the plastic material.	VO (EG) Nr. 1907/2006	Anhang XVII
	By way of derogation, above restriction shall not apply to articles coloured with mixtures containing cadmium for safety reasons.		
5169	Toys and childcare articles which can be placed in the mouth must not contain more than 0,1% (by weight) of the following phthalates in the plasticised material:	VO (EG) Nr. 1907/2006	Anhang XVII Nr 52
	- Di-isononylphthalat (DINP) CAS-Nrn. 28553-12-0 und 68515-48-0 EINECS-Nrn. 249-079-5 und 271-090-9		
	- Di-isodecylphthalat (DIDP) CAS-Nrn. 26761-40-0 und 68515-49-1 EINECS-Nrn. 247-977-1 und 271-091-4		
	-Di-n-octylphthalat (DNOP) CAS-Nr. 117-84-0 EINECS-Nr. 204-214-7		
	In this context, childcare articles comprise any product intended to facilitate sleep, relaxation, hygiene, the feeding of children or sucking on the part of the children.		

MTH Retail Group

Product Requirements

LIERO MM Mc.dale Manalgalellier

Category: General Requirements

21-11 Author: Träger Product: Article No.:

Packaging (also wooden packing)

Products produced out of any material to contain, protect, operate, deliver or offer merchandise. Packagings include sales-, re-, and transport packagings (acc. VerpackV).

req. no.	Statutory requirement	Law	Article
50939	Plastic carrier bags with a wall thickness of less than 50 micrometres will be banned in Germany from 2022 without any further sales opportunities. Not affected by the ban are very light plastic carrier bags with a wall thickness of less than 15 micrometres.	VerpackG	§ 5
50925	Wood packaging material, whether or not actually in use in the transport of objects of all kinds, shall only be introduced into the Union territory if it fulfils all of the following requirements:(a) it has been subject to one or more of the approved treatments and complies with the applicable requirements set out in Annex 1 to the International Standard for Phytosanitary Measures No 15 Regulation of Wood Packaging Material in International Trade (ISPM15);(b) it is marked with the mark referred to in Annex 2 of ISPM15 attesting that it has been subject to the treatments referred to in point (a)	VO (EU) 2016/2031	Art. 43 Abs. 1
	This paragraph shall not apply to wood packaging material which is subject to the exemptions provided for in ISPM15.		
50956	From 01.01.2022, distributors and manufacturers of system- incompatible sales and secondary packaging as well as sales packaging of pollutant-containing filling goods must comply with their obligation to provide evidence that they have fulfilled the take-back and recovery requirements. In addition, self-monitoring mechanisms must be introduced for	VerpackG	§ 15
	transport packaging, sales and secondary packaging not subject to system participation, system-incompatible sales and secondary packaging and sales packaging of hazardous filling goods in order to be able to maintain the take-back and recovery requirements.		
50950	Beverage bottles with a capacity of up to three litres, including their caps and lids, which are mainly made of PET, shall be made of at least 25% recycled material on average from 2025 onwards.	VerpackG	§ 30 a VerpackG
	From 2030, a minimum average of 30% recycled content will apply to all single-use plastic beverage bottles.		
	Not affected are: a) Glass or metal beverage bottles with plastic caps or lids;		
	(b) beverage bottles intended for and used for liquid food for special medical purposes as referred to in Article 2(g) of Regulation (EU) No 609/2013.		

MTH F	Retail Group Product Requirements	MTH Retail G	roup (Germany) GmbH
Categor	y: General Requirements	21-11	
0		Author: Träger	
		Product:	
Packagi	ing (also wooden packing)	Article No.:	
Products	s produced out of any material to contain, protect, operate, c ngs include sales-, re-, and transport packagings (acc. Verp	leliver or offer me	rchandise.
req. no.	Statutory requirement	Law	Article
50957	 From 01.01.2022, single-use plastic beverage bottles must be subject to additional deposits if they are filled with the following contents: a. Sparkling wine, mixed sparkling drinks with a sparkling wine content of at least 50% and sparkling drinks made from non- 	VerpackG	§ 31, 38 Abs. 7
	alcoholic or reduced-alcohol wine. b. Wine and mixed wine beverages with a wine content of at least 50 % and non-alcoholic or reduced-alcohol wine c. wine-like drinks and mixed drinks, including those in processed form, with a wine-like product content of at least 50%.		
	 d. alcohol products subject to alcohol tax (beverages with alcopops tax with mandatory deposit!) e. other mixed drinks containing alcohol with an alcohol content of at least 15%. f. Fruit juices and vegetable juices g. fruit nectars without carbonic acid and vegetable nectars without carbonic acid 		
	In addition, the regulation applies to all beverage cans.		
	Sales are permitted until 01.07.2022. After that, beverage containers subject to a deposit may no longer be sold to the enconsumer without a deposit.	d	
	From 01.01.2024, the deposit obligation will be extended again to one-way plastic beverage bottles with a. Milk and mixed milk drinks with a milk content of at least 50%.		
50951	b. other drinkable milk products. From January 1, 2023, a reusable alternative for single-use	VerpackG	§ 33 VerpackG
	plastic food packaging and single-use beverage cups must also be made available to the end customer if, in each case, the single-use solution is only filled with goods at the final distributor. The end consumer must be informed of the option.		3.00 10194040
50049	Dioctylzin combinations (DOT) are prohibited in products if the substance concentration of DOT exceeds 0.1 per cent weight. The following products are affected: textiles with skin contact;- gloves; - parts of shoes that come into contact with skin; -walll and floor coverings; - baby articles; ladies hygiene products;- nappies/diapers; -packaging;-two-part room temperature vulcanisation form sets (RTV-2- form sets)	VO (EG) Nr. 1907/2006	Anhang XVII

MTH F	Retail Group Product Requirements	MTH Retail G	oup (Germany) GmbH
Categor	y: General Requirements	21-11	
		Author: Träger	
		Product:	
Packagi	ng (also wooden packing)	Article No.:	
Products	s produced out of any material to contain, protect, operate, de		rchandise.
req. no.	Statutory requirement	Law	Article
50952	From 03.07.2024, beverage containers with a capacity of up to three litres, including their caps and lids, must be designed in such a way that the caps and lids are firmly attached to the container during the period of use.	EWKKennzV	§ 3 EWKKennzV
	The following shall not be included (a) Glass or metal beverage containers with caps or lids made of plastic;		
	(b) Metal beverage containers in which only the seals on the lid or caps are made of plastic;		
	(c) beverage containers intended for and used for liquid foods for special medical purposes as defined in Article 2(g) of Regulation (EU) No 609/2013 of the European Parliament and of the Council.		
50959	For 2025, at least 25% recyclates must be used in single-use plastic beverage bottles made predominantly of PET. Recyclate use must be 30% for all single-use plastic beverage bottles from 2030.	VerpackG	§ 30a
50958	Final distributors where the single-use plastic food packaging and single-use plastic beverage cups are filled with goods on site must provide a reusable alternative for this in addition to the single-use packaging from 01.01.2023 onwards. Relief applies to small businesses with no more than five employees and to vending machines. Here, containers brought by the end consumer can be used if information boards inform the end consumer of this at the point of sale.	VerpackG	§§ 33, 34
50491	Whoever manufactures, treats and puts, with a label regarding the treatment, wood packaging according to the international standard for wooden packaging material into circulation, must be registered with the authority responsible and label the wood packaging.	PflBeschauV 1989	§13p und 13q
400000	Appropriate records must be kept and retained for three years.		
160069	Articles or substances must not be placed on the market as consumer goods if their intended or predictable use is likely to impair health by virtue of their material composition, e.g.	LFGB	§30
5321	through toxic substances or impurities. Manufacturers are required to register before placing the packaging on the market. https://www.verpackungsregister.org https://lucid.verpackungsregister.org	VerpackG	§ 9
5320	All packaging which accumulates in private households must be licensed by a Dual System.	VerpackG	§ 7
3051	Plastic bags with an aperture volume larger as 38 cm have to be marked with following bilingual warning label:	QS	Unternehmensin ern
	"Plastiktüte ist kein Spielzeug. Von Kindern fernhalten. Erstickungsgefahr !"		
	"Plastic bag is not a toy. Keep out of reach of children. Danger of suffocation !"		

MTHR	Retail Group Product Requirements	MTH Retail G	roup (Germany) GmbH
Category	r: General Requirements	21-11	
	,	Author: Träger	
		Product:	
Packagi	ng (also wooden packing)	Article No.:	
	produced out of any material to contain, protect, operate, de ngs include sales-, re-, and transport packagings (acc. Verpa		erchandise.
req. no.	Statutory requirement	Law	Article
2655	Packaging must not exceed the defined concentrations value of - Lead - Cadmium - Mercury	VerpackG	§ 5

MTH F	Retail Group Product Requirements	MTH Retail G	roup (Germany) GmbH
Category	y: General Requirements	21-11	
		Author: Träger	
		Product:	
Packagi	ng for filling goods containing dangerous materials	Article No.:	
Packagii identified be identi	ng for 1. products which are subject to self-service prohibition d as being toxic, very toxic, corrosive, oxidizing or highly infl fied as being harmful, as long as they are to be identified by R 62 (possible risk of impaired fertility) or R 63 (possible risk	on (products which ammable or produ y R 40 (possible ris	icts which are to sks of irreversible
req. no.	Statutory requirement	Law	Article
2654	Sales packaging of pollutant-containing filling goods must be taken back free of charge and must be disposed separate from the public waste disposal. Consumers are to be informed correspondingly.	VerpackG	§ 3, 15 i.V.m. Anlage 2
50939	Plastic carrier bags with a wall thickness of less than 50 micrometres will be banned in Germany from 2022 without any further sales opportunities. Not affected by the ban are very ligh plastic carrier bags with a wall thickness of less than 15 micrometres.		§ 5
5320	All packaging which accumulates in private households must b licensed by a Dual System.	e VerpackG	§ 7
5321	Manufacturers are required to register before placing the packaging on the market. https://www.verpackungsregister.org https://lucid.verpackungsregister.org	VerpackG	§ 9
50956	From 01.01.2022, distributors and manufacturers of system- incompatible sales and secondary packaging as well as sales packaging of pollutant-containing filling goods must comply with their obligation to provide evidence that they have fulfilled the take-back and recovery requirements.	VerpackG	§ 15
	In addition, self-monitoring mechanisms must be introduced for transport packaging, sales and secondary packaging not subject to system participation, system-incompatible sales and secondary packaging and sales packaging of hazardous filling goods in order to be able to maintain the take-back and recovery requirements.		
2655	Packaging must not exceed the defined concentrations value o - Lead - Cadmium	f VerpackG	§ 5
	- Mercury - Chromium VI: 100 ppm		
11345	 This applies to transport, re-packaging and sales packaging. Requirements for the Information of the filling quantity for prepackages with photochemical products and with chemical and technical standard materials and reagent materials with the same nominal filling quantity: Instead of the nominal filling quantity, the volume of the ready to-use preparation or the number of applications or examinations may be stated. 		§ 6 Abs. 6